

MATHEMATICAL
PAPERS

SEIDLER

VOL. II



CAMBRIDGE
UNIVERSITY PRESS

MATHEMATICAL PAPERS

CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,

C. F. CLAY, MANAGER.

London: FETTER LANE, E.C.

Glasgow: 50, WELLINGTON STREET.



Leipzig: F. A. BROCKHAUS.

New York: G. P. PUTNAM'S SONS.

Bombay and Calcutta: MACMILLAN & CO., LTD.

[All Rights reserved.]

THE COLLECTED
MATHEMATICAL PAPERS
OF
JAMES JOSEPH SYLVESTER

F.R.S., D.C.L., LL.D., Sc.D.,

Honorary Fellow of St John's College, Cambridge;

Sometime Professor at University College, London; at the University of Virginia;
at the Royal Military Academy, Woolwich; at the Johns Hopkins University, Baltimore
and Savilian Professor in the University of Oxford

VOLUME II
(1854—1873)
WITH TWO PLATES

Cambridge

At the University Press

1908

THE COLLECTED
MATHEMATICAL PAPERS
OF
JAMES JOSEPH SYLVESTER,
LL.D., F.R.S., F.L.S.,
F.R.A.S., F.R.A.M.,
F.R.S.A., F.R.S.C.,
F.R.S.P., F.R.S.E.,
F.R.S.W., F.R.S.I.,
F.R.S.A., F.R.S.C.,
F.R.S.P., F.R.S.E.,
F.R.S.W., F.R.S.I.,

Cambridge

PRINTED BY JOHN CLAY, M.A.
AT THE UNIVERSITY PRESS.



R208/55

PREFATORY NOTE.

AMONG the Papers contained in this Volume are, the Author's Lecture on Geometry, delivered before the Gresham Committee (No. 2), the Author's seven lectures on the Partition of Numbers, in outline (No. 26), the long memoir on Newton's Rule (No. 74), and the Presidential Address to the Mathematical and Physical Section of the British Association at Exeter (No. 100). The papers here numbered 87, 88, 89 and 94 were republished together with the title "Nugae Mathematicae," and are found in the British Museum Catalogue under that name.

As in the first Volume, save for obvious errors of algebraical formulae, the papers are reprinted unaltered, cross references, and—in a few cases—indications of correction, being enclosed in square brackets.

A Table of Contents is prefixed, a General Index being deferred to the last Volume.

H. F. BAKER.

ST JOHN'S COLLEGE, CAMBRIDGE.

2 March 1908.

TABLE OF CONTENTS

	PAGES
1. <i>On the double square representation of prime and composite numbers</i> <small>(York British Association Report 1844)</small>	1
2. <i>A probationary lecture on Geometry, 1854</i>	2—9
3. <i>Note on Sir John Wilson's Theorem</i> <small>(Cambridge and Dublin Mathematical Journal 1854)</small>	10
4. <i>On the Calculus of Forms, otherwise the Theory of Invariants</i> <small>(Cambridge and Dublin Mathematical Journal 1854)</small>	11—27
5. <i>Théorème sur les déterminants</i> <small>(Nouvelles Annales de Mathématiques 1854)</small>	28
6. <i>Note on a point of notation</i> <small>(Philosophical Magazine 1854)</small>	29
7. <i>Note on the “enumeration of the contacts of lines and surfaces of the second order”</i> <small>(Philosophical Magazine 1854)</small>	30—33
8. <i>Note on a formula by aid of which and of a table of single entry the continued product of any set of numbers (or at least a given constant multiple thereof) may be effected by additions and subtractions only without the use of logarithms</i> <small>(Philosophical Magazine 1854)</small>	34—39
9. <i>On some new theorems in Arithmetic</i> <small>(Philosophical Magazine 1854)</small>	40—43
10. <i>Note on Burman's law for the inversion of the Independent Variable</i> <small>(Philosophical Magazine 1854)</small>	44—49

CONTENTS

vii

	PAGES
11. <i>On differential transformation and the reversion of serieses</i>	50—54
(Proceedings of the Royal Society of London 1856)	
(Philosophical Magazine 1855)	
12. <i>A trifle on projectiles</i>	55—58
(Philosophical Magazine 1856)	
13. <i>Note on an intuitive proof of the existence of twenty-seven conics of closest contact with a curve of the third degree</i>	59, 60
(Philosophical Magazine 1856)	
14. <i>Letter on Professor Galbraith's construction for the range of projectiles</i>	61, 62
(Philosophical Magazine 1856)	
15. <i>Recherches sur les solutions en nombres entiers positifs ou négatifs de l'équation cubique homogène à trois variables</i>	63, 64
(Annali di Scienze Matematiche e Fisiche 1856)	
16. <i>On the change of systems of independent variables</i>	65—85
(Quarterly Journal of Mathematics 1857)	
17. <i>On a discovery in the Partition of Numbers</i>	86—89
(Quarterly Journal of Mathematics 1857)	
18. <i>On the Partition of Numbers</i>	90—99
(Quarterly Journal of Mathematics 1857)	
19. <i>Note on a formal property of a latent integer</i>	100
(Quarterly Journal of Mathematics 1857)	
20. <i>Note on a principle in the Theory of Numbers and the resolvability of any number into the sum of four squares</i>	101, 102
(Quarterly Journal of Mathematics 1857)	
21. <i>Development of an idea of Eisenstein</i>	103—106
(Quarterly Journal of Mathematics 1857)	
22. <i>Note on the algebraical theory of derivative points of curves of the third degree</i>	107—109
(Philosophical Magazine 1858)	

	PAGES
23. <i>Note on the equation in numbers of the first degree between any number of variables with positive coefficients.</i> (Philosophical Magazine 1858)	110—112
24. <i>On the problem of the virgins, and the general theory of compound partition</i> (Philosophical Magazine 1858)	113—117
25. <i>On a generalization of Poncelet's theorems for the linear representation of quadratic radicals</i> (Oxford British Association Report 1860)	118
26. <i>Outlines of seven lectures on the Partitions of Numbers</i> (Proceedings of the London Mathematical Society 1897)	119—175
27. <i>Théorie des Nombres</i> (Comptes Rendus de l'Académie des Sciences 1860)	176
28. <i>Théorie des Nombres</i> (Comptes Rendus de l'Académie des Sciences 1860)	177
29. <i>Note sur certaines séries qui se présentent dans la Théorie des Nombres</i> (Comptes Rendus de l'Académie des Sciences 1860)	178
30. <i>Sur la Fonction $E(x)$</i> (Comptes Rendus de l'Académie des Sciences 1860)	179, 180
31. <i>On Poncelet's approximate linear valuation of Surd Forms</i> (Philosophical Magazine 1860)	181—199
32. <i>Meditation on the Idea of Poncelet's Theorem</i> (Philosophical Magazine 1860)	200—207
33. <i>Notes to the Meditation on Poncelet's Theorem, including a valuation of two new definite integrals</i> (Philosophical Magazine 1860)	208—214
34. <i>On the pressure of earth on revetment walls</i> (Philosophical Magazine 1860)	215—224
35. <i>On an equation in the Theory of Numbers</i> (Quarterly Journal of Mathematics 1860)	225—228

CONTENTS

ix

	PAGES
36. <i>Sur une propriété des Nombres Premiers qui se rattache au Théorème de Fermat</i> (Comptes Rendus de l'Académie des Sciences 1861)	229—231
37. <i>Addition à la Note insérée dans le précédent Compte Rendu</i> (Comptes Rendus de l'Académie des Sciences 1861)	232, 233
38. <i>Note relative aux Communications faites dans les Séances des 28 Janvier et 4 Février 1861</i> (Comptes Rendus de l'Académie des Sciences 1861)	234, 235
39. <i>Sur l'involution des lignes droites dans l'Espace considérées comme des Axes de Rotation</i> (Comptes Rendus de l'Académie des Sciences 1861)	236—239
40. <i>Note sur l'involution de six lignes dans l'Espace</i> (Comptes Rendus de l'Académie des Sciences 1861)	240, 241
41. <i>Note sur les 27 droites d'une surface du 3^e degré</i> (Comptes Rendus de l'Académie des Sciences 1861)	242—244
42. <i>Généralisation d'un Théorème de M. Cauchy</i> (Comptes Rendus de l'Académie des Sciences 1861)	245, 246
43. <i>Addition à la Note intitulée: "Généralisation d'un Théorème de M. Cauchy"</i> (Comptes Rendus de l'Académie des Sciences 1861)	247—249
44. <i>Démonstration directe du Théorème de Lagrange, sur les valeurs numériques minima d'une fonction linéaire à coefficients entiers d'une quantité irrationnelle</i> (Comptes Rendus de l'Académie des Sciences 1861)	250—253
45. <i>Note on the numbers of Bernoulli and Euler and a new Theorem concerning prime numbers</i> (Philosophical Magazine 1861)	254—263
46. <i>Note on the historical origin of the unsymmetrical six-valued function of six letters</i> (Philosophical Magazine 1861)	264—271

CONTENTS

	PAGES
47. <i>On a problem in Tactic which serves to disclose the existence of a four-valued function of three sets of three letters each .</i> (Philosophical Magazine 1861)	272—276
48. <i>Concluding paper on Tactic</i> (Philosophical Magazine 1861)	277—285
49. <i>Remark on the Tactic of nine elements</i> . . . (Philosophical Magazine 1861)	286—289
50. <i>On a generalization of a Theorem of Cauchy on arrangements</i> (Philosophical Magazine 1861)	290—293
51. <i>Note on a direct method of obtaining the expansion of the sine or cosine of multiple arcs in terms of powers of the sines or cosines of the simple arc by means of De Moivre's Theorem</i> . . . (Quarterly Journal of Mathematics 1861)	294—297
52. <i>Note on certain definite integrals</i> . . . (Quarterly Journal of Mathematics 1861)	298—303
53. <i>On the involution of axes of rotation</i> . . (Manchester British Association Report 1861)	304
54. <i>Addition à la démonstration du Théorème de Lagrange sur les minima d'une fonction linéaire à coefficients entiers d'une quantité irrationnelle</i> . . . (Comptes Rendus de l'Académie des Sciences 1862)	305, 306
55. <i>On the solution of the linear equation of finite differences in its most general form</i> (Cambridge British Association Report 1862)	307
56. <i>Sur une classe nouvelle d'équations différentielles et d'équations aux différences finies d'une forme intégrable ,</i> . . (Comptes Rendus de l'Académie des Sciences 1862)	308—312
57. <i>Addition à une Note sur une forme nouvelle d'équations différentielles et intégrables .</i> (Comptes Rendus de l'Académie des Sciences 1862)	313—317

CONTENTS

xi

	PAGES
58. <i>On the integral of the general equation in differences</i> (Philosophical Magazine 1862)	318—322
59. <i>On the quantity and centre of gravity of figures given in perspective, or homography</i> (Newcastle-on-Tyne British Association Report 1863)	323, 324
60. <i>On a question of compound arrangement</i> (Proceedings of the Royal Society of London 1862-3)	325, 326
61. <i>On a Theorem relating to polar umbræ</i> (Proceedings of the Royal Society of London 1862-3)	327, 328
62. <i>On the degree and weight of the resultant of a multipartite system of equations</i> (Proceedings of the Royal Society of London 1862-3)	329, 330
63. <i>Sequel to the Theorems relating to “Canonic Roots”</i> (Philosophical Magazine 1863)	331—337
64. <i>Observations on the method for finding the centre of gravity of a quadrilateral</i> (Quarterly Journal of Mathematics 1863)	338—341
65. <i>On the centre of gravity of a truncated triangular pyramid, and on the principles of barycentric perspective</i> (Philosophical Magazine 1863)	342—357
66. <i>Note on a Theorem of the Integral Calculus</i> (Philosophical Magazine 1863)	358, 359
67. <i>Théorème sur la limite du nombre des racines réelles d'une classe d'équations algébriques</i> (Comptes Rendus de l'Académie des Sciences 1864)	360
68. <i>Sur une extension de la Théorie des équations algébriques</i> (Comptes Rendus de l'Académie des Sciences 1864)	361, 362
69. <i>Sur une extension de la Théorie des Résultants algébriques</i> (Comptes Rendus de l'Académie des Sciences 1864)	363—367

	PAGES
70. <i>Addition à une Note insérée dans le Compte Rendu de la Séance précédente</i> (Comptes Rendus de l'Académie des Sciences 1864)	368
71. <i>Addition à la Note sur une extension de la Théorie des Résultants algébriques</i> (Comptes Rendus de l'Académie des Sciences 1864)	369, 370
72. <i>Sur la Théorie des racines réelles et imaginaires des équations du cinquième degré</i> (Comptes Rendus de l'Académie des Sciences 1864)	371—374
73. <i>Correction de la Note insérée dans les Comptes Rendus pour la séance du 7 Novembre</i> (Comptes Rendus de l'Académie des Sciences 1864)	375
74. <i>Algebraical researches, containing a disquisition on Newton's Rule for the discovery of imaginary roots, in an allied Rule applicable to a particular class of equations, together with a complete invariantive determination of the character of the roots of the general equation of the fifth degree</i> (Philosophical Transactions of the Royal Society of London 1864)	
<i>An inquiry into Newton's Rule for the discovery of imaginary roots</i> (Proceedings of the Royal Society of London 1863—4)	376—479
75. <i>On a special class of questions on the Theory of Probabilities</i> (Birmingham British Association Report 1865)	480, 481
76. <i>Note sur les conditions nécessaires et suffisantes pour distinguer, le cas quand toutes les racines d'une équation du cinquième degré sont réelles</i> (Comptes Rendus de l'Académie des Sciences 1865)	482, 483
77. <i>Théorème d'Arithmétique</i> (Comptes Rendus de l'Académie des Sciences 1865)	484
78. <i>Rectification et démonstration d'un Théorème d'Arithmétique</i> (Comptes Rendus de l'Académie des Sciences 1865)	485—488

CONTENTS

xiii

	PAGES
79. <i>Sur les limites du Nombre des racines réelles des équations algébriques . . .</i> (Comptes Rendus de l'Académie des Sciences 1865)	489, 490
80. <i>Théorème d'Algèbre élémentaire . . .</i> (Comptes Rendus de l'Académie des Sciences 1865)	491, 492
81. <i>On Newton's Rule for the discovery of imaginary roots of equations . . .</i> (Proceedings of the Royal Society of London 1865)	493, 494
82. <i>On a Theorem concerning Discriminants . . .</i> (Proceedings of the Royal Society of London 1865)	495
83. <i>On Lambert's Theorem for Elliptic Motion</i> (Monthly Notices of the Royal Astronomical Society 1865)	496, 497
84. <i>On an elementary proof and generalization of Sir Isaac Newton's hitherto undemonstrated Rule for the discovery of imaginary roots . . .</i> (Proceedings of the London Mathematical Society 1865-6)	498—513
85. <i>Observations sur un Article de M. Poulain</i> (Les Mondes 1866)	514—516
86. <i>On an addition to Poinsot's ellipsoidal mode of representing the motion of a rigid body turning freely round a fixed point, whereby the time may be made to register itself mechanically . . .</i> (Proceedings of the London Mathematical Society 1866)	517, 518
87. <i>Astronomical proclensions: commencing with an instantaneous proof of Lambert's and Euler's Theorems, and modulating through a construction of the orbit of a heavenly body from two heliocentric distances, the subtended chord, and the periodic time, and the focal theory of Cartesian ovals, into a discussion of motion in a circle and its relation to planetary motion . . .</i> (Philosophical Magazine 1866)	519—541

	PAGES
88. <i>On an improved form of statement of the new Rule for the separation of the roots of an algebraic equation, with a Postscript containing a new Theorem . . .</i> (Philosophical Magazine 1866)	542—546
89. <i>Note on the periodical changes of orbit, under certain circumstances, of a particle acted on by a central force, and on vectorial coordinates, etc., together with a new Theory of the analogue to the Cartesian ovals in space, being a sequel to "Astronomical Prolusions" . . .</i> (Philosophical Magazine 1866)	547—558
90. <i>Supplemental Note on the Analogues in space to the Cartesian ovals in plano . . .</i> (Philosophical Magazine 1866)	559—563
91. <i>Note on a Memoria Technica for Delambre's, commonly called Gauss's, Theorems . . .</i> (Philosophical Magazine 1866)	564—566
92. <i>Note on the properties of the test operators which occur in the Calculus of Invariants, their derivatives, analogues, and laws of combination; with an incidental application to the development in a Maclaurinian series of any power of the logarithm of an augmented variable . . .</i> (Philosophical Magazine 1866)	567—576
93. <i>On the motion of a rigid body acted on by no external forces . . .</i> (Philosophical Transactions of the Royal Society of London 1866)	577—601
94. <i>On the motion of a rigid body moving freely about a fixed point . . .</i> (Proceedings of the Royal Society of London 1866—7)	602—607
95. <i>On the multiplication of partial differential operators . . .</i> (Philosophical Magazine 1867)	608—614

CONTENTS

xv

PAGES

- | | |
|--|----------|
| 96. <i>Thoughts on inverse orthogonal matrices, simultaneous sign-successions, and tessellated pavements in two or more colours, with applications to Newton's Rule, ornamental tile-work, and the Theory of Numbers . . .</i> | 615—628 |
| (Philosophical Magazine 1867) | |
| 97. <i>On the successive involutes to a circle . . .</i> | 629 |
| (Norwich British Association Report 1868) | |
| 98. <i>Note on successive involutes to a circle . . .</i> | 630—640 |
| (Philosophical Magazine 1868) | |
| 99. <i>On successive involutes to a circle. Second note . . .</i> | 641—649 |
| (Philosophical Magazine 1868) | |
| 100. <i>Address to the Mathematical and Physical Section of the British Association . . .</i> | 650—661 |
| (Exeter British Association Report 1869) | |
| 101. <i>On Professor Christian Wiener's Stereoscopic representation of the cubic eikosi-heptagram . . .</i> | 662 |
| (Exeter British Association Report 1869) | |
| 102. <i>On the successive involutes to a circle . . .</i> | 662 |
| (Exeter British Association Report 1869) | |
| 103. <i>Outline trace of the theory of reducible Cyclodes, that is a particular family of successive involutes to a circle whose determination depends on the solution of an algebraico-diophantine equation, and of the number and classification of the forms of such family for any given order of succession . . .</i> | 663—688 |
| (Proceedings of the London Mathematical Society 1869) | |
| 104. <i>The story of an equation in differences of the second order . . .</i> | 689, 690 |
| (Philosophical Magazine 1869) | |

	PAGES
105. <i>Note on a new continued fraction applicable to the quadrature of the circle</i> (Philosophical Magazine 1869)	691—693
106. <i>On two remarkable Resultants arising out of the theory of rectifiable compound logarithmic waves</i> (Philosophical Magazine 1869)	694—700
107. <i>Note on the theory of a point in Parti- tions</i> (Edinburgh British Association Report 1871)	701—703
108. <i>On an elementary proof of Sir Isaac New- ton's hitherto undemonstrated rule given in the Arithmetica Universalis, for the discovery of imaginary roots in alge- braical equations</i> (Transactions of the Royal Irish Academy 1871)	704—708
109. <i>On the Partition of an even number into two primes</i> (Proceedings of the London Mathematical Society 1871-3)	709—711
110. <i>On the theorem that an Arithmetical Pro- gression which contains more than one, contains an infinite number of prime numbers</i> (Proceedings of the London Mathematical Society 1871-3)	712, 713
APPENDIX. ADDITIONAL NOTES TO PROFESSOR SYLVESTER'S EXETER BRITISH ASSOCIATION ADDRESS	714—719
ON THE INCORRECT DESCRIPTION OF KANT'S DOCTRINE OF SPACE AND TIME	719—731
PLATES I. AND II. . . .	<i>At end of Volume</i>

give a *diagnose* freshell *ad*, or some words or more, indicating what seems to him
that kind of ex)isted his most certain, he holds his hands in his pockets and he remains silent, and
then suddenly says "I know not what I say" and turns his back. He is called "the silent" because
he has said nothing, and he remains silent. Still, though *ad* is full of words, at the "silent" *ad*,
he remains silent, and he remains silent. There is no silence, but there is a kind of silence, a kind of
silence, a kind of silence, and he remains silent. There is no silence, but there is a kind of silence,
and he remains silent. There is no silence, but there is a kind of silence, and he remains silent.
There is no silence, but there is a kind of silence, and he remains silent.

He remains silent, and he remains silent. There is no silence, but there is a kind of silence,
and he remains silent. There is no silence, but there is a kind of silence, and he remains silent.
There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.


There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.



There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.

There is no silence, but there is a kind of silence, and he remains silent.




Scale of Derivation to principal family in 6 point system.



Morph

tuvz: tuzx: tuyx: tuyv:
tuz: y tuv: x
yuv: z xx: uv vu: xy xyu: z
zt: yv ztx: v yxt: v zt: xy
vz: xy


Convertibles x, y, v. Convert z.




Morph

ztux: ztuy: ztuv:
yz: uv xx: uv xu: yz
yzt: v xzt: v yzt: x
tuv: y tuv: x xt: y
xt: yv yz: xv yuv: x

Convertibles x, y, v. Convert y.









Denudation illustrated.







Normal Order Punctuated.

Primary at P_1 : xy; ztuv
 P_2 : xy; z; tuv
 P_3 : xy; zt; uv



At the end of volume.

Coiled Lines or Lines of Abnormal Order.*True Zig-zags or Lines of Normal Order.**Perspective Regions of Normal Orders.**Conjugate perspective Region.*