

2148

POLSKA AKADEMIA NAUK  
INSTYTUT ZOOLOGICZNY

A N N A L E S Z O O L O G I C I

Tom XVIII

Warszawa, 30 IV 1959

Nr 2

Maciej MROCZKOWSKI

Wykaz typów opisowych przechowywanych w Instytucie Zoologicznym Polskiej Akademii Nauk w Warszawie<sup>1</sup>.

II. *Lycidae (Coleoptera)*

Список описанных типов хранящихся в Зоологическом Институте Польской Академии Наук в Варшаве<sup>1</sup>.

II. *Lycidae (Coleoptera)*

List of type specimens in the collection of the Institute of Zoology of the Polish Academy of Sciences in Warsaw<sup>1</sup>.

II. *Lycidae (Coleoptera)*

The list includes the following type specimens upon which species or lower taxa were established: 1) holotypes, 2) allotypes, 3) syntypes, 4) paratypes. These names of the various groups of types are based on international regulations now in force, irrespective of how they were termed in either the particular collection or the original publication. The specimens included in the list are numbered for inventory purposes in the following way: separate successive numbers are given to the holotype, allotype and to each series

<sup>1</sup> In fulfilment of Decision No. 150 of the XIV International Zoological Congress at Copenhagen, the Institute of Zoology of the Polish Academy of Sciences has started to publish lists of type specimens in the collection of the Institute. The Decision reads as follows: „150. „Recommendation” that institutions possessing type specimens should publish lists of such specimens in their possession: The Colloquium recommends the addition to Article 31 of the following Recommendation: — All

of syntypes or of paratypes, specimens coming from the same locality being considered as one series. The labels used for this purpose are made of red paper and bear the following inscription in print: „Inst. Zool. P. A. N. Warszawa (or Kraków, Poznań, Łódź) — Holotypus (alternatively Allotypus, Syntypus, Paratypus) — Nr. ...”; the number is marked in black India ink.

The list is arranged in alphabetic order. The particular entries are given as follows: the name of the species, quoted strictly according to the original description, is followed by the name of the author of the species or infraspecific taxon, then the year of publication of the description and the page. The name of the author and the year refer to the list of literature; consequently, it was sometimes necessary to add letters after the year, e. g., 1926a, 1926b, 1926c, etc. Next follows the number of type specimens, and the designation of the type specimen or specimens used in the original collection (when this term is incorrect, the correct term is added in square brackets). Further the inventorinal number follows, in brackets, and the locality from which the given specimen originates. When necessary, notes relating to the condition of the specimen are given at the end.

The list is based on the material found in the collection and that is why some type specimens might have been omitted if they have not been marked in some way or other in the collection. On the other hand, numerous specimens are marked „type”, or the like, and yet they are not type specimens:

---

Institutions maintaining zoological collections should prepare and publish lists of type material in their possession.”

This is also in agreement with the recommendations of the International Council of Museums of the UNESCO, published in the booklet:

SWINTON W. E. 1955. Spécimens-types en botanique et en zoologie. Recommandations à l'usage des Musées d'Histoire Naturelle et des Musées mixtes. Paris, V+12 pp.

This list is the second of a series of similar lists to be compiled by various authors. The main object of these lists is to provide zoologists with information relating to type specimens in the collection of the Institute of Zoology of the Polish Academy of Sciences. At the same time they will form a published inventory of type specimens in the possession of the Institute.

this is the case with unpublished names (MS-names), as well as in cases when the author of the collection was forming his own „collection types”, and in some other instances. In view of these difficulties, every entry of the list was meticulously checked against the corresponding literature and, when a reliable check up was impossible, it was omitted. In cases when checking with literature was not sufficient, the history of the specimen was not infrequently tediously traced as far as possible. All doubtful entries were left out; if cleared up in the future, they will be published later as a supplement to the present list.

The list comprises 1236 type specimens of the family *Lycidae*, grouped in 700 entries.

### *Lycidae*

*Acantholyicus clarus* KLEINE, 1940a: 251. 1 Co-Typus [paratype] (No. 57) from Mulungu, Kivu, in the Belgian Congo.

*Acantholyicus vividus* KLEINE, 1939c: 258. 1 [paratype] (No. 58) from Nairobi in Kenya.

*Acantholyicus Wittei* KLEINE, 1937b: 7. 2 Typus [paratypes] (No. 59) from Rutshuru, Albert National Park in the Belgian Congo.

*Adoceta stabilis* KLEINE, 1935c: 111. 2 Co-Typus [syntypes] (No. 60) from Mt. Elgon in Kenya.

*Adoceta Turneri* PIC, 1934a: 127. 1 Cotype [syntype] (No. 61) from Kaimosi in Africa.

*Adoceta ugandanensis* KLEINE, 1933a: 17. 1 Co-Typus [allotype] (No. 62) from Bwamba Pass in Uganda.

*Bulenides adumbratus* KLEINE, 1926k: 84. 1 Type [holotype] (No. 63) from Butuan, Mindanao, 1 [allotype], (No. 64) from Mt. Banahao, Luzon, 1 [paratype] (No. 65) from Mt. Makiling, Luzon, 1 [paratype] (No. 66) from Mr. Limay, Luzon, 1 [paratype] (No. 67) from Surigao, Mindanao, 1 [paratype] (No. 68) from Cuernos Mts, Negros, and 1 [paratype] (No. 69) from Sibuyan Island.

*Bulenides adventicus* KLEINE, 1926k: 84. 1 Type [holotype] (No. 70) from Kolambungan, Mindanao, 1 Typus [allo-

- type] (No. 71) from Butuan, Mindanao, 2 [paratypes] (No. 72) from Butuan, Mindanao, 1 [paratype] (No. 73) from Surigao, Mindanao and 1 [paratype] (No. 74) from Iligan, Mindanao.
- Bulenides aridus* KLEINE, 1926b : 152. 2 Co-Typus [syntypes] (No. 75) from Penang.
- Bulenides aterrimus* KLEINE, 1926k : 83. 1 Typus [allotype] (No. 76) from Cuernos Mts, Negros.
- Bulenides bicoloratus* KLEINE, 1930f : 351. 1 Type [holotype] (No. 77) from Anai Kloof, Sumatra.
- Bulenides duplicatus* KLEINE, 1928b : 320. 1 Type [holotype] (No. 78) from Mt. Tibang, Borneo.
- Bulenides flavoreticulatus* KLEINE, 1932b : 155. 1 Co-Typus [paratype] (No. 79) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Bulenides imitator* KLEINE, 1930k : 95. 1 [paratype] (No. 80) from Perak Mts.
- Bulenides longeareolatus* KLEINE, 1936e : 132. 1 Typus! [holotype] (No. 81) from Tangkoeban Prahoe, Preanger, Java.
- Bulenides nebulosus* KLEINE, 1930f : 350. 1 Type [holotype] (No. 82) from Penang.
- Bulenides philippinensis* KLEINE, 1930f : 351. 1 Type [holotype] (No. 83) from Surigao, Mindanao.
- Bulenides pudicus* KLEINE, 1931a : 257. 1 Type [holotype] (No. 84) from Toegoe, Java.
- Bulenides reticulatus* KLEINE, 1930f : 352. 1 Type [holotype] (No. 85) from Zamboanga, Mindanao.
- Bulenides Sijthoffi* KLEINE, 1926b : 149. 1 Co-Typus and 1 unmarked [both syntypes] (No. 86) from Preanger, Java.
- Bulenides socius* KLEINE, 1935e : 311. 1 Co-Typus [paratype] (No. 87) from Kokoda, New Guinea.
- Bulenides triangularis* KLEINE, 1930f : 351. 1 Type [holotype] (No. 88) from Quop, Sarawak, Borneo.
- Calleros curtelineatus* PIC, 1934b : 135. 1 Type and 1 unmarked [both syntypes] (No. 89) from Costa Rica.
- Calleros maculatipes* PIC, 1934a : 128. 1 Type [syntype] (No. 90) from Bolivia.
- Calleros mediofasciatus* PIC, 1933d : 122. 1 Typus [syntype] (No. 91) from Rio Grande do Sul, Brazil.

- Calleros purgatus* KLEINE, 1942c : 160. 2 Co-Types [paratypes] (No. 92) from Maracay, Venezuela.
- Calochromus bicoloratus* KLEINE, 1926a : 18. 1 Type [syntype] (No. 93) from Fort de Kock, Sumatra.
- Calochromus bifasciatus* KLEINE, 1941a : 233. 1 Co-Typus and 1 unmarked [both paratypes] (No. 94) from Kausani, Almora, Uttar Pradesh, India.
- Calochromus cerberus* KLEINE, 1941a : 234. 1 Co-Typus [paratype] (No. 95) from Terbakar, Cameron Highlands, Pahang.
- Calochromus conveniens* KLEINE, 1926k : 41. 1 Type [holotype] (No. 96) from Cuernos Mts, Negros, 1 [allotype] (No. 97) from Cuernos Mts, Negros, 1 [paratype] (No. 98) from Mt. Isarog, Luzon, 1 [paratype] (No. 99) from Sibuyan Island, 2 [paratypes] (No. 100) from Surigao, Mindanao, 2 [paratypes] (No. 101) from Iligan, Mindanao, 1 [paratype] (No. 102) from Dapitan, Mindanao, 1 [paratype] (No. 103) from Kolambungan, Mindanao and 1 [paratype] (No. 104) from Zamboanga, Mindanao.
- Calochromus costulatus* KLEINE, 1928a : 260. 1 Cotype [paratype] (No. 105) from Gulmarg, Kashmir and 1 [paratype] (No. 106) from Sadiya, Assam.
- Calochromus cyanescens* KLEINE, 1930k : 101. 1 Co-Typus [paratype] (No. 107) from Cameron Highlands, Malaya.
- Calochromus densecostatus* KLEINE, 1930h : 288. 1 Co-Typus [paratype] (No. 108) from Chiengmai, Siam.
- Calochromus dilatatus* KLEINE, 1935e : 318. 1 Typus! [holotype] (No. 109) from New Guinea.
- Calochromus diversus* KLEINE, 1925c : 31. 1 Co-Type [paratype] (No. 110) from Buru.
- Calochromus dolosus* KLEINE, 1939a : 11. 1 Type [holotype] (No. 111) from Mt. Matang, Sarawak, Borneo.
- Calochromus Drescheri* KLEINE, 1936e : 139. 1 Typus [holotype] (No. 112) from Tankoeban Prahoe, Preanger, Java.
- Calochromus firmus* KLEINE, 1939a : 10. 1 Typus [holotype] (No. 113) from Sandakan, Borneo.
- Calochromus fraterculus* KLEINE, 1939d : 20. 1 Paratypus (No. 114) from Kambaiti in Burma.
- Calochromus imitator* KLEINE, 1927a : 294. 1 Co-Typus and 1 unmarked [both paratypes] (No. 115) from Madang, Borneo.

- Calochromus kashmirensis* KLEINE, 1928a : 259. 1 Type [holotype] (No. 116) from Uri, Kashmir and 2 [paratypes] (No. 117) from Gulmarg, Kashmir.
- Calochromus longepectinatus* KLEINE, 1939a : 10. 1 Type [holotype] (No. 118) from Sandakan, Borneo.
- Calochromus luzonicus* KLEINE, 1932a : 572. 1 Co-Typus [paratype] (No. 119) from Benguet, Baguio, Luzon.
- Calochromus macropalpis* KLEINE, 1926k : 40. 1 Type [paratype] (No. 120) locality not given.
- Calochromus malayensis* KLEINE, 1932c : 120. 1 Co-Typus [paratype] (No. 121) from Bukit Kutu, Selangor, Malay Peninsula.
- Calochromus malignus* KLEINE, 1936e : 139. 1 Type [syntype] (No. 122) from Tangkoeban Prahoe, Preanger, Java.
- Calochromus novaeguineensis* KLEINE, 1926f : 465. 1 Typus [allotype] (No. 123) from New Guinea.
- Calochromus pallidipennis* KLEINE, 1927a : 294. 2 Paratypus (No. 124) from Madang, Borneo.
- Calochromus pallidulus* KLEINE, 1926k : 42. 1 Paratype (No. 125) no locality given.
- Calochromus peculiaris* KLEINE, 1928a : 261. 2 Paratypes (No. 126) no locality given.
- Calochromus postmaculatus* KLEINE, 1939e : 134. 1 Type [holotype] (No. 127) from Tangkoeban Prahoe, Preanger, Java.
- Calochromus pudens* KLEINE, 1936e : 138. 1 Type [holotype] (No. 128) from Bajoekidoel, Raoeng, Java.
- Calochromus pyrochroides* KLEINE, 1931a : 286. 1 Type [holotype] (No. 129) from Tangkoeban Prahoe, Preanger, Java.
- Calochromus reverens* KLEINE, 1930k : 98. 1 Co-Typus [paratype] (No. 130) from Nilgiri Hills, India.
- Calochromus rubrofasciatus* KLEINE, 1928b : 329. 1 Type [holotype] (No. 131) from Mt. Tibang, Borneo.
- Calochromus sanguinolentus* KLEINE, 1928a : 262. 3 [paratypes] (No. 132) from Ruby Mines, Burma.
- Calochromus setiger* KLEINE, 1937c : 206. 1 Co-Typus [holotype] (No. 133) from Sadiya, Assam.
- Calochromus sondaicus* KLEINE, 1927a : 293. 1 Holotypus (No. 134) from the Dutch East Indies.

- Calochromus sororius* KLEINE, 1926k : 40. 2 Paratype and 1 unmarked [paratype] (No. 135) from Momungan, Mindanao, 1 [paratype] (no. 136) no locality given.
- Calochromus teres* KLEINE, 1932c : 119. 1 Co-Typus [paratype] (No. 137) from Frasers Hill, Pahang, Malay Peninsula.
- Calochromus timorensis* KLEINE, 1930e : 343. 1 Co-Typus [paratype] (No. 138) from Leo, Timor.
- Calochromus toxopei* KLEINE, 1939a : 18. 1 Typus and 1 unmarked [both syntypes] (No. 139) from Todjamboe near Palopo, Celebes.
- Calochromus triguttatus* KLEINE, 1928a : 260. 1 Co-Typus [paratype] (No. 140) from Sunderhunga, W. Almora in India.
- Calopteron diffusicoloratum* KLEINE, 1942c : 152. 1 Type [holotype] (No. 141) no locality given and 2 [paratypes] (No. 142) also locality not given.
- Calopteron ecuadorense* KLEINE, 1942c : 154. 1 Typus [holotype] (No. 143) from Banos, Ecuador.
- Calopteron fundatum* KLEINE, 1942c : 157. 1 Co-Typus [allotype] (No. 144) from Brazil.
- Calopteron montiphilum* KLEINE, 1942c : 156. 2 Co-Types and 2 unmarked [all paratypes] (No. 145) from Colima volcano, Mexico.
- Calopteron pusillum* KLEINE, 1943b : 147. 1 Co-Typus and 3 unmarked [all paratypes] (No. 146) from Mexico.
- Calopteron venezuelense* KLEINE, 1942c : 155. 1 Co-Typus [paratype] (No. 147) from Maracay, Venezuela.
- Cautires asper* KLEINE, 1928b : 321. 1 Co-Typus [holotype] (No. 148) from Mt. Dulit, Borneo.
- Cautires asperoides* KLEINE, 1932b : 151. 1 Co-Typus [paratype] (No. 149) from Kamborangah, Mt. Kinabalu, Borneo.
- Cautires bicoloratus* KLEINE, 1932b : 151. 1 Co-Typus [paratype] (No. 150) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Cautires certus* KLEINE, 1930d : 9. 1 Co-Typus [paratype] (No. 151) from Kamaiembé (Luebo) in the Belgian Congo.
- Cautires Conradti* KLEINE, 1928d : 132. 1 Co-Typus [paratype] (No. 152) from Mundame, Cameroons.
- Cautires coronarius* KLEINE, 1926k : 82. 1 Type [holotype] (No. 153) from Cuernos Mts., Negros, 1 Typus [allotype]

- (No. 154) from Limay, Bataan, Luzon and 1 [paratype]  
 (No. 155) from Baguio, Luzon.
- Cautires dilucidus* KLEINE, 1928d : 132. 1 Co-Typus [syntype]  
 (No. 156) from Kampala in Uganda.
- Cautires discors* KLEINE, 1928d : 142. 1 Co-Typus [paratype]  
 (No. 157) from Kampala in Uganda.
- Cautires disjunctus* KLEINE, 1928d : 137. 1 Co-Typus [para-type] (No. 158) from Nambazidza in Uganda.
- Cautires dissentaneus* KLEINE, 1928d : 123. 1 Co-Typus and  
 1 unmarked [both paratypes] (No. 159) from Mt. Matang,  
 Sarawak, Borneo and 1 [paratype] (No. 160) from Kuching,  
 Sarawak, Borneo.
- Cautires dolosus* KLEINE, 1928a : 230. 1 [paratype] (No. 161)  
 from Ceylon.
- Cautires drescheri* KLEINE, 1931a : 261. 1 Typus [holotype]  
 (No. 162) from Patoeha, Preanger, Java and 1 Typus  
 [allotype] (No. 163) from Batoerraden, Slamat, Java.
- Cautires egenus* KLEINE, 1939a : 6. 1 Typus [holotype] (No.  
 164), 1 Typus [allotype] (No. 165) and 1 [paratype] (No. 166)  
 from Soekaranda, Sumatra.
- Cautires elongatissimus* KLEINE, 1935b : 426. 1 Co-Typus [pa-ratyp] (No. 167) from Kaimosi, in Central Africa.
- Cautires exploratus* KLEINE, 1926k : 82. 1 Type [holotype]  
 (No. 168) from Butuan, Mindanao, 1 [paratype] (No. 169)  
 from Surigao, Mindanao and 1 [paratype] (No. 170) from  
 Samar.
- Cautires exsertus* KLEINE, 1928d : 142. 1 Co-Typus [paratype]  
 (No. 171) from Njala, Sierra Leone.
- Cautires fehsei* KLEINE, 1939a : 6. 1 Type [holotype] (No. 172)  
 from Sibolangit, Sumatra.
- Cautires flavipennis* KLEINE, 1930d : 7. 1 Co-Typus [para-type] (No. 173) from Lulenga in the Belgian Congo.
- Cautires flavomarginatus* KLEINE, 1942a : 6. 1 Co-Typus [pa-ratyp] (No. 174) from Ruanda Nyabireke at the foot of  
 the Karisimbi volcano in the Belgian Congo.
- Cautires fuliginosus* KLEINE, 1926i : 155. 1 Co-Typus [para-type] (No. 175) from New Guinea.
- Cautires gracilis* KLEINE, 1930d : 9. 1 Co-Typus [allotype]  
 (No. 176) from Congo da Lemba in the Belgian Congo.

- Cautires grandissimus* KLEINE, 1928d : 128. 1 Type [holotype] (No. 177) from Preanger, Java and 1 Type [allotype] (No. 178) from Tjibodas.
- Cautires griseus* KLEINE, 1930k : 96. 1 Co-Typus [paratype] (No. 179) from Perak.
- Cautires guttatus* KLEINE, 1931a : 261. 1 Typus [holotype] (No. 180) from Tangkoeban Prahoe, Preanger, Java and 1 Co-Typus [allotype] (No. 181) from Preanger, Java.
- Cautires hilaris* KLEINE, 1939a : 7. 1 Type [holotype] (No. 182) from Sinabong, Sumatra.
- Cautires ignobilis* KLEINE, 1927a : 303. 1 Paratypus (No. 183) from Kuching, Borneo.
- Cautires impressicollis* KLEINE, 1928d : 140. 1 Co-Typus [paratype] (No. 184) no locality given.
- Cautires incorruptus* KLEINE, 1928a : 229. 1 Co-Typus [paratype] (No. 185) from Shembaganur, Palnis, India, 1 [paratype] (No. 186) from Dehra Dun, India and 2 [paratypes] (No. 187) from Patkai Mts., Assam.
- Cautires indus* KLEINE, 1928a : 231. 1 Co-Typus [paratype] (No. 188) from Kodaikanal, India.
- Cautires irregularis* KLEINE, 1928d : 133. 1 Co-Typus and 1 unmarked [both paratypes] (No. 189) from Cameroons, and 1 [paratype] (No. 190) from Mundame, Cameroons.
- Cautires Jacobsoni* KLEINE, 1926a : 19. 1 Co-Typus [holotype] (No. 191) from Fort de Kock, Sumatra.
- Cautires javanicus* KLEINE, 1927a : 302. 3 [paratypes] (No. 192) from Preanger, Java.
- Cautires Jeanneli* KLEINE, 1935c : 106. 1 Co-Typus [syntype] (No. 193) from Elgon Sawmill, Mt. Elgon, in Kenya and 1 [syntype] (No. 194) from Vallée du Rongai, Mt. Elgon, in Kenya.
- Cautires kinabaluensis* KLEINE, 1932b : 150. 1 Co-Typus [paratype] (No. 195) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Cautires lamellatus* KLEINE, 1930d : 5. 1 Co-Typus [paratype] (No. 196) from Albertville in the Belgian Congo.
- Cautires longithorax* KLEINE, 1928d : 140. 1 Co-Typus [paratype] (No. 197) from Cameroons.
- Cautires Luchti* KLEINE, 1933a : 8. 1 Type [holotype] (No. 198) and 1 Typus [allotype] (No. 199) from Bajoekidoel, Raoeng, Java.

- Cautires maculatithorax* KLEINE, 1930d : 7. 1 [paratype] (No. 200) from N'Goma, Kivu in the Belgian Congo.
- Cautires maculosus* KLEINE, 1926i : 155. 1 Paratype (No. 201) from Dilo, New Guinea.
- Cautires maturus* KLEINE, 1926i : 150. 1 Paratype and 2 unmarked [paratypes] (No. 202) from Dilo, New Guinea and 1 Paratypus (No. 203) from Bujakori, New Guinea.
- Cautires melanogaster* KLEINE, 1928b : 321. 2 Type and 2 unmarked [all syntypes] (No. 204) from Mt. Tibang, Borneo.
- Cautires melanopteryx* KLEINE, 1928d : 124. 1 Type [holotype] (No. 205) from Usambara.
- Cautires mendicus* KLEINE, 1926i : 151. 2 Paratype (No. 206) from Ighibirei, New Guinea, 1 [paratype] (No. 207) from Dilo, New Guinea and 1 [paratype] (No. 208) from Paumomu River, New Guinea.
- Cautires mendosus* KLEINE, 1926i : 153. 1 Paratype and 1 unmarked [paratype] (No. 209) from Paumomu River, New Guinea.
- Cautires natalensis* KLEINE, 1928d : 138. 2 Co-Typus [paratypes] (No. 210) from Port Natal.
- Cautires nepos* KLEINE, 1928d : 141. 1 Type [holotype] (No. 211) from Slamat, Java.
- Cautires nigricollis* KLEINE, 1935b : 427. 1 Co-Typus [holotype] (No. 212) from Nguelo, Usambara.
- Cautires nigrostriatus* KLEINE, 1928a : 228. 1 Co-Typus [paratype] (No. 213) from Gopaldhara, Rungbong Valley, Sikkim.
- Cautires obsoletus* KLEINE, 1928d : 125. 1 Type [holotype] (No. 214) from Goentoer, Java.
- Cautires ochraceipennis* KLEINE, 1930d : 6. 1 Co-Typus [paratype] (No. 215) from Burunga, Kivu in the Belgian Congo.
- Cautires opacicollis* KLEINE, 1930d : 5. 1 Co-Typus [paratype] (No. 216) from Barumbu in the Belgian Congo.
- Cautires pajanicus* KLEINE, 1928b : 322. 1 Type and 1 unmarked [both syntypes] (No. 217) from Mt. Tibang, Borneo and 1 [syntype] (No. 218) From Pajan River.
- Cautires pallens* KLEINE, 1928d : 126. 1 Co-Typus [paratype] (No. 219) from Cameroons.

- Cautires pentagonus* KLEINE, 1928d : 139. 1 Co-Typus [syntype] (No. 220) from Umbogintwini, Natal and 1 [syntype] (No. 221) from Dar-es-Salaam.
- Cautires politus* KLEINE, 1935b : 426. 1 Co-Typus and 2 unmarked [all paratypes] (No. 222) from Sandoa in the Belgian Congo.
- Cautires profanus* KLEINE, 1943b : 150. 1 Co-Typus [paratype] (No. 223) from Kilimanjaro.
- Cautires pulcher* KLEINE, 1928d : 128. 1 Type [holotype] (No. 224) and 1 Type [allotype] (No. 225) from Slamat, Java.
- Cautires pusillus* KLEINE, 1928d : 133. 1 Co-Typus [syntype] (No. 226) from Cameroons.
- Cautires ratus* KLEINE, 1928a : 230. 1 Co-Typus [paratype] (No. 227) from Sadiya, Assam.
- Cautires reticulatus* KLEINE, 1930d : 9. 1 Co-Typus [paratype] (No. 228) from Kindu in the Belgian Congo.
- Cautires roepkei* KLEINE, 1931a : 262. 1 Type [holotype] (No. 229) from Telomojo.
- Cautires ruwenzoriensis* KLEINE, 1935b : 427. 1 Co-Typus [holotype] (No. 230) from Ruwenzori in the Belgian Congo.
- Cautires salatiganus* KLEINE, 1931a : 263. 1 Type [holotype] (No. 231) from Salatiga.
- Cautires salubris* KLEINE, 1940a : 253. 1 Co-Typus [paratype] (No. 232) from Mongbwalu (Kilo) in the Belgian Congo.
- Cautires semiustus* KLEINE, 1939e : 132. 1 Type [holotype] (No. 233) from Mt. Tibang, Borneo.
- Cautires seydeli* KLEINE, 1930d : 7. 1 Co-Typus [allotype] (No. 234) from Lulenga.
- Cautires similis* KLEINE, 1928d : 137. 1 Co-Typus [paratype] (No. 235) from Cameroons.
- Cautires simulans* KLEINE, 1927a : 303. 1 Typus [holotype] (No. 236) from Kuching, Borneo. Specimen badly damaged, head, prothorax and abdomen missing.
- Cautires sumatrensis* KLEINE, 1926a : 20. 1 Typus [holotype] (No. 237) from Fort de Kock, Sumatra.
- Cautires triangularis* KLEINE, 1930d : 6. 1 Co-Typus [paratype] (No. 238) from Tshibinda.

- Cautires ugandanus* KLEINE, 1928d : 122. 1 Co-Typus [paratype] (No. 239) from Kigezi Ruanda in Uganda.
- Cautires umbraticus* KLEINE, 1926i : 154. 1 Co-Typus [paratype] (No. 240) from Pauwi, New Guinea.
- Cladophorinus cyaneus* KLEINE, 1926i : 150. 1 Co-Typus [holotype] (No. 241) from Schraderberg, New Guinea.
- Cladophorus amabilis* KLEINE, 1926i : 134. 1 Paratype and 1 unmarked [paratype] (No. 242) from Haveri, New Guinea, 1 Paratype and 2 unmarked [paratypes] (No. 243) from Ighibirei, New Guinea, 1 [paratype] (No. 244) from Paumomu River, New Guinea and 1 [paratype] (No. 245) from Kelesi, New Guinea.
- Cladophorus argenteus* KLEINE, 1926i : 125. 1 Paratypus and 1 unmarked [paratype] (No. 246) from Moroko, New Guinea.
- Cladophorus basimaculatus* KLEINE, 1939d : 10. 2 Paratypus (No. 247) from Kambaiti, Burma.
- Cladophorus bicolor* KLEINE, 1926i : 129. 2 Paratypes and 2 unmarked [paratypes] (No. 248) from Idenburg River, New Guinea.
- Cladophorus brunnescens* KLEINE, 1926i : 142. 1 Paratypus (No. 249) from Haveri, New Guinea.
- Cladophorus cautiroides* KLEINE, 1933a : 6. 1 Co-Typus and 2 unmarked [all paratypes] (No. 250) from Port St. John, Pondoland, in South Africa.
- Cladophorus cavifrons* KLEINE, 1935e : 312. 1 Co-Typus and 1 unmarked [both paratypes] (No. 251) from Kokoda, Papua, New Guinea.
- Cladophorus certus* KLEINE, 1926h : 103. 1 Typus [holotype] (No. 252) and 1 Typus [allotype] (No. 253) from Taihorin, Taiwan (Formosa).
- Cladophorus divisus* KLEINE, 1935a : 177. 1 Co-Typus [paratype] (No. 254), from Guadalecanar, Solomon Islands.
- Cladophorus dubiosus* KLEINE, 1933a : 6. 1 Co-Typus [paratype] (No. 255) from Kigezi Ruanda in Uganda.
- Cladophorus elegantulus* KLEINE, 1926i : 124. 1 Co-Typus [paratype] (No. 256), from Biagi, Mambaré, New Guinea.
- Cladophorus emendatus* KLEINE, 1926i : 130. 1 Typus and 1 Co-Typus [both paratypes] (No. 257) from Bongu, New Guinea.

- Cladophorus extraordinarius* KLEINE, 1926i : 138. 1 Co-Typus [paratype] (No. 258) from Ralum, New Britain.
- Cladophorus fallax* KLEINE, 1926i : 139. 1 Co-Typus [paratype] (No. 259) from Ralum, New Britain.
- Cladophorus flavofasciatus* KLEINE, 1939f : 110. 3 [paratypes] (No. 260) from Friedrich-Wilhelmshafen, New Guinea and 1 [paratype] (No. 261) from Thiar, Astrolabe Bay, New Guinea.
- Cladophorus fragilis* KLEINE, 1926k : 81. 1 Typus [holotype] (No. 262) from Kolambungan, Mindanao, 1 Typus [allotype] (No. 263) from Basilan, 1 [paratype], (No. 264) from Samar, 2 [paratypes] (No. 265) from Tangeolan, Bukidnon, 2 [paratypes] (No. 266) from Cuernos Mts, Negros, 1 [paratype] (No. 267) from Dapitan, Mindanao, 1 [paratype] (No. 268) from Iligan, Mindanao and 2 [paratypes] (No. 269) from Surigao, Mindanao.
- Cladophorus grandis* KLEINE, 1939f : 109. 1 Typus [holotype] (No. 270) and 1 Typus [allotype] (No. 271) from Haveri, New Guinea.
- Cladophorus hirtus* KLEINE, 1935e : 314. 1 Co-Typus and 1 unmarked [both paratypes] (No. 272) from Kokoda, Papua, New Guinea.
- Cladophorus Hulstaerti* KLEINE, 1935b : 429. 1 Co-Typus [paratype] (No. 273) from Ifuma, Equator Prov., in the Belgian Congo.
- Cladophorus humeralis* KLEINE, 1926i : 130. 1 Co-Typus [syntype] (No. 274) from Kapaur, New Guinea.
- Cladophorus immundus* KLEINE, 1926i : 140. 1 Paratype (No. 275) from Bivak Eiland, New Guinea.
- Cladophorus infrequens* KLEINE, 1939f : 110. 1 Typus [holotype] (No. 276) from New Guinea.
- Cladophorus kansuensis* KLEINE, 1942b : 64. 1 Typus [holotype] (No. 277) from Choloshan, Kansu Prov., China.
- Cladophorus luctuosus* KLEINE, 1926i : 123. 1 Paratype (No. 278) from Dilo, New Guinea and 1 [paratype] (No. 279) from Paumomu River, New Guinea.
- Cladophorus luridus* KLEINE, 1926i : 131. 1 Paratype (No. 280) from Moroko, New Guinea and 1 [paratype] (No. 281) from Paumomu River, New Guinea.

- Cladophorus nanus* KLEINE, 1933a : 7. 1 Type [holotype] (No. 282) from Cameroons.
- Cladophorus nigropallidus* KLEINE, 1928b : 320. 1 Type [holotype] (No. 283) from Mt. Tibang, Borneo.
- Cladophorus monticola* KLEINE, 1928b : 319. 1 Type [holotype] (No. 284) from Mt. Tibang, Borneo.
- Cladophorus pilosus* KLEINE, 1926i : 136. 1 Co-Typus [paratype] (No. 285) from Samberi, New Guinea and 1 [paratype] (No. 286) from the Mäanderberges district, New Guinea.
- Cladophorus praecipuus* KLEINE, 1926i : 188. 1 Type and 1 unmarked [both syntypes] (No. 287) from Idenburg River, New Guinea.
- Cladophorus praemaculatus* KLEINE, 1939f : 111. 1 Co-Typus [paratype] (No. 288) from New Guinea.
- Cladophorus prodigiosus* KLEINE, 1926i : 187. 1 Type [holotype] (No. 289) from Idenburg River, New Guinea.
- Cladophorus psittacinus* KLEINE, 1935e : 312. 1 Co-Typus and 2 unmarked [all paratypes] (No. 290) from Kokoda, Papua, New Guinea.
- Cladophorus solutus* KLEINE, 1939e : 132. 1 Co-Typus [paratype] (No. 291) from Mt. Tibang, Borneo.
- Cladophorus terminalis* KLEINE, 1935e : 313. 1 Co-Typus [paratype] (No. 292) from Kokoda, Papua, New Guinea.
- Cladophorus tricoloratus* KLEINE, 1943b : 150. 1 Co-Typus [paratype] (No. 293) from Stephansort, Astrolabe Bay, New Guinea and 1 [paratype] (No. 294) from Friedrich-Wilhelmshafen, New Guinea.
- Cladophorus variabilis* KLEINE, 1935e : 313. 1 Co-Typus [paratype] (No. 295) from Ishurava, Papua, New Guinea and 1 [paratype] (No. 296) from Kokoda, Papua, New Guinea.
- Coloberos tener* KLEINE, 1928b : 328. 1 Type [holotype] (No. 297) from Mt. Tibang, Borneo.
- Conderis flavigicolor* KLEINE, 1930e : 347. 1 Co-Typus [paratype] (No. 298) from Andonare, Laboenarang.
- Cyrtopteron bicoloricorne* PIC, 1931 : 94. 1 Co-Typus [syntype] (No. 299) from Yungas, Bolivia.
- Cyrtopteron reverens* KLEINE, 1942c : 158. 1 Co-Typus [paratype] (No. 300) from Brazil.

- Cyrtopteron subprolongatum* PIC, 1931: 94. 1 Cotypus [syntype] (No. 301) from Bolivia.
- Diatrichalus malcheri* KLEINE, 1939g: 590. 1 Co-Typus [paratype] (No. 302) from Pauru, New Georgia.
- Dihammatus abditus* KLEINE, 1926k: 69. 1 Typus [syntype] (No. 303) from Iligan, Mindanao and 2 [syntypes] (No. 304) from Sandakan, Borneo.
- Dihammatus abjectus* KLEINE, 1926k: 69. 1 Type and 1 unmarked [both paratypes] (No. 305) from Mt. Maquiling, Luzon.
- Dihammatus lensus* KLEINE, 1936e: 137. 1 Type [holotype] (No. 306) from Tangkoeban Prahoe, Preanger, Java.
- Dihammatus montanus* KLEINE, 1932b: 158. 1 Co-Typus [paratype] (No. 307) from Lumu Lumu, Mt. Kinablu, Borneo.
- Dihammatus mundus* KLEINE, 1939a: 13. 1 Type [holotype] (No. 308) from Tangkoeban Prahoe, Preanger, Java.
- Dihammatus orientalis* KLEINE, 1926k: 70. 2 Types [syntypes] (No. 309) from Surigao, Mindanao and 2 [syntypes] (No. 310) from Baguio, Benguet.
- Dihammatus persimilis* KLEINE, 1928a: 252. 1 Co-Typus [paratype] (No. 311) from Tavoy, Burma and 1 [paratype] (No. 312) from Patkai Mts. in Assam.
- Dihammatus pilosus* KLEINE, 1931a: 271. 1 Type [holotype] (No. 313) from Patoeha, Preanger, Java.
- Dihammatus preangeranus* KLEINE, 1939a: 13. 1 Type [holotype] (No. 314) and 1 [paratype] (No. 315) from Mt. Gedo, Preanger, Java, 1 Typus [allotype] (No. 316) and 1 [paratype] (No. 317) from Tangkoeban Prahoe, Preanger, Java, 1 [paratype] (No. 318) from Mt. Malabar, Pasir Junghuhn, Java and 1 [paratype] (No. 319) from Mt. Patoeha, Preanger, Java.
- Dihammatus putridus* KLEINE, 1939a: 13. 1 Paratypus (No. 320) from Ramoe Pani (Tengger), Java.
- Dihammatus rarus* KLEINE, 1936e: 138. 2 Types [syntypes] (No. 321) from Tangkoeban Prahoe, Preanger, Java.
- Dilophotes abnormis* KLEINE, 1926k: 75. 1 Type [holotype] (No. 322) and 3 [paratypes] (No. 323) from Mt. Limay, Luzon, 1 Type [allotype] (No. 324) from Mt. Banahao, 1 [paratype] (No. 325) from Surigao, Mindanao, 1 [para-

type] (No. 326) from Sibuyan Island, 1 [paratype] (No. 327) from Cuernos Mts., Negros and 1 [paratype] (No. 328) from Baguio, Benguet, Luzon.

*Dilophotes aequalis* KLEINE, 1936e : 140. 1 Type [syntype] (No. 329) from Kandeng Gebergte, Java and 1 [syntype] (No. 330) from Batoerraden, Slamat, Java.

*Dilophotes angusticollis* KLEINE, 1939a : 14. 1 Typus [holotype] (No. 331) and 1 [paratype] (No. 332) from Tangkoeban Prahoe, Preanger, Java.

*Dilophotes comes* KLEINE, 1926k : 76. 2 Types [holotype and allotype in copula] (No. 333 and 334) and 2 [paratypes] (No. 335) from Surigao, Mindanao, 1 [paratype] (No. 336) from Cuernos Mts., Negros and 1 [paratype] (No. 337) from Sandakan, Borneo.

*Dilophotes dilaticollis* KLEINE, 1939a : 14. 1 Typus [holotype] (No. 338) from Tangkoeban Prahoe, Preanger, Java.

*Dilophotes mjöbergi* KLEINE, 1939a : 11. 1 Type [holotype] (No. 339) from Mt. Tibang, Borneo.

*Dilophotes monticola* KLEINE, 1931a : 284. 1 Type [holotype] (No. 340) and 1 [paratype] (No. 341) from Tangkoeban Prahoe, Preanger, Java.

*Dilophotes serenus* KLEINE, 1933a : 17. 1 Type [holotype] (No. 342) from Bajoekidoel, Raoeng, Java.

*Ditoneces aculeatus* KLEINE, 1928a : 249. 1 [paratype] (No. 343) from Bogawantala, Ceylon.

*Ditoneces acuticollis* KLEINE, 1931a : 276. 1 Type [holotype] (No. 344) and 1 Type [allotype] (No. 345) from Tangkoeban Prahoe, Preanger, Java.

*Ditoneces aemulus* KLEINE, 1926k : 66. 1 Type [paratype] (No. 346) from Butuan, Mindanao and 1 Type [paratype] (No. 347) from Surigao, Mindanao.

*Ditoneces aestimabilis* KLEINE, 1926k : 65. 1 Type [paratype] (No. 348) from Basilan.

*Ditoneces affinis* KLEINE, 1926k : 63. 1 Type [paratype] (No. 349) from Mt. Maquiling, Luzon and 1 [paratype] (No. 350) from Mt. Banahao.

*Ditoneces afflictus* KLEINE, 1926k : 61. 1 Type [holotype] (No. 351) and 1 [paratype] (No. 352) from Surigao, Mindanao and 1 [allotype] (No. 353) from Cuernos Mts, Negros.

- Ditoneces alienus* KLEINE, 1926k : 63. 2 Types [syntypes] (No. 354) from Mt. Maquiling, Luzon.
- Ditoneces assamicus* KLEINE, 1928a : 252. 1 Co-Typus [paratype] (No. 355) from Shillong, in Assam.
- Ditoneces assimilis* KLEINE, 1931a : 274. 1 Typus [holotype] (No. 356) from Pengalengan, Java.
- Ditoneces concors* KLEINE, 1927a : 298. 1 Typus [holotype] (No. 357) and 1 Type [allotype] (No. 358) from Sandakan, Borneo.
- Ditoneces consociatus* KLEINE, 1926k : 62. 1 Type [holotype] (No. 359) from Butuan, Mindanao.
- Ditoneces consonus* KLEINE, 1926k : 62. 1 Type [holotype] (No. 360) from Iligan, Mindanao.
- Ditoneces conspectus* KLEINE, 1927a : 299. 1 Type [syntype] (No. 361) from Sandakan, Borneo and 1 Type [syntype] (No. 362) from Boikit Gabah, Sumatra.
- Ditoneces conterminus* KLEINE, 1926k : 65. 1 Type [holotype] (No. 363) from Surigao, Mindanao.
- Ditoneces continuus* KLEINE, 1926k : 66. 1 Type [holotype] (No. 364) from Kolambungan, Mindanao.
- Ditoneces corneolus* KLEINE, 1939a : 12. 1 Type [holotype] (No. 365) from Zuid-Banjoemas, Djeroeklegi, Java.
- Ditoneces curvicollis* KLEINE, 1930l : 169. 1 Co-Typus and 1 unmarked [both paratypes] (No. 366) from Perak Mts.
- Ditoneces definitivus* KLEINE, 1927a : 301. 1 Typus [syntype] (No. 367) from Noesa, Kambangan, Java.
- Ditoneces dentatus* KLEINE, 1927a : 301. 1 Type [paratype] (No. 368) from Boikit Gabah, Sumatra.
- Ditoneces diversesignatus* KLEINE, 1933a : 15. 1 Type [holotype] (No. 369), 1 Typus [allotype] (No. 370) and 3 [paratypes] (No. 371) from Bajoekidoel, Raoeng, Java.
- Ditoneces Drescheri* KLEINE, 1925a : 51. 1 Type [syntype] (No. 372) from Boikit Gabah, Sumatra.
- Ditoneces erythropterus* KLEINE, 1931a : 276. 1 Typus [holotype] (No. 373) and 2 [paratypes] (No. 374) from Tangkoeban Prahoe, Preanger, Java and 1 Type [allotype] (No. 375) from Batoerraden, Slamat, Java.
- Ditoneces griseostriatus* KLEINE, 1926h : 101. 1 Type [holotype] (No. 376) from Taihorin, Taiwan (Formosa).

- Ditoneces indistinctus* KLEINE, 1930i : 169. 1 Co-Typus [para-type] (No. 377) from Perak.
- Ditoneces kambanganus* KLEINE, 1933a : 16. 1 Type [holotype] (No. 378) and 1 Type [allotype] (No. 379) from Noesa, Kambangan.
- Ditoneces lanatus* KLEINE, 1928a : 248. 1 Co-Typus and 1 unmarked [both paratypes] (No. 380) from Dikoya, Ceylon.
- Ditoneces mundus* KLEINE, 1931a : 288. 1 Type [holotype] (No. 381) from Tangkoeban Prahoe, Preanger, Java.
- Ditoneces nigrostriatus* KLEINE, 1936e : 136. 2 Types and 2 unmarked [all syntypes] (No. 382) from Tangkoeban Prahoe, Preanger, Java.
- Ditoneces nigrosulcatus* KLEINE, 1928a : 250. 1 Co-Typus and 1 unmarked [both paratypes] (No. 383) from Patkai Mts, Assam and 1 [paratype] (No. 384) from Momeit, in Burma.
- Ditoneces nigrosuturalis* KLEINE, 1931a : 275. 1 Type [holotype] (No. 385) and 1 [allotype] (No. 386) from Tangkoeban Prahoe, Preanger, Java.
- Ditoneces postmaculatus* KLEINE, 1933a : 15. 1 Typus [holotype] (No. 387), 1 Typus [allotype] (No. 388) and 2 [paratypes] (No. 389) from Bajoekidoel, Raoeng, Java.
- Ditoneces preangeranus* KLEINE, 1931a : 273. 1 Typus [holotype] (No. 390) from Tjisoeroepan, Preanger, Java, 1 Type [allotype] (N. 391) and 1 [paratype] (No. 392) from Tangkoeban Prahoe, Preanger, Java and 2 [paratypes] (No. 393) from Noesa, Kambangan.
- Ditoneces princeps* KLEINE, 1939a : 18. 1 Type and 1 unmarked [both syntypes] (No. 394) from Todjamboe near Palopo. Celebes.
- Ditoneces promiscuus* KLEINE, 1926k : 64. 1 Para-type and 1 [paratype] (No. 395) from Momungan, Mindanao.
- Ditoneces promiscuus* [sic!] KLEINE, 1931a : 274. 1 Typus [holotype] (No. 396) from Java.
- Ditoneces sequestris* KLEINE, 1933a : 16. 1 Typus [holotype] (No. 397) 1 [allotype] (No. 398) and 1 [paratype] (No. 399) from Bajoekidoel, Raoeng, Java.
- Ditoneces simulator* KLEINE, 1928a : 250. 1 Co-Typus and 1 unmarked [both paratypes] (No. 400) from Peradeniya, Ceylon.

- Ditoneces sirambeanus* KLEINE, 1933a : 16. 1 Typus [holotype] (No. 401) from Si-Rambé, Sumatra.
- Ditoneces tenebriocosus* KLEINE, 1926a : 19. 1 Type [holotype] (No. 402) from Fort de Kock, Sumatra.
- Ditoneces tolerabilis* KLEINE, 1939d : 16. 1 Paratypus (No. 403) from Taunggyi, S. Shan, in Burma.
- Ditoneces tricoloratus* KLEINE, 1928b : 327. 1 Type and 3 unmarked [all syntypes] (No. 404) from Pajan River, Borneo and 1 [syntype] (No. 405) from Mt. Tibang, Borneo.
- Ditoneces turbidus* KLEINE, 1931a : 273. 1 Type [holotype] (No. 406) and 1 Typus [allotype] (No. 407) from Java.
- Ditoneces versicolor* KLEINE, 1931a : 272. 1 Type [holotype] (No. 408) and 1 Typus [allotype] (No. 409) from Tangkoeban Prahoe, Preanger, Java.
- Empectus platythorax* KLEINE, 1941b : 302. 1 Co-Typus and 1 unmarked [both paratypes] (No. 410) from Marcapatu, Peru.
- Empectus subtilis* KLEINE, 1943b : 147. 1 Type [holotype] (No. 411) from Nova Teutonia, Rio Grande do Sul, Brazil.
- Eniclasses moluccanus* KLEINE, 1930c : 328. 1 Type [holotype] (No. 412) from Gani, Halmahera.
- Eros delicatulus* KIESENWETTER, 1874 : 254. 1 Co-Typus [syntype] (No. 413) no locality given.
- Eros geometricus* KIESENWETTER, 1874 : 256. 1 Co-Typus [syntype] (No. 414) no locality given.
- Eros nothus* KIESENWETTER, 1874 : 258. 1 Co-Typus [syntype] (No. 415) no locality given.
- Falsocaenia grisea* KLEINE, 1914b : 299. 1 Co-Typus [paratype] (No. 416) from Peru.
- Falsocaenia incognitus* KLEINE, 1942c : 158. 1 Typus [holotype] (No. 417) from Petropolis, Brazil.
- Falsocaenia nigripenne* PIC, 1934b : 136. 1 Typus [syntype] (No. 418) from Costa Rica.
- Falsocalleros particularis* PIC, 1933b : 110. 1 Type [syntype] (No. 419) from Costa Rica.
- Flabellodilophotes dispar* KLEINE, 1931a : 284. 1 Type [holotype] (No. 420) and 1 Typus [allotype] (No. 421) from Tangkoeban Prahoe, Preanger, Java.

- Flabellodilophotes luchti* KLEINE, 1939a : 15. 1 Typus and 2 unmarked [all syntypes] (No. 422) from Bajoekidoel, Raoeng, Java.
- Flabellodilophotes nigrosuturalis* KLEINE, 1931a : 283. 2 Types [holotype] (No. 423) and [allotype] (No. 424) from Taloen.
- Flabellolycinella croceus* KLEINE, 1941b : 303. 1 Co-Typus [paratype] (No. 425) from Peru.
- Haplolyces acutipennis* KLEINE, 1939c : 265. 1 Co-Typus [paratype] (No. 426) from „between Jinga and Busia or Mbwago's", E. Busoga in Uganda.
- Haplolyces angustisuturalis* KLEINE, 1939b : 22. 1 Co-Type [holotype] (No. 427) from the Belgian Congo.
- Haplolyces Conradi* KLEINE, 1939b : 21. 1 Typus [holotype] (No. 428) from Ukerewe and 1 [paratype] (No. 429) no locality given.
- Haplolyces diffusus* KLEINE, 1939c : 269. 1 Co-Typus [paratype] (No. 430) from Yala River, Sedge, Kakunga Forest in Kenya.
- Haplolyces granulosus* KLEINE, 1933b : 330. 1 Co-Typus [syn-type] (No. 431) from K. 245 de Kindu in the Belgian Congo.
- Haplolyces minimus* KLEINE, 1939c : 266. 1 Co-Typus [paratype] (No. 432) from Muhoroni in Kenya.
- Haplolyces moderatus* KLEINE, 1940a : 249. 1 Co-Typus [paratype] (No. 433) from Kapanga, Luluia in the Belgian Congo.
- Haplolyces neavei* KLEINE, 1939c : 268. 1 Co-Typus [holotype] (No. 434) from W shores of Victoria Nyanza, Buddu in Uganda.
- Haplolyces nyasanus* KLEINE, 1939c : 270. 1 Co-Typus and 1 unmarked [both paratypes] (No. 435) from Mlanje Plateau in Nyasaland.
- Haplolyces perpusillus* KLEINE, 1942c : 150. 1 Co-Typus and 1 unmarked [both paratypes] (No. 436) from Natal.
- Haplolyces reductesignatus* KLEINE, 1939c : 271. 1 Co-Type and 1 unmarked [both paratypes] (No. 437) from Lake Naivasha, Masai Reserve in Africa.
- Haplolyces suspectus* KLEINE, 1939b : 21. 1 Typus [holotype] (No. 438) from the Congo.
- Homalitus crenatus* GERMAR, 1824 : 61. 1 Co-Typus [syntype] (No. 439) from North America.

- Idiopteron nigricolle* KLEINE, 1941b : 299. 1 Co-Typus [paratype] (No. 440) from Callanga, Peru.
- Leptotrichalus accomodatus* KLEINE, 1925b : 304. 1 Type [allotype] (No. 441) from Samanga, Celebes and 1 [paratype] (No. 442) from Patunuang, Celebes.
- Leptotrichalus accuratus* KLEINE, 1925b : 304. 1 Type and 1 unmarked [both paratypes] (No. 443) from Butuan, Mindanao and 2 [paratypes] (No. 444) from Sibuyan Island.
- Leptotrichalus acerbus* KLEINE, 1925b : 303. 1 Cotype [allotype] (No. 445) from Imugan, Prov. Nueva Vizcaya, Luzon.
- Leptotrichalus acidus* KLEINE, 1925b : 302. 1 Type [paratype] (No. 446) from Mt. Maquiling, Luzon and 2 [paratypes] (No. 447) from Mt. Banahao.
- Leptotrichalus acutus* KLEINE, 1925b : 302. 1 Type [paratype] (No. 448) from Mt. Banahao, Luzon.
- Leptotrichalus adjunctus* KLEINE, 1925b : 307. 1 Type and 3 unmarked [all paratypes] (No. 449) from Baguio, Benguet.
- Leptotrichalus admirabilis* KLEINE, 1925b : 308. 1 Type [holotype] (No. 450), 1 Typus [allotype] (No. 451) and 2 [paratypes] (No. 452) from Mt. Maquiling, Luzon.
- Leptotrichalus adolescens* KLEINE, 1925b : 305. 1 Type [allotype] (No. 453) and 1 [paratype] (No. 454) from Mt. Maquiling, Luzon.
- Leptotrichalus celsus* KLEINE, 1925b : 301. 1 Type [holotype] (No. 455) from Surigao, Mindanao.
- Leptotrichalus cereus* KLEINE, 1925b : 301. 1 Type [syntype] (No. 456) from Butuan, Mindanao and 1 [syntype] (No. 457) from Kolambungan, Mindanao.
- Leptotrichalus cicatricosus* KLEINE, 1925b : 307. 1 Type [holotype] (No. 458) from Panay, 1 [allotype] (No. 459) and 1 [paratype] (No. 460) from Surigao, Mindanao.
- Leptotrichalus circumscriptus* KLEINE, 1925b : 307. 1 Type [holotype] (No. 461) and 1 [allotype] (No. 462) from Surigao, Mindanao.
- Leptotrichalus completus* KLEINE, 1925b : 305. 1 Typus [holotype] (No. 463) from Moendaek, Bali.
- Leptotrichalus conciliatus* KLEINE, 1925b : 299. 1 Type [holotype] (No. 464) and 1 Typus [allotype] (No. 465) from Tjerimai, Java.

- Leptotrichalus concinnus* KLEINE, 1925b : 306. 1 Type [paratype] (No. 466) from Papandajan, Java.
- Leptotrichalus densereticulatus* KLEINE, 1939a : 17. 1 Type [holotype] (No. 467) from Bone, Watanljita, Celebes.
- Leptotrichalus dispar* KLEINE, 1926k : 104. 1 Type [holotype] (No. 468) and 5 [paratypes] (No. 469) from Mangarin, Mindonoro.
- Leptotrichalus dubitabilis* KLEINE, 1925b : 302. 1 Type [holotype] (No. 470) and 2 [paratypes] (No. 471) from Sibuyan Island, 2 [paratypes] (No. 472) from Butuan, Mindanao, 2 [paratypes] (No. 473) from Surigao, Mindanao, 1 [paratype] (No. 474) from Iligan, Mindanao, 1 [paratype] (No. 475) from Zamboanga, Mindanao, 1 [paratype] (No. 476) from Dapitan, Mindanao, 1 [paratype] (No. 477) from Basilan, 1 [paratype] (No. 478) from Baguio, Benguet, 2 [paratypes] (No. 479) from Mt. Maquiling, Luzon, 1 [paratype] (No. 480) from Panay, and 1 [paratype] (No. 481) from Nueva Vizcaya, Luzon.
- Leptotrichalus effeminatus* KLEINE, 1925b : 306. 1 [holotype] (No. 482) and 1 Typus [allotype] (No. 483) From Kolambungan, Mindanao.
- Leptotrichalus femoralis* KLEINE, 1925b : 309. 1 Type [holotype] (No. 484) from Surigao, Mindanao, 3 [paratypes] (No. 485) from Kolambungan, Mindanao, 2 [paratypes] (No. 486) from Iligan, Mindanao and 1 [paratype] (No. 487) from Butuan, Mindanao.
- Leptotrichalus incertus* KLEINE, 1932a : 577. 1 Typus [holotype] (No. 488) no locality given.
- Leptotrichalus javanus* KLEINE, 1927a : 313. 2 Types [syn-types] (No. 489) from Tjibodas, Java.
- Leptotrichalus leveri* KLEINE, 1935a : 181. 1 Co-Typus [paratype] (No. 490) from Tulagi Ridge, Solomon Islands.
- Leptotrichalus linearis* KLEINE, 1928b : 325. 1 Type [holotype] (No. 491) from Pajan River, Borneo.
- Leptotrichalus perversus* KLEINE, 1932a : 575. 1 Type [holotype] (No. 492) no locality given.
- Leptotrichalus pervicax* KLEINE, 1939a : 7. 1 Type [holotype] (No. 493) from Brastagi, Sumatra.

- Leptotrichalus placitus* KLEINE, 1932a : 576. 1 Type [holotype] (No. 494) and 1 [paratype] (No. 495) from Baguio, Benguet, Luzon.
- Leptotrichalus religuus* KLEINE, 1932a : 576. 1 Type [holotype] (No. 496) no locality given.
- Leptotrichalus rubrosignatus* KLEINE, 1930i : 170. 1 Co-Typus and 1 unmarked [both paratypes] (No. 497) from Perak.
- Leptotrichalus tosarianus* KLEINE, 1931a : 269. 1 Type [holotype] (No. 498) from Tosari, Java.
- Libnetis bardus* KLEINE, 1926k : 72. 1 Type [holotype] (No. 499) from Baguio, Benguet, Luzon.
- Libnetis birmanensis* KLEINE, 1928a : 255. 1 Co-Typus [paratype] (No. 500) from Patkai Mts, Assam, and 1 [paratype] (No. 501) from Margherita, Assam.
- Libnetis coloratus* KLEINE, 1926k : 73. 1 Type [holotype] (No. 502) from Dapitan, Mindanao.
- Libnetis commendabilis* KLEINE, 1926k : 71. 1 Type [holotype] (No. 503) i 3 [paratypes] (No. 504) from Mt. Maquiling, Luzon, 3 [paratypes] (No. 505) from Mt. Banahao, Luzon and 2 [paratypes] (No. 506) from Los Banos, Luzon.
- Libnetis debilis* KLEINE, 1926k : 74. 1 Typus [holotype] (No. 507) from Surigao, Mindanao and 1 [paratype] (No. 508) from Samar.
- Libnetis decens* KLEINE, 1927a : 315. 1 Type [holotype] (No. 509) and 1 [paratype] (No. 510) from Sandakan, Borneo.
- Libnetis decolor* KLEINE, 1927a : 315. 1 Typus [allotype] (No. 511) from Sandakan, Borneo.
- Libnetis deductus* KLEINE, 1926k : 74. 1 Type [holotype] (No. 512) from Surigao, Mindanao, 1 [paratype] (No. 513) from Davao, Mindanao and 2 [paratypes] (No. 514) from Basilan.
- Libnetis defectus* KLEINE, 1926k : 73. 1 Typus [holotype] (No. 515) from Surigao, Mindanao.
- Libnetis depressus* KLEINE, 1927a : 315. 1 Type [allotype] (No. 516) and 3 [paratypes] (No. 517) from Sandakan, Borneo.
- Libnetis filiformis* KLEINE, 1943a : 4. 2 Co-Typus [both paratypes] (No. 518) from Ginting Kial, Cameron Highlands, Pahang.

- Libnetis gracillinus* KLEINE, 1926k : 72. 1 Type [holotype] (No. 519) from Zamboanga, Mindanao.
- Libnetis incanus* KLEINE, 1936b : 130. 1 Co-Typus and 1 unmarked [both syntypes] (No. 520) from Cameron Highlands, Pahang.
- Libnetis pendleburyi* KLEINE, 1932b : 162. 1 Co-Typus and 1 unmarked [both paratypes] (No. 521) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Libnetis pertenuis* KLEINE, 1936e : 137. 1 Type [holotype] (No. 522) from Tangkoeban Prahoe, Preanger, Java.
- Libnetis solidus* KLEINE, 1939e : 134. 1 Typus [holotype] (No. 523) from Tangkoeban Prahoe, Preanger, Java.
- Libnetis spinicornis* KLEINE, 1932a : 573. 1 Type [holotype] (No. 524) from Bukidnon, Tangkulau, Mindanao.
- Libnetis tinctus* KLEINE, 1939a : 14. 2 Types [holotype] (No. 525) and [allotype] (No. 526) from Bajoekidoel, Raoeng, Java.
- Libnetis transversithorax* KLEINE, 1936e : 137. 1 Type [syntype] (No. 527) from Bajoekidoel, Raoeng, Java.
- Libnetomimus basilanus* KLEINE, 1927c : 2. 1 Type [holotype] (No. 528) from Basilan.
- Libnetomimus setosus* KLEINE, 1927c : 2. 1 Type [holotype] (No. 529) from Mt. Maquiling, Luzon.
- Lopholyces atromarginatus* KLEINE, 1939c : 261. 1 Co-Typus [paratype] (No. 530) from Mt. Kokanjero in Uganda.
- Lopholyces circummarginatus* KLEINE, 1942c : 149. 2 Co-Typus [paratypes] (No. 531) from Mt. Elgon in Africa.
- Lopholyces diversicolor* KLEINE, 1940a : 247. 2 Co-Typus and 2 unmarked [all paratypes] (No. 532) from Costermansville in the Belgian Congo.
- Lopholyces dominus* KLEINE, 1939c : 262. 1 Co-Typus and 1 unmarked [both paratypes] (No. 533) from Kashitu, N. of Broken Hill, Rhodesia.
- Lopholyces Lefevrei* KLEINE, 1937d : 79. 1 Co-Typus [paratype] (No. 534) from Nioka, Ituri in the Belgian Congo.
- Lopholyces maderi* KLEINE, 1939c : 264. 1 Co-Typus [holotype] (No. 535) from Minna in Northern Nigeria.
- Lopholyces morosus* KLEINE, 1940a : 249. 1 Co-Typus [paratype] (No. 536) from Mahagi-Niarembe in the Belgian Congo.

- Lopholycus plebejus* KLEINE, 1940a: 246. 2 Co-Typus [paratypes] (No. 537) from Kapanga in the Belgian Congo.
- Lopholycus pusillus* KLEINE, 1939c: 263. 2 Cotypus and 1 unmarked [all paratypes] (No. 538) from Chirinda, Mashonaland.
- Lopholycus rotundicollis* KLEINE, 1939c: 260. 1 Co-Typus and 1 unmarked [both paratypes] (No. 539) from Naiwasha in Kenya and 2 [paratypes] (No. 540) from Lusinga in Kenya.
- Lopholycus sagittifer* KLEINE, 1940a: 248. 1 Co-Typus [paratype] (No. 541) from Lokandu in the Belgian Congo.
- Lopholycus somalicus* KLEINE, 1939b: 20. 1 Paratype (No. 542) from Ghinda in Eritrea.
- Lopholycus ukereensis* KLEINE, 1939b: 20. 1 Type [holotype] (No. 543) no locality given.
- Lycinella humeralis* PIC, 1933b: 109. 1 Typus [syntype] (No. 544) from Costa Rica.
- Lycostomus andonarensis* KLEINE, 1930e: 342. 1 Co-Typus [paratype] (No. 545) from Laboenorang, Andonara.
- Lycostomus blandus* KLEINE, 1939a: 5. 1 [paratype] (No. 546) from Nias Island, near Sumatra.
- Lycostomus Bourgeoisi* REITTER, 1910: 205. 1 Typus and 1 „nov.” [both syntypes] (No. 547) from Japan.
- Lycostomus dohrni* KLEINE, 1939a: 6. 1 Type [holotype] (No. 548) from Soekaranda.
- Lycostomus drescheri* KLEINE, 1931a: 248. 1 Type [holotype] (No. 549) from Tangkoeban Prahoe, Preanger, Java.
- Lycostomus flavotestaceus* KLEINE, 1926k: 45. 1 Typus [holotype] (No. 550) from Surigao, Mindanao, 1 Typus [allotype] (No. 551) from Dapitan, Mindanao and 1 [paratype] (No. 552) from Ticao.
- Lycostomus fraterculus* KLEINE, 1928b: 318. 1 Type [holotype] (No. 553) from Long Navang.
- Lycostomus frivulus* KLEINE, 1926k: 43. 1 Typus [holotype] (No. 554) and 1 [paratype] (No. 555) from Surigao, Mindanao, 1 Typus [allotype] (No. 556) from Los Banos, 1 [paratype] (No. 557) from Momungan, Mindanao, 1 [paratype] (No. 558) from Samar and 2 [paratypes] (No. 559) from Bayombong, Nueva Vizcaya, Luzon.

- Lycostomus indicus* KLEINE, 1928a : 224. 1 Co-Typus [paratype] (No. 560) from Kumaon, Almora, in India.
- Lycostomus Jacobsoni* KLEINE, 1926c : 280. 1 Type [holotype] (No. 561) from Fort de Kock, Sumatra.
- Lycostomus Klapperichi* KLEINE, 1940c : 90. 1 Co-Typus [paratype] (No. 562) from Kwangtsch-Fukien.
- Lycostomus koreanus* KLEINE, 1936c : 13. 1 Typus [holotype] (No. 563) 1 Type [allotype] (No. 564) and 2 [paratypes] (No. 565) from Seishin in Korea.
- Lycostomus legitimus* KLEINE, 1939b : 19. 1 Typus [holotype] (No. 566) and 2 [paratypes] (No. 567) from Simla in India.
- Lycostomus lieftincki* KLEINE, 1939a : 11. 1 Typus [holotype] (No. 568) from Depok, Java.
- Lycostomus malaisei* KLEINE, 1939d : 7. 1 Paratypus (No. 569) from Kambaiti in Burma.
- Lycostomus ochropterus* KLEINE, 1939d : 5. 1 Paratypus (No. 570) from Taunggyi in Burma.
- Lycostomus orientalis* KLEINE, 1930k : 94. 1 Co-Typus [paratype] (No. 571) from Yusimarg, Kashmir.
- Lycostomus pallens* KLEINE, 1939a : 15. 1 Type [holotype] (No. 572) from Bantimoeroeng, Celebes.
- Lycostomus paucicostatus* KLEINE, 1937c : 205. 1 Type [holotype] (No. 573) and 1 [allotype] (No. 574) from Trichinopoly, India.
- Lycostomus pygmaeus* KLEINE, 1926k : 45. 1 Type and 2 unmarked [all syntypes] (No. 575) from Mt. Isarog, Luzon and 1 Paratype [syntype] (No. 576) from Momungan, Mindanao.
- Lycostomus slamatensis* KLEINE, 1931a : 248. 1 Typus [holotype] (No. 577) from Slamat, Java and 1 [allotype] (No. 578) from Batoerraden, Slamat, Java.
- Lycostomus stevensi* KLEINE, 1928a : 225. 1 Co-Typus [paratype] (No. 579) from Dejoo, Assam.
- Lycostomus stötzneri* KLEINE, 1936c : 13. 1 Type [holotype] (No. 580) from Sunpanting, Szechwan in China.
- Lycostomus timorensis* KLEINE, 1930e : 342. 1 Co-Typus [paratype] (No. 581) from Leo, Timor.
- Lycostomus Wittmeri* KLEINE, 1939b : 20. 1 Co-Typus [paratype] (No. 582) from Somarisi, Saleier, Eiland. Specimen badly damaged.

- Lycostomus xanthomelas* KLEINE, 1928b : 318. 1 Type [holotype] (No. 583) from Mt. Tibang, Borneo.
- Lycus (Acantholyicus) montiphilus* KLEINE, 1937a : 583. 1 Co-Typus and 1 Cotype [both paratypes] (No. 584) from Musake, Mt. Cameroon.
- Lycus alatus* KLEINE, 1935b : 425. 1 Co-Typus [paratype] (No. 585) from Bulawayo in Rhodesia.
- Lycus bracteatus* KLEINE, 1937b : 15. 1 Co-Typus and 1 unmarked [both paratypes] (No. 586) from Ngesho (étang Kashwa) in the Belgian Congo, 1 [paratype] (No. 587) from Rutshuru and 1 [paratype] (No. 588) from Tshambi (v. Lulua) in the Belgian Congo.
- Lycus Bredoi* KLEINE, 1937d : 79. 1 Co-Typus [paratype] (No. 589) from Kasenyi in the Belgian Congo, 1 Cotypus and 2 unmarked [all paratypes] (No. 590) from Ishwa near Lake Albert.
- Lycus diaphanus* KLEINE, 1933b : 329. 1 Cotypus [syntype] (No. 591) from Oshwe in the Belgian Congo and 1 [syntype] (No. 592) from Kalamu-Boma in the Belgian Congo.
- Lycus dissimilis* BERTOLONI, 1849 : 35. 1 [syntype] (No. 593) from Mozambique.
- Lycus Fehsei* KLEINE, 1937b : 14. 1 Co-Typus [paratype] (No. 594) from Rutshuru, Kivu in the Belgian Congo.
- Lycus (Haplolyicus) longipes* PIC, 1935a : 446. 1 Co-Typus [syntype] (No. 595) from Kapanga, Lulua in the Belgian Congo.
- Lycus (Hololyicus) subspinosus* KLEINE, 1935c : 103. 1 Co-Typus [syntype] (No. 596) from Uasin Gishu, Kitale in Kenya and 1 [syntype] (No. 597) from Elgon Sawmill, Mt. Elgon in Kenya.
- Lycus (Lopholyicus) atroconjunctions* PIC, 1933a : 331. 2 Co-Typus [syntypes] (No. 598) from Katentania in the Belgian Congo.
- Lycus (Lopholyicus) bimaculatithorax* PIC, 1933a : 332. 1 Co-Typus [syntype] (No. 599) from Congo da Lemba in the Belgian Congo.
- Lycus (Lopholyicus) inscapularis* PIC, 1933c : 115. 1 Co-Typus [syntype] (No. 600) from the Belgian Congo.
- Lycus (Lopholyicus) Maynei* PIC, 1933a : 332. 1 Co-Typus [syntype] (No. 601) from Zobe, Mayumbe in the Belgian Congo.

- Lycus (Lopholycus) testaceicolor* PIC, 1935b : 657. 1 Cotype [syntype] (No. 602) from Busongoro, Toro in Uganda.
- Lycus (Lycus) altecostatus* PIC, 1933a : 336. 2 Typus [syntypes] (No. 603) from Sandoa, Lulua in the Belgian Congo.
- Lycus (Lycus) biflexuosus* PIC, 1935a : 445. 1 Co-Typus [syntype] (No. 604) from Katana, Kivu in the Belgian Congo.
- Lycus (Lycus) Overlaeti* PIC, 1933a : 335. 1 [syntype] (No. 605) from Sandoa in the Belgian Congo.
- Lycus (Merolyicus) congoanus* PIC, 1933c : 114. 1 Co-Typus [syntype] (No. 606) from Kapanga, Lulua in the Belgian Congo.
- Lycus (Merolyicus) Kleinei* PIC, 1933a : 336. 1 Typus and 1 unmarked [both syntypes] (No. 607) from Kaniama, Lomami in the Belgian Congo, and 1 Co-Typus [syntype] and 2 unmarked [syntypes] (No. 608) from Albertville in the Belgian Congo.
- Lycus Pici* KLEINE, 1933b : 329. 2 Cotypos [syntypes] (No. 609) from Kaniama, Lomami in the Belgian Congo.
- Lycus (s. str.) stolidus* KLEINE, 1935c : 104. 1 Co-Typus [syntype] (No. 610) from Chip Cherangani, Marakwet in Kenya.
- Lygistorpterus Nevermanni* KLEINE, 1942c : 161. 1 Typus! [holotype] (No. 611) from the Pons volcano, Costa Rica.
- Lyponia dolosa* KLEINE, 1924a : 173. 1 Co-Typus and 2 unmarked [all paratypes] (No. 612) from Hoozan, Taiwan (Formosa) and 1 Co-Typus [paratype] (No. 613) from Taihorin, Taiwan (Formosa).
- Lyponia formosana* KLEINE, 1924a : 174. 2 Co-Typus and 1 unmarked [all paratypes] (No. 614) from Hoozan, Taiwan (Formosa), 2 [paratypes] (No. 615) from Kosempo, Taiwan (Formosa) and 1 [paratype] (No. 616) from Taihorin, Taiwan (Formosa).
- Lyponia nana* KLEINE, 1939d : 18. 1 Paratypus (No. 617) from Kambaiti in Burma.
- Lyponia patruelis* KLEINE, 1939d : 18. 1 Paratypus (No. 618) from Kambaiti in Burma.
- Lyropaeus humeralis* KLEINE, 1930g : 387. 1 Co-Typus [paratype] (No. 619) from Mt. Matang, Sarawak, Borneo.
- Lyropaeus philippensis* KLEINE, 1926k : 78. 1 Type [holotype] (No. 620) from Surigao, Mindanao and 1 [paratype] (No. 621) from Iligan, Mindanao.

- Lyropaeus rubrostriatus* KLEINE, 1932b : 160. 1 Co-Typus [paratype] (No. 622) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Macrolycus dominator* KLEINE, 1925e : 327. 1 Co-Typus [paratype] (No. 623) from Hoozan, Taiwan (Formosa) and 1 [paratype] (No. 624) from Taihorin, Taiwan (Formosa).
- Macrolycus dotatus* KLEINE, 1925e : 328. 1 Co-Typus [paratype] (No. 625) from Mt. Mauson, Tonkin.
- Macrolygistopterus bipartitus* PIC, 1933b : 109. 1 Typus [syn-type] (No. 626) from Costa Rica.
- Melampyrus borneensis* KLEINE, 1927a : 301. 1 Typus and 3 unmarked [all syntypes] (No. 627) from Sandakan, Borneo.
- Melampyrus diversesignatus* KLEINE, 1928b : 327. 1 Type and 1 unmarked [both syntypes] (No. 628) from Mt. Tibang, Borneo.
- Melampyrus dohrni* KLEINE, 1939a : 7. 1 Type [holotype] (No. 629) from Sinabong, Sumatra.
- Melampyrus flavotestaceopilosus* KLEINE, 1928b : 326. 1 Type [holotype] (No. 630) from Pajan River, Borneo.
- Melampyrus nanus* KLEINE, 1939a : 9. 1 Type [holotype] (No. 631) and 1 [paratype] (No. 632) from Sandakan, Borneo.
- Melampyrus nepos* KLEINE, 1932b : 156. 1 Co-Typus [paratype] (No. 633) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Melampyrus sanguineopilosus* KLEINE, 1928b : 326. 1 Type [holotype] (No. 634) from Pajan River, Borneo.
- Merolyicus albifrons* KLEINE, 1937d : 97. 1 Typus and 1 unmarked [both paratypes] (No. 635) from Kasai in the Belgian Congo and 1 [paratype] (No. 636) from Leverville, Moyen Kwilu in the Belgian Congo.
- Merolyicus basistriatus* KLEINE, 1940a : 251. 1 Co Typus [paratype] (No. 637) from Ibanda, Kivu in the Belgian Congo.
- Merolyicus chirindanus* KLEINE, 1939c : 273. 1 Co-Type and 1 unmarked [both paratypes] (No. 638) from Chirinda, Mashonaland.
- Merolyicus dilatatus* KLEINE, 1936a : 227. 2 Co-Typus [syn-types] (No. 639) from Kapanga, Lulua in the Belgian Congo.
- Merolyicus externatum* KLEINE, 1943b : 147. 1 Co-Typus [paratype] (No. 640) from Marcapata in Peru.

- Merolycus horridus* KLEINE, 1942a : 3. 1 Cotypus [allotype] (No. 641) from Rwindi in the Belgian Congo.
- Merolycus inusitatus* KLEINE, 1943b : 146. 1 Co-Typus [allotype] (No. 642) from „inter Voi et Moshi” in East Africa.
- Merolycus obtusus* KLEINE, 1942e : 151. 1 Co-Typus [paratype] (No. 643) from Natal.
- Merolycus oviformis* KLEINE, 1939b : 22. 1 Typus [paratype] (No. 644) from Zululand.
- Merolycus parmatus* KLEINE, 1943b : 146. 1 Co-Typus [allotype] (No. 645) from „inter Voi et Moshi” in East Africa.
- Merolycus pinguis* KLEINE, 1937d : 97. 2 Co-Typus [paratypes] (No. 646) from Albertville in the Belgian Congo.
- Merolycus simulator* KLEINE, 1939c : 274. 1 Co-type [paratype] (No. 647) from near Ft. Maguire and Ft. Johnston in Nyasaland.
- Merolycus Vrijdaghi* KLEINE, 1940a : 250. 1 Co-Typus [paratype] (No. 648) from Bambesa in the Belgian Congo.
- Mesolycus ruber* KLEINE, 1939d : 22. 1 Paratypus (No. 649) from Kambaiti in Burma.
- Mesopteron crassicornis* KLEINE, 1941b : 297. 1 Co-Typus [paratype] (No. 650) from Sivia in Southern Peru.
- Mesopteron sulphureum* KLEINE, 1942c : 159. 1 Co-Typus [paratype] (No. 651) from St. Lucia, R. G. Fennah in British West Indies.
- Mesopteron Titschacki* KLEINE, 1941b : 298. 1 Co-Typus [paratype] (No. 652) from Sivia in Southern Peru.
- Metanoeus aestimatus* KLEINE, 1928a : 238. 1 Co-Typus [paratype] (No. 653) from Assam Valley, India.
- Metanoeus bakeri* KLEINE, 1926k : 99. 1 Typus [holotype] (No. 654) and 1 [paratype] (No. 655) from Kolambungan, Mindanao, 1 Typus [allotype] (No. 656) from Butuan, Mindanao, 2 [paratypes] (No. 657) from Iligan, Mindanao, 1 [paratype] (No. 658) from Surigao, Mindanao, 1 [paratype] (No. 659) from Zamboanga, Mindanao, 1 [paratype] (No. 660) from Mt. Maquiling, Luzon, 1 [paratype] (No. 661) from Los Banos, Luzon, 1 [paratype] (No. 662) from Cuernos Mts, Negros and 1 [paratype] (No. 663) from Basilan.

- Metanoeus cognatus* KLEINE, 1926k : 100. 1 Type [holotype] (No. 644) and 1 Typus [allotype] (No. 665) from Sibuyan Island, 1 [paratype] (No. 666) from Kolambungan, Mindanao and 1 [paratype] (No. 667) from Panay.
- Metanoeus flavofasciatus* KLEINE, 1928b : 325. 1 Type [holotype] (No. 668) from Mt. Tibang, Borneo.
- Metanoeus Herkules* KLEINE, 1933a : 8. 1 Type [holotype] (No. 669) from Batoerraden, Slamat, Java.
- Metanoeus impexus* KLEINE, 1936b : 127. 1 Co-Typus [syntype] (No. 670) from Cameron Highlands, Pahang.
- Metanoeus montanus* KLEINE, 1932b : 157. 1 Typus [holotype] (No. 671) from Mt. Dulit, Borneo.
- Metanoeus pallidus* KLEINE, 1927a : 314. 1 Typus [holotype] (No. 672) from Kuching, Sarawak, Borneo.
- Metanoeus pendleburyi* KLEINE, 1932b : 156. 1 Co-Typus [paratype] (No. 673) from Kenokok, Mt. Kinabalu, Borneo.
- Metanoeus quadraticollis* KLEINE, 1928a : 239. 1 Co-Typus [paratype] (No. 674) from Karen Mts, Burma and 1 [paratype] (No. 675) from Assam Valley in India.
- Metapteron diffusum* KLEINE, 1941b : 300. 1 Co-Typus [paratype] (No. 676) from Peru.
- Metapteron observans* KLEINE, 1941b : 301. 1 Co-Typus [paratype] (No. 677) from Marcapata in Peru.
- Metriorrhynchoides Helleri* KLEINE, 1926i : 119. 1 Co-Typus [paratype] (No. 678) from Bongu, Kaiser Wilhelmsland, New Guinea.
- Metriorrhynchus böttcheri* KLEINE, 1926k : 80. 2 Types [holotype] (No. 679) and [allotype] (No. 680) from Nueva Vizcaya, Luzon, and 1 [paratype] (No. 681) from Imugan, Luzon.
- Metriorrhynchus Bürgersi* KLEINE, 1926i : 103. 1 Co-Typus [paratype] (No. 682) from New Guinea.
- Metriorrhynchus croceus* KLEINE, 1926k : 79. 1 Type [holotype] (No. 683) from Butuan, Mindanao, 1 [paratype] (No. 684) from Dapitan, Mindanao, 1 [paratype] (No. 685) from Surigao, Mindanao and 1 [paratype] (No. 686) from Kolambungan, Mindanao.
- Metriorrhynchus diffusimaculatus* KLEINE, 1928e : 122. 1 Co-Typus [paratype] (No. 687) from Tam Mts, Australia.

- Metriorrhynchus discolor* KLEINE, 1926i : 112. 1 Co-Typus [paratype] (No. 688) from New Guinea.
- Metriorrhynchus elutus* KLEINE, 1926i : 100. 1 Co-Typus [paratype] (No. 689) from Kapaur, New Guinea.
- Metriorrhynchus enganicus* KLEINE, 1939a : 5. 1 Paratype and 1 unmarked [paratype] (No. 690) from Enggano.
- Metriorrhynchus exornatus* KLEINE, 1926i : 105. 1 Co-Typus [paratype] (No. 691) from New Guinea.
- Metriorrhynchus explanatus* KLEINE, 1926i : 105. 1 Typus [allotype] (No. 692) from Alkmaar, New Guinea.
- Metriorrhynchus faustus* KLEINE, 1926i : 113. 1 Cotype [paratype] (No. 693) from Lordberg, New Guinea.
- Metriorrhynchus flavicostatus* KLEINE, 1926i : 103. 1 Co-Typus [paratype] (No. 694) from Hunsteinspitze, New Guinea.
- Metriorrhynchus flavoabdominalis* KLEINE, 1928c : 126. 1 Co-Typus [paratype] (No. 695) from Batjan, Laboean.
- Metriorrhynchus flavofemoralis* KLEINE, 1926i : 186. 1 Type [holotype] (No. 696) and 1 [allotype] (No. 697) from Bougainville, New Guinea.
- Metriorrhynchus forcipatus* KLEINE, 1926k : 79. 1 Type [holotype] (No. 698) from Baguio, Benguet, Luzon.
- Metriorrhynchus formosus* KLEINE, 1926i : 113. 1 Co-Typus and 1 unmarked [both paratypes] (No. 699) from Alu, Fauro Island (Solomon Islands).
- Metriorrhynchus Franklin-Mülleri* KLEINE, 1928c : 121. 1 Co-Typus [paratype] (No. 700) from Queensland.
- Metriorrhynchus gratus* KLEINE, 1926i : 102. 1 Paratype (No. 701) from New Guinea.
- Metriorrhynchus Hackeri* KLEINE, 1928c : 121. 1 Co-Typus and 1 unmarked [both paratypes] (No. 702) from Tam Mts., Australia.
- Metriorrhynchus intricatus* KLEINE, 1928c : 126. 1 Co-Typus [paratype] (No. 703) from Batjan, Laboean.
- Metriorrhynchus leucomelas* KLEINE, 1935d : 152. 1 Type [holotype] (No. 704) from Edie Creek, New Guinea.
- Metriorrhynchus longepilosus* KLEINE, 1928c : 122. 2 Co-Typus [paratypes] (No. 705) from Coen District, Cape York, Queensland.

- Metriorrhynchus Lorentzi* KLEINE, 1926i : 109. 1 Type [paratype] (No. 706) from Malu district, New Guinea, 1 Typus [paratype] (No. 707) from Ralum, New Britain and 1 [paratype] (No. 708) from Dorey, New Guinea.
- Metriorrhynchus lunatus* KLEINE, 1926i : 107. 1 Paratype and 1 unmarked [paratype] (No. 709) from Roon, New Guinea.
- Metriorrhynchus maculithorax* KLEINE, 1928c : 127. 1 Co-Typus [paratype] (No. 710) from Batjan, Laboean.
- Metriorrhynchus marginatus* KLEINE, 1926i : 102. 1 Co-Typus [paratype] (No. 711) from Kaiser Wilhelmsland, New Guinea.
- Metriorrhynchus moluccanus* KLEINE, 1928c : 127. 1 Co-Typus [paratype] (No. 712) from Batjan, Laboean.
- Metriorrhynchus Moricci* FAIRMAIRE, 1878 : 272. 1 [syntype] (No. 713) from Chochin-China.
- Metriorrhynchus nigricauda* KLEINE, 1928c : 123. 1 Co-Typus [paratype] (No. 714) from Coen District, Cape York, Queensland.
- Metriorrhynchus ochropterus* KLEINE, 1935d : 153. 1 Type [holotype] (No. 715) from Edie Creek, New Guinea.
- Metriorrhynchus pusillus* KLEINE, 1928c : 124. 1 Co-Typus [paratype] (No. 716) from Coen District, Cape York, Queensland.
- Metriorrhynchus putridus* KLEINE, 1935a : 181. 1 Typus [holotype] (No. 717) from Solomon Islands.
- Metriorrhynchus queenslandicus* KLEINE, 1928c : 123. 1 Co-Typus [allotype] (No. 718) from Blackal, Queensland.
- Metriorrhynchus rigidus* KLEINE, 1943b : 152. 1 Co-Typus [paratype] (No. 719) from Huon Gulf, Simbang, New Guinea.
- Metriorrhynchus smaragdinus* KLEINE, 1935d : 152. 1 Type [holotype] (No. 720) and 1 [paratype]. (No. 721) from Edie Creek, New Guinea.
- Metriorrhynchus spectabilis* KLEINE, 1943b : 153. 1 Co-Typus [paratype] (No. 722) from Seleo, Berlinhafen, New Guinea and 1 [paratype] (No. 723) from Simbang, Huon Gulf, New Guinea.
- Metriorrhynchus suaviter* KLEINE, 1926i : 107. 1 Paratype (No. 724) from Tawan Island, near New Guinea.

- Metriorrhynchus tenebrans* KLEINE, 1926i : 98. 1 Co-Typus [paratype] (No. 725) from Toricelli Gebirge, Kaiser Wilhelmsland, New Guinea.
- Metriorrhynchus tenebricosus* KLEINE, 1928c : 125. 1 Cotype [paratype] (No. 726) from Coen District, Cape York, Queensland.
- Metriorrhynchus tricolor* KLEINE, 1935d : 153. 1 Type [holotype] (No. 727) from Edie Creek, New Guinea.
- Metriorrhynchus unicolor* KLEINE, 1926i : 98. 1 Para-Typus (No. 728) from Hauptlager bei Malu, New Guinea, and 1 [paratype] (No. 729) from Finschhafen, New Guinea.
- Planeteros chirindanus* KLEINE, 1933a : 15. 1 Co-Typus and 1 unmarked [both paratypes] (No. 730) from Gaza-land, Chirinda.
- Planeteros flavoapicalis* KLEINE, 1935c : 109. 1 Co-Typus [syntype] (No. 731) from Mt. Elgon, Kenya.
- Planeteros gigas* KLEINE, 1940a : 252. 1 Co-Typus [paratype] (No. 732) from Mongbwalu in the Belgian Congo.
- Plateros antennalis* KLEINE, 1930b : 167. 1 Co-Typus [paratype] (No. 733) from Abimva, Haut-Uélé in the Belgian Congo.
- Plateros asperatus* KLEINE, 1940b : 892. 1 Co-Typus [paratype] (No. 734) from Nairobi in Kenya.
- Plateros bakeri* KLEINE, 1926k : 56. 1 Typus [holotype] (No. 735) from Samar.
- Plateros barbarus* KLEINE, 1927a : 296. 1 Type [holotype] (No. 736) from Sandakan, Borneo.
- Plateros bicolor* KLEINE, 1939f : 112. 1 Co-Typus [paratype] (No. 737) from Pawlinson Gebirge, New Guinea.
- Plateros birmanicus* KLEINE, 1928a : 245. 1 Co-Typus [paratype] (No. 738) from Tavoy, Tenasserim, 1 [paratype] (No. 739) from Patkai Mts., Assam, India and 1 [paratype] (No. 740) from Assam Valley, India.
- Plateros borneensis* KLEINE, 1927a : 298. 1 Type [holotype] (No. 741) 1 Typus [allotype] (No. 742) and 1 [paratype] (No. 743) from Sandakan, Borneo and 1 [paratype] (No. 744) from Samar.
- Plateros ceylonicus* KLEINE, 1928a : 244. 1 Co-Typus [syntype] (No. 745) from Dikoya, Ceylon and 1 [syntype] (No. 746) from Bogawantala, Ceylon.

- Plateros cimicoides* KLEINE, 1928a : 242. 1 Co-Typus [paratype] (No. 747) from Ranikhet, India.
- Plateros confrater* KLEINE, 1928a : 241. 1 Co-Typus [paratype] (No. 748) from Lambatach, Chakrata, India.
- Plateros congoensis* KLEINE, 1930b : 168. 1 Co-Typus [paratype] (No. 749) from Tshinsenda in the Belgian Congo and 1 [paratype] (No. 750) from Dumbi, Kasai in the Belgian Congo.
- Plateros conspiciendus* KLEINE, 1926k : 55. 1 Type [holotype] (No. 751) and 1 Type [allotype] (No. 752) and 1 [paratype] (No. 753) from Sibuyan Island.
- Plateros conspicuus* KLEINE, 1926k : 56. 1 Type [holotype] (No. 754) and 1 Typus [allotype] (No. 755) from Cuernos Mts., Negros.
- Plateros constans* KLEINE, 1926k : 56. 1 Typus [holotype] (No. 756) from Mt. Maquiling, Luzon.
- Plateros contextus* KLEINE, 1926k : 54. 1 Type [holotype] (No. 757) from Surigao, Mindanao and 1 [allotype] (No. 758) from Mt. Maquiling, Luzon.
- Plateros contiguus* KLEINE, 1926k : 58. 1 Type [holotype] (No. 759) from Mt. Maquiling, Luzon.
- Plateros continens* KLEINE, 1926k : 57. 1 Type [holotype] (No. 760) from Surigao, Mindanao and 1 [allotype] (No. 761) from Samar.
- Plateros contortus* KLEINE, 1926k : 47. 1 Type [holotype] (No. 762) from Cuernos Mts., Negros, 1 Type [allotype] (No. 763) from Iligan, Mindanao and 1 [paratype] (No. 764) from Surigao, Mindanao.
- Plateros contrarius* KLEINE, 1926k : 53. 1 Type [holotype] (No. 765) from Mt. Maquiling, Luzon and 1 [allotype] (No. 766) from Bataan, Luzon. Specimen badly damaged.
- Plateros cuneatus* KLEINE, 1926k : 50. 1 Type [holotype] (No. 767) and 1 [allotype] (No. 768) from Baguio, Benguet, Luzon and 1 [paratype] (No. 769) from Dapitan, Mindanao.
- Plateros demissus* KLEINE, 1927a : 297. 1 Co-Typus and 2 unmarked [all paratypes] (No. 770) from Bali.
- Plateros distortus* KLEINE, 1926g : 183. 1 Co-Typus [paratype] (No. 771) from Penang, Malaya.

- Plateros dolosus* KLEINE, 1936e : 135. 1 Typus and 1 unmarked [both syntypes] (No. 772) from Idjen Plateau, Blawan, Java.
- Plateros elegantulus* KLEINE, 1926a : 18. 1 Type [holotype] (No. 773) from Fort de Kock, Sumatra.
- Plateros exiguum* KLEINE, 1932a : 575. 1 Type [holotype] (No. 774) and 1 [paratype] (No. 775) from Zamboanga, Mindanao and 1 [paratype] (No. 776) from Basilan.
- Plateros expressus* KLEINE, 1926d : 359. 1 Co-Typus [paratype] (No. 777) from Sarawak, Borneo.
- Plateros flavomarginatus* KLEINE, 1936d : 264. 1 Typus [holotype] (No. 778) and 1 Type [allotype] (No. 779) from Canton, China.
- Plateros flavonotatus* KLEINE, 1928a : 242. 1 Co-Typus [paratype] (No. 780) from E. Ramganga, V. Kumaon, India and 1 [paratype] (No. 781) from Gori Valley, Kumaon, India.
- Plateros fletcheri* KLEINE, 1930k : 97. 1 Type [holotype] (No. 782) and 1 [paratype] (No. 783) from Shillong.
- Plateros forcipatus* KLEINE, 1928a : 246. 1 Co-Typus [syntype] (No. 784) from Manipur, India.
- Plateros fragilis* KLEINE, 1936e : 136. 2 Typus and 1 unmarked [all cotypes] (No. 785) from Idjen Plateau, Blawan, Java.
- Plateros frater* KLEINE, 1927a : 298. 1 Typus [holotype] (No. 786) and 1 Typus [allotype] (No. 787) from Sandakan, Borneo.
- Plateros fraterculus* KLEINE, 1926k : 58. 1 Type [holotype] (No. 788) from Baguio, Benguet, Luzon.
- Plateros fraudulentus* KLEINE, 1926k : 57. 1 Type [holotype] (No. 789) from Mt. Banahao, Luzon, 1 Type [allotype] (No. 790) from Los Banos, Luzon, and 1 [paratype] (No. 791) from Mt. Maquiling, Luzon.
- Plateros fucosus* KLEINE, 1926k : 50. 2 Types [holotype] (No. 792) and [allotype] (No. 793) from Samar.
- Plateros fulgidus* KLEINE, 1926k : 52. 1 Typus [syntype] (No. 794) from Samar.
- Plateros fulgidus* [sic!] KLEINE, 1928a : 243. 1 Co-Typus [paratype] (No. 795) from Patkai Mts., Assam in India and 1 [paratype] (No. 796) from Tavoy, Tennaserim in Burma.

- Plateros fuliginosus* KLEINE, 1930e : 345. 2 Co-Typus and 2 unmarked [all paratypes] (No. 797) from Aroe Hassa, Sumbawa.
- Plateros fumosus* KLEINE, 1939d : 15. 1 Paratypus (No. 798) from Kambaiti in Burma.
- Plateros gardneri* KLEINE, 1930h : 288. 1 Co-Typus [paratype] (No. 799) from Rnagirum, Darjeeling, Bengal.
- Plateros griseolus* KLEINE, 1927a : 295. 1 Typus [holotype] (No. 800) from Mt. Dulit, Borneo.
- Plateros hospitus* KLEINE, 1940b : 893. 1 Type [holotype] (No. 801) from the Belgian Congo.
- Plateros imitator* KLEINE, 1928a : 240. 1 Co-Typus [paratype] (No. 802) from Malabar, India.
- Plateros Kaszabi* KLEINE, 1943b : 154. 1 Co-Typus [paratype] (No. 803) from Tolima, Colombia.
- Plateros kinabalensis* KLEINE, 1932b : 161. 1 Co-Typus [paratype] (No. 804) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Plateros koreanus* KLEINE, 1936d : 263. 2 Types [holotype] (No. 805) and [allotype] (No. 806) from Seishin, Korea.
- Plateros lautus* KLEINE, 1928a : 245. 1 Co-Typus [paratype] (No. 807) from Nilaveli, Ceylon.
- Plateros lepidus* KLEINE, 1926k : 49. 1 Typus [holotype] (No. 808) from Samar.
- Plateros luteolus* KLEINE, 1926k : 49. 1 Paratype (No. 809) from Momungan, Mindanao.
- Plateros luzonicus* KLEINE, 1926k : 51. 1 Type [holotype] (No. 810) and 1 Typus [allotype] (No. 811) from Heights-place, Luzon.
- Plateros malaisei* KLEINE, 1939d : 14. 1 Paratypus (No. 812) from Kambaiti in Burma.
- Plateros mussooriensis* KLEINE, 1930k : 97. 1 Para-Type (No. 813) from Mackinnon Park, Mussoorie.
- Plateros Neavei* KLEINE, 1940b : 893. 1 Co-Typus [paratype] (No. 814) from "E. foot and slopes Aberdare Mts., in Africa."
- Plateros Nevermanni* PIC, 1933b : 109. 1 Type [syntype] (No. 815) from Costa Rica.
- Plateros nietneri* KLEINE, 1928a : 244. 1 Typus [allotype] (No. 816) from Ceylon.

- Plateros nigrobrunneus* KLEINE, 1939e : 134. 1 Co-Typus [holotype] (No. 817) from Soekaranda.
- Plateros nigrosuturalis* KLEINE, 1939d : 14. 1 Paratypus (No. 818) from Kambaiti in Burma.
- Plateros obscuritarsis* KLEINE, 1930e : 346. 2 Cotypes [paratypes] (No. 819) from Aroe Hassa, Sumbawa.
- Plateros obscuriventris* KLEINE, 1930e : 344. 1 Co-Typus [paratype] (No. 820) from Aroe Hassa, Sumbawa.
- Plateros ochraceipennis* KLEINE, 1928a : 243. 1 Co-Typus [paratype] (No. 821) from Mergui, Tenasserim River, in Burma.
- Plateros ordinarius* KLEINE, 1926k : 47. 1 Type [holotype] (No. 822) from Davo, Mindanao, 1 [allotype] (No. 823) and 1 [paratype] (No. 824) from Surigao, Mindanao, 1 [paratype] (No. 825) from Butuan, Mindanao and 1 [paratype] (No. 826) from Mt. Maquiling, Luzon.
- Plateros pallidulus* KLEINE, 1927a : 297. 1 Type [holotype] (No. 827) and 1 [paratype] (No. 828) from Sandakan, Borneo.
- Plateros paululus* KLEINE, 1932a : 574. 1 Type [holotype] (No. 829) from Banahao, Luzon.
- Plateros pervulgatus* KLEINE, 1930e : 345. 1 Co-Typus [paratype] (No. 830) from Leo, Timor.
- Plateros ponderosus* KLEINE, 1926k : 51. 1 Type [holotype] (No. 831) from Heightsplace, Luzon.
- Plateros popularis* KLEINE, 1926k : 52. 1 Type [holotype] (No. 832) from Baguio, Benguet, Luzon.
- Plateros postpustulatus* KLEINE, 1940b : 894. 1 Type [holotype] (No. 833) and 1 Typus [allotype] (No. 834) from Cameroons.
- Plateros prominens* KLEINE, 1940b : 895. 1 Co-Typus [paratype] (No. 835) from Cameroons.
- Plateros pudens* KLEINE, 1932a : 574. 1 Typus [holotype] (No. 836) from Zamboanga, Mindanao.
- Plateros purus* KLEINE, 1926h : 99. 1 Typus [holotype] (No. 837) and 1 [paratype] (No. 838) from Hoozan, Taiwan (Formosa).
- Plateros pustulatus* KLEINE, 1933a : 14. 1 Typus [holotype] (No. 839) and 1 [allotype] (No. 840) from Sitoe Tembang, Preanger, Java.

- Plateros quadraticollis* KLEINE, 1926k : 58. 1 Type [holotype] (No. 841) from Basilan.
- Plateros redundus* KLEINE, 1936e : 135. 1 Typus [syntype] (No. 842) from Idjen Plateau, Blawan, Java.
- Plateros robustus* KLEINE, 1928a : 247. 1 Co-Typus [paratype] (No. 843) from Perak.
- Plateros rusticus* KLEINE, 1936e : 135. 2 Typus and 2 unmarked [all syntypes] (No. 844) from Idjen Plateau, Blawan, Java.
- Plateros senex* KLEINE, 1926k : 48. 1 Typus [holotype] (No. 845) from Los Banos, Luzon and 1 Type [allotype] (No. 846) from Mt. Maquiling, Luzon.
- Plateros separatus* KLEINE, 1942c : 159. 1 Co-Typus [allotype] (No. 847) from Colombia.
- Plateros siccus* KLEINE, 1933a : 14. 1 Type [holotype] (No. 848) and 1 [paratype] (No. 849) from Bajoekidoel, Raoeng, Java.
- Plateros simillimus* KLEINE, 1930b : 170. 1 Co-Typus [paratype] (No. 850) from Moto, Haut-Uélé in the Belgian Congo and 1 [paratype] (No. 851) from Albertville in the Belgian Congo.
- Plateros tenebrans* KLEINE, 1926k : 53. 1 Type [holotype] (No. 852) from Iligan, Mindanao.
- Plateros testaceohumeralis* KLEINE, 1931a : 278. 1 Type [holotype] (No. 853) from Banaran.
- Plateros testaceus* KLEINE, 1926k : 55. 1 [holotype] (No. 854) from Los Banos, Luzon and 1 [paratype] (No. 855) from Mt. Maquiling, Luzon.
- Plateros Umanni* KLEINE, 1941b : 304. 1 Co-Typus [paratype] (No. 856) from Peru.
- Plateros vespertilio* KLEINE, 1936e : 136. 1 Typus [holotype] (No. 857) from Midjen, Java.
- Plateros vetustus* KLEINE, 1932c : 123. 1 Allotypus (No. 858) from Larut Hills, Perak.
- Plateros zonatus* KLEINE, 1932a : 573. 1 Type [allotype] (No. 859) from Santo Tomas, Benguet, Luzon.
- Plateros Zumpti* KLEINE, 1940b : 894. 1 Typus [holotype] (No. 860) from Mufindi in Africa.
- Ponyalis praedicabilis* KLEINE, 1939d : 17. 1 Paratypus (No. 861) from Kambaiti in Burma.

- Procautires bambesanus* KLEINE, 1940a : 253. 2 Co-Typus [paratypes] (No. 862) from Bambesa in the Belgian Congo.
- Procautires Bryanti* KLEINE, 1933a : 10. 1 Co-Typus and 2 unmarked [all paratypes] (No. 863) from Quirindi in New South Wales.
- Procautires fuscoreticulatus* KLEINE, 1933a : 10. 1 Type [holotype] (No. 864) from Mt. Kinabalu, Borneo.
- Procautires pilosus* KLEINE, 1935b : 428. 1 Co-Typus [paratype] (No. 865) from Dingila, Uelè in the Belgian Congo.
- Procautires rivalis* KLEINE, 1935b : 429. 1 Co-Typus [allotype] (No. 866) from Flandria, Equator Prov., in the Belgian Congo.
- Procautires slamatensis* KLEINE, 1931a : 265. 1 Typus [holotype] (No. 867) from Batoerraden, Slamat, Java.
- Procautires socius* KLEINE, 1926h : 104. 1 Type [holotype] (No. 868) from Hoozan, Taiwan (Formosa).
- Procautires suturalis* KLEINE, 1926i : 159. 1 Co-Typus [holotype] (No. 869) from New Guinea.
- Procautires toxopei* KLEINE, 1925c : 32. 2 Co-Typus [paratypes] (No. 870) from Buru.
- Prometanoeus ochraceus* KLEINE, 1925d : 133. 1 Co-Typus and 2 unmarked [all paratypes] (No. 871) from Dikoya, Ceylon.
- Protaphes areolatus* KLEINE, 1926c : 281. 1 Type [holotype] (No. 872) from Fort de Kock, Sumatra.
- Protaphes celebensis* KLEINE, 1933a : 2. 1 Co-Typus [paratype] (No. 873) from Bantimoeroeng, Celebes.
- Protaphes confertus* KLEINE, 1926e : 364. 2 Typus [holotype] (No. 874) and [allotype] (No. 875) from Surigao, Mindanao.
- Protaphes confirmatus* KLEINE, 1926e : 365. 1 Co-Typus [syn-type] (No. 876) from Bukit Gabah, Sumatra.
- Protaphes drescheri* KLEINE, 1931a : 250. 1 Typus [holotype] (No. 877) from Tangkoeban Prahoe, Preanger, Java.
- Protaphes incarnatus* KLEINE, 1931a : 251. 1 Type [holotype] (No. 878) and 1 [paratype] (No. 879) from Tangkoeban Prahoe, Preanger, Java.
- Protaphes miniatus* KLEINE, 1930k : 95. 1 Co-Typus [paratype] (No. 880) from Perak.

- Protaphes monticola* KLEINE, 1939d : 8. 1 Paratype (No. 881) from Kambaiti in Burma.
- Protaphes transversesignatus* KLEINE, 1933a : 3. 1 Type [holotype] (No. 882) from Bajoekidoel, Raoeng, Java.
- Pyropterus bicoloricornis* PIC, 1933b : 110. 1 Type [syntype] (No. 883) from Tatsieulu, Szechwan.
- Pyropterus rufithorax* KLEINE, 1933a : 3. 1 Co-Typus [paratype] (No. 884) from Ternate.
- Scarelus ardens* KLEINE, 1926d : 360. 1 Co-Typus [paratype] (No. 885) from Mt. Matang, Sarawak, Borneo.
- Scarelus crudus* KLEINE, 1926k : 77. 1 Typus [holotype] (No. 886) from Mt. Banahao, Luzon and 2 [paratypes] (No. 887) from Iligan, Mindanao.
- Stadenus aethiops* KLEINE, 1933a : 4. 1 Co-Typus and 3 unmarked [all paratypes] (No. 888) from Port St. John, Pondoland in Africa.
- Stadenus appositus* KLEINE, 1933a : 4. 1 Co-Typus and 1 unmarked [both paratypes] (No. 889) from Kuranda in Queensland.
- Stadenus caffer* KLEINE, 1933a : 4. 1 Co-Typus [paratype] (No. 890) from Mlanje, Nyasaland.
- Stadenus flavo-coeruleus* KLEINE, 1933a : 3. 1 Co-Typus and 1 unmarked [both paratypes] (No. 891) from Port St. John, Pondoland.
- Stadenus guineensis* KLEINE, 1933a : 5. 1 Co-Typus [paratype] (No. 892) from Sierra Leone.
- Stadenus puncticollis* KLEINE, 1933a : 3. 1 Co-Typus [paratype] (No. 893) from Yallingup in Australia.
- Stereotrichalus crinitus* KLEINE, 1926i : 184. 2 Paratypes (No. 894) from Paumomu River, New Guinea.
- Subdihammatus curvus* KLEINE, 1926k : 68. 1 Co-Typus [holotype] (No. 895) from Mt. Maquiling, Luzon.
- Taphes acceptus* KLEINE, 1926k : 101. 1 Type [holotype] (No. 896) from Nueva Vizcaya, Imugin and 1 [allotype] (No. 897) from Cuernos Mts., Negros.
- Trichalus absonus* KLEINE, 1926k : 108. 1 [holotype] (No. 898) from Panay, 1 Type [allotype] (No. 899) and 2 [paratypes] (No. 900) from Sibuyan Island, 1 [paratype] (No. 901) from Los Banos, Luzon and 1 [paratype] (No. 902) from Mt. Maquiling, Luzon.

- Trichalus antiquus* KLEINE, 1939a : 12. 1 Typus [holotype] (No. 903) from Mt. Panggerango, Tjisaroea, Java.
- Trichalus apparatus* KLEINE, 1929a : 481. 4 Types and 2 unmarked [all syntypes] (No. 904) from Coen District, Cape York, Queensland.
- Trichalus assimilis* KLEINE, 1926i : 172. 1 [paratype] (No. 905) from Ralum, New Britain.
- Trichalus bakeri* KLEINE, 1929a : 479. 2 Types [holotype] (No. 906) and [allotype] (No. 907) and 1 [paratype] (No. 908) from Basilan.
- Trichalus castigatus* KLEINE, 1931a : 287. 1 Typus [holotype] (No. 909) from Tangkoeban Prahoe, Preanger, Java.
- Trichalus clypeatus* KLEINE, 1926k : 107. 1 Typus [holotype] (No. 910) and 1 [paratype] (No. 911) from Kolambungan, Mindanao, 1 Type [allotype] (No. 912) and 1 [paratype] (No. 913) from Bukidnon, Tangkulon, Mindanao, 2 [paratypes] (No. 914) from Surigao, Mindanao, 1 [paratype] (No. 915) from Davao, Mindanao and 1 [paratype] (No. 916) from Butuan, Mindanao.
- Trichalus conditus* KLEINE, 1927a : 312. 1 Typus [syntype] (No. 917) from Papandajan, Java.
- Trichalus costilis* KLEINE, 1926k : 108. 1 Type [holotype] (No. 918) from Tangkulon, Bukidnon, Mindanao.
- Trichalus faustus* KLEINE, 1935e : 317. 1 Co-Typus [paratype] (No. 919) from Kokoda, Papua, New Guinea.
- Trichalus favorabilis* KLEINE, 1926i : 177. 1 [paratype] (No. 920) from Kapaur, New Guinea, 2 [paratypes] (No. 921) from Ighibirei, New Guinea and 1 [paratype] (No. 922) from Dilo, New Guinea.
- Trichalus honoratus* KLEINE, 1929a : 478. 1 Co-Typus [syntype] (No. 923) from Macklot, Timor.
- Trichalus ignotus* KLEINE, 1936e : 133. 1 Typus and 1 unmarked [both syntypes] (No. 924) from Tangkoeban Prahoe, Preanger, Java.
- Trichalus immanus* KLEINE, 1926i : 173. 1 Typus [holotype] (No. 925) from Bolan Gebirge, New Guinea.
- Trichalus lineolatus* KLEINE, 1939e : 132. 1 Typus [holotype] (No. 926) from Mt. Lawoe, Sarangan, Java.

- Trichalus luzonicus* KLEINE, 1929a : 485. 1 Type [holotype] (No. 927) from Mt. Maquiling, Luzon and 1 Type [allotype] (No. 928) from Los Banos, Luzon.
- Trichalus mancus* KLEINE, 1926i : 176. 1 Typus [holotype] (No. 929) and 2 [paratypes] (No. 930) from Etna baai, New Guinea and 1 Typus [allotype] (No. 931) from Merauke, New Guinea.
- Trichalus manifestus* KLEINE, 1926i : 177. 1 Paratype (No. 932) from Hula, New Guinea.
- Trichalus marcidus* KLEINE, 1926i : 175. 1 Typus [allotype] (No. 933) and 1 [paratype] (No. 934) from New Guinea and 1 Paratype (No. 935) from Dilo, New Guinea.
- Trichalus metallicus* KLEINE, 1935d : 151. 1 Type [holotype] (No. 936) from Edie Creek, New Guinea.
- Trichalus miserandus* KLEINE, 1939a : 17. 1 Type [holotype] (No. 937) from Malino, Lompobatang, Celebes.
- Trichalus nigroscutellatus* KLEINE, 1926i : 176. 1 Co-Typus [paratype] (No. 938) from Merauke, New Guinea.
- Trichalus nothus* KLEINE, 1933a : 12. 1 Type [allotype] (No. 939) from Sibolga, Sumatra.
- Trichalus patricius* KLEINE, 1935a : 178. 1 Co-Typus [paratype] (No. 940) from Rabaul Keravat, New Britain.
- Trichalus pulcherrimus* KLEINE, 1926i : 174. 1 Typus [holotype] (No. 941) from the Malu district, New Guinea.
- Trichalus residuus* KLEINE, 1939g : 590. 1 Co-Typus [paratype] (No. 942) from Tulagi Island (Solomon Islands).
- Trichalus signatus* KLEINE, 1939a : 19. 1 Type [holotype] (No. 943) from Buru.
- Trichalus typicus* KLEINE, 1939e : 133. 1 Type [holotype] (No. 944) from Nangala, Rantepao. Celebes.
- Xylobanellus amurensis* KLEINE, 1933a : 10. 1 Typus [holotype] (No. 945) from Suchan, Maritime Territory, USSR and 1 Typus [allotype] (No. 946) from Radde, Amur.
- Xylobanellus postsignatus* KLEINE, 1932b : 157. 1 Co-Typus [paratype] (No. 947) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Xylobanellus reticulatus* KLEINE, 1931a : 266. 1 Type [holotype] (No. 948) from Tangkoeban Prahoe, Preanger, Java.

- Xylobanus amandus* KLEINE, 1927b : 69. 1 Type [allotype] (No. 949) from Slamat, Java.
- Xylobanus assimilis* KLEINE, 1927b : 51. 1 Co-Typus [syntype] (No. 950) from Mt. Dulit, Borneo.
- Xylobanus australianus* KLEINE, 1927b : 70. 2 Typus [holotype] (No. 951) and [allotype] (No. 952) from Illawarra, New South Wales.
- Xylobanus bakeri* KLEINE, 1927b : 46. 1 Type [holotype] (No. 953) and 1 [paratype] (No. 954) from Mt. Maquiling, Luzon.
- Xylobanus barbarus* KLEINE, 1926k : 90. 1 Typus [paratype] (No. 955) from Mt. Banahao, Luzon and 1 Cotype! [paratype] (No. 956) from Nueva Vizcaya, Imugan.
- Xylobanus basilensis* KLEINE, 1926k : 93. 1 Typus [holotype] (No. 957) from Basilan.
- Xylobanus bellus* KLEINE, 1926k : 92. 1 Type [allotype] (No. 958) from Siargao-Dapa Island, Philippines.
- Xylobanus benignus* KLEINE, 1926k : 87. 1 Typus [holotype] (No. 959) and 1 [paratype] (No. 960) from Surigao, Mindanao, 1 Typus [allotype] (No. 961) and 1 [paratype] (No. 962) from Butuan, Mindanao.
- Xylobanus bicoloratus* KLEINE, 1926k : 96. 1 Type [holotype] (No. 963) from Benguet, Luzon.
- Xylobanus blandus* KLEINE, 1926k : 86. 1 Type [holotype] (No. 964) from Surigao, Mindanao and 1 [allotype] (No. 965) from Mt. Maquiling, Luzon.
- Xylobanus brevis* KLEINE, 1926k : 91. 1 Type [holotype] (No. 966) and 1 [paratype] (No. 967) from Butuan, Mindanao. 1 Typus [allotype] (No. 968) and 2 [paratypes] (No. 969) from Cuernos Mts., Negros, and 1 [paratype] (No. 970) from Surigao, Mindanao.
- Xylobanus burgeoni* KLEINE, 1936a : 227. 1 Co-Typus [syntype] (No. 971) from Tshibinda, Kivu, in the Belgian Congo.
- Xylobanus caelestis* KLEINE, 1926k : 89. 1 Type [holotype] (No. 972) and 2 [paratype] (No. 973) from Butuan, Mindanao, 1 Typus [allotype] (No. 974) and 3 [paratypes] (No. 974) from Surigao, Mindanao, 1 [paratype] (No. 975) from Kolambungan, Mindanao, 1 [paratype] (No. 976) from Zamboanga, Mindanao, 1 [paratype] (No. 977) from

- Davao, Mindanao, 1 [paratype] (No. 978) from Samar and 1 [paratype] (No. 979) from Los Banos, Luzon.
- Xylobanus callosus* KLEINE, 1943a : 3. 2 Co-Typus [paratypes] (No. 980) from Ginting Kial, Cameron Highlands, Pahang.
- Xylobanus camerunus* KLEINE, 1930a : 175. 2 Co-Typus and 5 unmarked [all paratypes] (No. 981) from Cameroons, 4 [paratypes] (No. 982) from Mundame, Cameroons and 1 [paratype] (No. 983) from Johann Albrechtshöhe, Cameroons.
- Xylobanus canaliculatus* KLEINE, 1926k : 91. 1 Typus [holotype] (No. 984) from Butuan, Mindanao.
- Xylobanus candidus* KLEINE, 1926k : 94. 1 Typus [holotype] (No. 985) from Sibuyan Island and 1 Type [allotype] (No. 986) from Cuernos Mts, Negros.
- Xylobanus captiosus* KLEINE, 1927a : 303. 1 Co-Typus [paratype] (No. 987) from Java.
- Xylobanus Chappuisi* KLEINE, 1935c : 108. 1 Typus [paratype] (No. 988) from Butagu Valley, Ruwenzori in the Belgian Congo.
- Xylobanus cognatus* KLEINE, 1928b : 322. 1 Type and 9 unmarked [all syntypes] (No. 989) from Mt. Tibang, Borneo and 1 [syntype] (No. 990) from Pajan River, Borneo.
- Xylobanus consentaneus* KLEINE, 1926k : 95. 1 Type [holotype] (No. 991) from Sibuyan Island and 1 [allotype] (No. 992) from Surigao, Mindanao.
- Xylobanus consimilis* KLEINE, 1926k : 88. 1 Type [holotype] (No. 993) from Iligan, Mindanao, 1 Typus [allotype] (No. 994) from Surigao, Mindanao and 1 [paratype] (No. 995) from Davao, Mindanao.
- Xylobanus consobrinus* KLEINE, 1926k : 88. 1 Type [holotype] (No. 996), 1 Typus [allotype] (No. 997) and 1 [paratype] (No. 998) from Surigao, Mindanao.
- Xylobanus consociatus* KLEINE, 1926k : 97. 1 Type [holotype] (No. 999) from Butuan, Mindanao.
- Xylobanus densereticulatus* KLEINE, 1927b : 47. 1 Type [holotype] (No. 1000) from Idenburg River, New Guinea.
- Xylobanus devotus* KLEINE, 1927b : 59. 1 Co-Typus and 1 unmarked [both paratypes] (No. 1001) from Massai and 1 [paratype] (No. 1002) from Kampala in Uganda.

- Xylobanus drescheri* KLEINE, 1927b : 59. 2 Co-Typus [syntype] (No. 1003) from Moendoek, Bali.
- Xylobanus electus* KLEINE, 1939d : 11. 1 Paratype (No. 1004) from Kambaiti in Burma.
- Xylobanus fractus* KLEINE, 1927a : 310. 2 Typus [holotype] (No. 1005) and [allotype] (No. 1006) and 1 [paratype] (No. 1007) from Sandakan, Borneo.
- Xylobanus fragilis* KLEINE, 1926k : 96. 1 Type [holotype] (No. 1008) and 1 [paratype] (No. 1009) from Surigao, Mindanao and 1 Typus [allotype] (No. 1010) from Iligan, Mindanao.
- Xylobanus goentoerensis* KLEINE, 1931a : 254. 1 Type [holotype] (No. 1011) from Goentoer.
- Xylobanus Hackeri* KLEINE, 1933a : 11. 1 Co-Typus [paratype] (No. 1012) from Blackall, Australia.
- Xylobanus hirtus* KLEINE, 1928a : 234. 1 Co-Typus and 1 unmarked [also syntype] (No. 1013) from Dikoya, Ceylon and 1 [syntype] (No. 1014) from Bogawantalawa, Ceylon.
- Xylobanus honestus* KLEINE, 1927b : 66. 1 Typus [allotype] (No. 1015) from Lombok.
- Xylobanus horrendus* KLEINE, 1927a : 308. 1 Co-Typus [paratype] (No. 1016) from Preanger, Java.
- Xylobanus ignitus* KLEINE, 1924b : 309. 2 Typus [holotype] (No. 1017) and [allotype] (No. 1018) from Fort de Kock, Sumatra.
- Xylobanus longereticulatus* KLEINE, 1932b : 152. 1 Co-Typus [paratype] (No. 1019) from Lumu Lumu, Mt. Kinabalu, Borneo.
- Xylobanus luzonicus* KLEINE, 1926k : 97. 1 Type [paratype] (No. 1020) from Mt. Banahao, Luzon.
- Xylobanus marginecinctus* KLEINE, 1931a : 252. 1 Type [holotype] (No. 1021) from Patoeha, Preanger, Java.
- Xylobanus Mjöbergi* KLEINE, 1928b : 323. 1 Type and 1 unmarked [both syntypes] (No. 1022) from Mr. Tibang, Borneo.
- Xylobanus mobilis* KLEINE, 1926i : 164. 1 Paratype (No. 1023) from Paumomu River, New Guinea and 1 Paratype (No. 1024) from Ighibirei, New Guinea.
- Xylobanus modestus* KLEINE, 1926i : 163. 1 Paratype (No. 1025) from Bujakori, New Guinea and 1 [paratype] (No. 1026) from Paumomu River, New Guinea.

- Xylobanus oculatus* KLEINE, 1927b : 60. 1 Type [holotype] (No. 1027) from Samar.
- Xylobanus pallidicolor* KLEINE, 1930a : 174. 1 Typus [holotype] (No. 1028) from Mundame, Cameroons.
- Xylobanus parallelus* KLEINE, 1927a : 306. 1 Typus [holotype] (No. 1029) from Sandakan, Borneo.
- Xylobanus paululus* KLEINE, 1926k : 93. 1 Type and 1 unmarked [both paratypes] (No. 1030) from Mt. Maquiling, Luzon.
- Xylobanus philippinensis* KLEINE, 1927b : 60. 1 Type [holotype] (No. 1031) from Basilan.
- Xylobanus popularis* KLEINE, 1936e : 132. 1 Type and 1 unmarked [both syntypes] (No. 1032) from Bajoekidoel, Raoeng, Java.
- Xylobanus pubens* KLEINE, 1926k : 89. 1 Type [holotype] (No. 1033) from Mt. Banahao, Luzon.
- Xylobanus pudicus* KLEINE, 1926k : 95. 1 Type [holotype] (No. 1034) and 1 Typus [paratype] (No. 1035) from Sibuyan Island.
- Xylobanus pullatus* KLEINE, 1926k : 94. 1 Type [allotype] (No. 1036) from St. Theodoro, Mindoro.
- Xylobanus quadratus* KLEINE, 1926k : 92. 1 Paratype (No. 1037) no locality given.
- Xylobanus quinqueareolatus* KLEINE, 1927a : 310. 1 Typus [holotype] (No. 1038) and 1 Co-Typus [allotype] (No. 1039) from Preanger, Java.
- Xylobanus recurvus* KLEINE, 1928a : 233. 1 Co-Typus [paratype] (No. 1040) from Patkai Mts. in Assam.
- Xylobanus reverens* KLEINE, 1939a : 15. 1 Type [holotype] (No. 1041) from Parasalamakki, Mt. Lompobatang, Celebes.
- Xylobanus robustithorax* KLEINE, 1927b : 71. 1 Co-Typus [paratype] (No. 1041) from Dodinga, Halmahera.
- Xylobanus saranganus* KLEINE, 1931a : 255. 1 Typus [holotype] (No. 1042) from Lawoe Gebirge, Sarangan, Java.
- Xylobanus sericeus* PIC, 1922 : 17. 1 Cotype [syntype] and 2 unmarked [also syntypes] (No. 1043) from Lau Rakit, Sumatra.
- Xylobanus siccus* KLEINE, 1936e : 133. 2 Types [syntypes] (No. 1044) from Bajoekidoel, Raoeng, Java.

- Xylobanus sutschaensis* KLEINE, 1933a : 11. 1 Typus [holotype] (No. 1045) from Suchan, Maritime Territory, USSR.
- Xylobanus tenuis* KLEINE, 1936e : 133. 1 Type [syntype] (No. 1046) from Kendeng Gebirge, Java.
- Xylobanus torridus* KLEINE, 1931a : 287. 1 Type [holotype] (No. 1047) and 1 Typus [allotype] (No. 1048) and 1 [paratype] (No. 1049) from Djeroeklegi, Zuid Banjoemas.
- Xylobanus triangulifer* KLEINE, 1932c : 122. 1 Co-Typus [allotype] (No. 1050) from Larut Hills, Perak.
- Xylobanus ugandanus* KLEINE, 1930a : 174. 1 Co-Typus [paratype] (No. 1051) from Ruwenzori in Uganda, 1 [paratype] (No. 1052) from Kampala in Uganda and 1 [paratype] (No. 1053) from Beni a Lesse in the Belgian Congo.
- Xylobanus vitiosus* KLEINE, 1928b : 324. 1 Type [holotype] (No. 1054) from Long Navang, Borneo and 1 Type [allotype] (No. 1055) from Mt. Tibang, Borneo.
- Xylobanus wittmeri* KLEINE, 1939a : 9. 1 Paratype (No. 1056) from Batoeriti, Bali.

## REFERENCES

- BERTOLONI I. 1849. Illustratio rerum naturalium Mozambici. Disse-  
ratio I—III de Coleopteris. Bononiae, 56 pp., 3 tt.
- FAIRMAIRE L. 1878. Coléoptères de Cochinchine recueillis par M. le  
docteur MORICE (1). Ann. Soc. Ent. Fr., Paris, (5), **8**, pp. 269—  
274.
- GERMAR E. F. 1824. Insectorum species novae aut minus cognitiae,  
descriptionibus illustratae. Volumen primum. *Coleoptera*. Halae,  
**XXIV**+624 pp., 2 tt.
- KIESENWETTER H. 1874. Die Malacodermen Japans nach dem Erge-  
bnisse der Sammlungen des Herrn G. LEWIS während der Jahre  
1869—1871. Berl. Ent. Zeitschr., Berlin, **18**, pp. 241—288.
- KLEINE R. 1924a. Die Gattung *Lyponia* WATERHOUSE. (4. Beitrag  
zur Kenntnis der *Lycidae*). Ent. Blätter, Berlin, **20**, pp. 170—175,  
10 ff.
- KLEINE R. 1924b. Sumatranische Insekten. (Beitrag Nr. 1). Ent.  
Mitt., Berlin, **13**, pp. 308—310.
- KLEINE R. 1925a. Sumatranische Insekten. (Beitrag II). Ent. Mitt.,  
Berlin, **14**, pp. 51—52, 2 ff.

- KLEINE R. 1925b. Dritter Beitrag zur Kenntnis der *Lycidae*. Die neue Gattung *Leptotrichalus*. Philippine Journ. Sc., Manila, **28**, pp. 295—311, 2 tt.
- KLEINE R. 1925c. Fauna Buruana. Coleoptera, Fam. *Lycidae*. (2. Beitrag zur Kenntnis der *Lycidae*). Treubia, Buitenzorg, **7**, pp. 31—37, 25 ff.
- KLEINE R. 1925d. Drei neue Lycidengenera des orientalischen Gebietes. 8. Beitrag zur Kenntnis der *Lycidae*. Stett. Ent. Zeit., Stettin, **85**, pp. 133—136, 11 ff.
- KLEINE R. 1925e. Die Gattung *Macrolycus* C. O. WTRH. (5. Beitrag zur Kenntnis der *Lycidae*). Deutsch. Ent. Zeitschr., Berlin, **1925**, pp. 325—331, 8 ff.
- KLEINE R. 1926a. Fauna sumatrensis. (Beitrag Nr. 13). *Lycidae* (*Col.*). Ent. Mitt., Berlin, **15**, pp. 18—21, 12 ff.
- KLEINE R. 1926b. Studien über die Gattung *Bulenides* C. O. WTRH. (*Col.*). Ent. Mitt., Berlin, **15**, pp. 137—154, t. 2.
- KLEINE R. 1926c. Fauna sumatrensis. (Beitrag Nr. 17). *Lycidae* (*Col.*). Ent. Mitt., Berlin, **15**, pp. 280—281, 4 ff.
- KLEINE R. 1926d. Some Lycid Beetles from Mt. Poi and Mt. Penrisen in Sarawak. Sarawak Mus. Journ., London, **3**, pp. 359—361, 2 ff.
- KLEINE R. 1926e. *Protaphes*, a new Lycid-genus from Sarawak. Sarawak Mus. Journ., London, **3**, pp. 363—365, 6 ff.
- KLEINE R. 1926f. Zwei neue *Brenthiden* (*Col.*). [Sic!] Treubia, Buitenzorg, **8**, pp. 465—466, 2 ff.
- KLEINE R. 1926g. *Lycidae* in the collection of the Federated Malay States Museums at Kuala Lumpur. Journ. Fed. Malay St. Mus., Kuala Lumpur, **13**, pp. 177—197, 43 ff.
- KLEINE R. 1926h. Die Lyciden Formosas. Stett. Ent. Zeit., Stettin, **87**, pp. 97—109, 27 ff.
- KLEINE R. 1926i. Coleoptera *Lycidae*. Nova Guinea, Leiden, **15**, pp. 91—195, 281 ff.
- KLEINE R. 1926k. Die Lyciden der Philippinen-Inseln. Philipp. Journ. Sc., Manila, **31**, pp. 33—114, tt. 1—4.
- KLEINE R. 1927a. Neue *Lycidae* von den Sunda-Inseln. Treubia, Buitenzorg, **9**, pp. 293—316, tt. VI—VIII.
- KLEINE R. 1927b. Bestimmungstabelle der Gattung *Xylobanus* C. O. WATERHOUSE. Tijdschr. Ent., Amsterdam, **70**, pp. 43—72, 158 ff.
- KLEINE R. 1927c. *Libnetomimus* eine neue Lycidengattung von den Philippinen-Inseln. Soc. Ent., Stuttgart, **42**, pp. 1—2, 4 ff.
- KLEINE R. 1928a. Neue Indische *Lycidae* nebst faunistischen Bemerkungen. Indian Forest Rec. Ent., Calcutta, **13**, pp. 221—268, tt. I—V.
- KLEINE R. 1928b. Dr. MJÖBERGS Lycidenausbeute aus dem östlichen Borneo. Stett. Ent. Zeit., Stettin, **89**, pp. 313—331, t. II.
- KLEINE R. 1928c. Neue *Metriorrhynchus* von Australien und Batjan (*Col. Lycid.*). Ent. Mitt., Berlin, **17**, pp. 120—128, 46 ff.

- KLEINE R. 1928d. Bestimmungstabelle der Gattung *Cautires* C. O. WATERHOUSE. Arch. Naturgesch., Berlin, **92A**, 12, pp. 118—144, 3 tt.
- KLEINE R. 1929a. Bestimmungstabelle der Gattung *Trichalus*. Treubia, Buitenzorg, **10**, pp. 471—493, 95 ff.
- KLEINE R. 1930a. Neue *Xylobanus*-Arten aus Westafrika nebst Fundnotizen. Rev. Zool. Bot. Afr., Bruxelles, **19**, pp. 172—176, 10 ff.
- KLEINE R. 1930b. Vier neue *Plateros*-Arten aus dem belgischen Congo nebst faunistischen Bemerkungen. Rev. Zool. Bot. Afr., Bruxelles, **19**, pp. 167—171, 12 ff.
- KLEINE R. 1930c. Bestimmungstabelle der Trichalusverwandtschaft. Treubia, Buitenzorg, **9**, pp. 325—340, tt. X—XI.
- KLEINE R. 1930d. Die *Cautires*-Arten des Congo-Museums nebst Bestimmungsschlüssel der afrikanischen Arten. Rev. Zool. Bot. Afr., Bruxelles, **19**, pp. 4—19, 23 ff.
- KLEINE R. 1930e. Zur Lycidenfauna der kleinen Sunda-Inseln. Treubia, Buitenzorg, **11**, pp. 341—347, 21 ff.
- KLEINE R. 1930f. Studien zur Gattung *Bulénides* C. O. WTRH. Treubia, Buitenzorg, **11**, pp. 349—355, 15 ff.
- KLEINE R. 1930g. Bestimmungsschlüssel der Gattung *Lyropaeus* C. O. WAT. Treubia, Buitenzorg, **12**, pp. 383—388, 2 ff.
- KLEINE R. 1930h. Three new species of *Lycidae*. Indian Forest Rec. Ent., Calcutta, **14**, pp. 287—289, 8 ff.
- KLEINE R. 1930i. Neue Lyciden der Malaiischen subregion. Journ. Fed. Malay Mus., Kuala Lumpur, **16**, pp. 169—174, 19 ff.
- KLEINE R. 1930k. Neue *Lycidae* aus dem indischen Gebiet. Stett. Ent. Zeit., Stettin, **91**, pp. 94—103, 1 t.
- KLINE R. 1931a. Zur kenntnis der Lycidenfauna Javas. Treubia, Buitenzorg, **13**, pp. 245—290.
- KLEINE R. 1932a. Neue *Brenthidae* und *Lycidae* von den Philippinen. Philippine Journ. Sc., Manila, **49**, pp. 571—579, t. 1.
- KLEINE R. 1932b. Die Lycidenfauna der Gebirge Borneos (Zugleich ein Bericht über die Ausbente die Herr H. M. PENDLEBURY aus dem Kina-Balu-Gebirge mitgebracht hat.). Journ. Fed. Malay Stat. Mus., Kuala Lumpur, **17**, pp. 146—166, 53 ff.
- KLEINE R. 1932c. Sieben neue Lyciden von der Malayischen Halbinsel. Bull. Raffles Mus., Singapore, Straits Settl. No. 7, pp. 117—123, 19 ff.
- KLEINE R. 1933a. Neue Lyciden und Bemerkungen zum Cat. Col. JUNK-SCHENKLING *Lycidae*. Stett. Ent. Zeit., Stettin, **94**, pp. 1—20, tt. I—II.
- KLEINE R. 1933b. Die *Lycus* des Congo-Museums. Rev. Zool. Bot. Afr., Bruxelles, **23**, pp. 319—330.
- KLEINE R. 1935a. Neue Brenthiden und Lyciden (*Col.*) von den Salomonen. Arb. Morph.-Tax. Ent., Berlin, **2**, pp. 174—182, 21 ff.
- KLEINE R. 1935b. Neue Lyciden aus Afrika. Rev. Zool. Bot. Afr., Bruxelles, **26**, pp. 425—429, 7 ff.

- KLEINE R. 1935c. Coleoptera IV. *Lycidae et Brenthidae*. Mission Scient. de l'Omo, Paris, 2, 5, pp. 101–115, 21 ff.
- KLEINE R. 1935d. Fünf neue *Lycidae* vom Edie Creek, Britisch Neu Guinea. Nova Guinea, Leide, 17, pp. 151–154, 11 ff.
- KLEINE R. 1935e. Bericht ueber die von Miss CHEESMAN in Britisch Neu-Guinea gesammelten Brenthiden und Lyciden. Nova Guinea, Leide, 17, pp. 303–322, 56 ff.
- KLEINE R. 1936a. Zwei neue Lyciden aus dem Congo-Museum. Rev. Zool. Bot. Afr., Bruxelles, 28, pp. 227–228.
- KLEINE R. 1936b. *Brenthidae* und *Lycidae* von den „Cameron Highlands“, Malaiische Halbinsel. Journ. Fed. Malay Stat. Mus., Kuala Lumpur, 18, pp. 117–132, 14 ff.
- KLEINE R. 1936c. Zwei neue *Lycostomus* aus China (*Lycidae*). Lingnan Sc. Journ., Canton, 15, pp. 13–15, 4 ff.
- KLEINE R. 1936d. Zwei neue *Plateros* aus China nebst synonymischen bemerkungen (Coleoptera: *Lycidae*). Lingnan Sc. Journ., Canton, 15, pp. 263–264, 6 ff.
- KLEINE R. 1936e. Neue *Lycidae* aus Java. (Coleoptera.). Arb. Morph. Taxon. Ent., Berlin, 3, pp. 132–140, 33 ff.
- KLEINE R. 1937a. Entomological Expedition to Abyssinia, 1926–7: Coleoptera, Brenthidae and Lycidae. With Supplement on a new Lycid from the Cameroons. Ann. Mag. Nat. Hist., London, (10), 19, pp. 578–584, 3 ff.
- KLEINE R. 1937b. Brenthidae und Lycidae. Expl. Parc Nat. Albert, Miss. de WITTE (1933–1935), Bruxelles, 8, 18 pp., 32 ff.
- KLEINE R. 1937c. Neue Brenthiden und Lyciden aus Indien. Indian Forest Rec. Ent., Delhi, (n. s.), 2, pp. 203–206, 5 ff.
- KLEINE R. 1937d. Les Lycides du Congo Belge. Ann. Mus. Congo Belge, Tervueren, (3), II, 6, pp. 61–120, 312 ff.
- KLEINE R. 1939a. Neue Lyciden von den Orientalischen Inseln und Molukken. Treubia, Buitenzorg, 17, pp. 5–19, 49 ff.
- KLEINE R. 1939b. Neue *Lycini* aus der afrikanischen und orientalischen Region. Sbornik Ent. Odd. Nar. Mus. v Praze, Praha, 17, pp. 19–22, 1 t.
- KLEINE R. 1939c. Neue *Lycus* spp. aus Ost-Afrika. Ann. Mag. Nat. Hist., London, (11), 3, pp. 257–276, 44 ff.
- KLEINE R. 1939d. Entomological Results from the Swedish Expedition 1934 to Burma and British India. Coleoptera: Brenthidae und Lycidae, gesammelt von Herrn René MALAISE. Akr. Zool., Stockholm, 31A, 12, 23 pp., 47 ff.
- KLEINE R. 1939e. Neue Brenthiden und Lyciden aus den Holländischen Kolonien. Treubia, Buitenzorg, 17, pp. 131–135, 16 ff.
- KLEINE R. 1939f. Neue Brenthiden und Lyciden die Miss CHEESMAN 1936 in Holländisch Neu-Guinea gesammelt hat. Nova Guinea, Leide, (n. s.), 3, pp. 106–112, 13 ff.
- KLEINE R. 1939g. Neue Brenthiden und Lyciden von den Salomon-Inseln. Ann. Mag. Nat. Hist., London, (11), 4, pp. 587–591, 2 ff.

- KLEINE R. 1940a. Neue Brethiden und Lyciden aus dem Congo-Museum. Rev. Zool. Bot. Afr., Bruxelles, **33**, pp. 245—255, 18 ff.
- KLEINE R. 1940b. Bestimmungsschlüssel der afrikanischen *Plateros-Planeteros* Arten. (*Col. Lyc.*). Mitt. Münchener Ent. Ges., München, **30**, pp. 887—896, 22 ff.
- KLEINE R. 1940c. Klapperichs China-Ausbeute. (*Brethidae* und *Lycidae*). Ent. Blätter, Krefeld, **36**, pp. 90—91.
- KLEINE R. 1941a. Bestimmungstabelle der Gattung *Calochromus* GUÉR. (*Col.*). Stett. Ent. Zeit., Stettin, **102**, pp. 206—241, 188 ff.
- KLEINE R. 1941b. *Lycidae* (*Col.*). Beitr. zur Fauna Perus, Jena, **1**, pp. 295—306, 20 ff.
- KLEINE R. 1942a. *Brethidae* und *Lycidae* (Addendum). Expl. Pare Nat. Albert, Miss. de WITTE (1933—1935), Bruxelles, **8**, 9 pp., 4 ff.
- KLEINE R. 1942b. Bestimmungstabelle der *Lycidae*. Bestimm.-Tab. Europ. Col., Troppau, **123**, 90 pp.
- KLEINE R. 1942c. Neue Lyciden des äthiopischen und neotropischen Faunengebietes (*Col.*). Mitt. Münchener Ent. Ges., München, **32**, pp. 149—162, 55 ff.
- KLEINE R. 1943a. Ein interessantes Faunengebiet in Malakka. Ent. Blätter, Krefeld, **39**, pp. 1—4.
- KLEINE R. 1943b. Neue Lyciden aus dem Ungarischen National-Museum (*Coleopt.*). Ann. Hist.-Nat. Mus. Nation. Hungarici, Budapest, **36**, pp. 145—156, 38 ff.
- PIC M. 1922. Contribution à l'étude des Lycides. L'Echange, Moulins, **408**, hors texte pp. 17—20.
- PIC M. 1931. Malacodermes exotiques. L'Echange, Moulins, **443**, hors texte pp. 93—96.
- PIC M. 1933a. Lycides nouveaux. Rev. Zool. Bot. Afr., Bruxelles, **23**, pp. 331—337.
- PIC M. 1933b. Malacodermes exotiques. L'Echange, Moulins, **451**, hors texte pp. 109—112.
- PIC M. 1933c. Malacodermes exotiques. L'Echange, Moulins, **452**, hors texte pp. 113—116.
- PIC M. 1933d. Malacodermes exotiques. L'Echange, Moulins, **454**, hors texte pp. 121—124.
- PIC M. 1934a. Malacodermes exotiques. L'Echange, Moulins, **455**, hors texte pp. 125—128.
- PIC M. 1934b. Malacodermes exotiques. L'Echange, Moulins, **458**, hors texte pp. 133—136.
- PIC M. 1935a. Nouveaux Lycides africains (*Malacodermata*). Rev. Zool. Bot. Afr., Bruxelles, **26**, pp. 445—447.
- PIC M. 1935b. Nouveaux *Lycus* africains (*Col.*, *Malacodermata*). Ann. Mag. Nat. Hist., London, (10), **15**, pp. 656—658.
- REITTER E. 1910. Über die Arten der Lyciden-Gattung *Lycostomus* MOTSCH. (*Col.*). Wien. Ent. Zeit., Wien, **29**, pp. 204—205.

## STRESZCZENIE

Wykonując uchwałę XIV Międzynarodowego Kongresu Zoologicznego odbytego w r. 1953 w Kopenhadze, a także idąc w myśl zaleceń Miedzynarodowej Rady Muzeów przy UNESCO, opublikowanych w r. 1955, Instytut Zoologiczny Polskiej Akademii Nauk przystąpił do publikowania wykazów typów opisowych przechowywanych w jego zbiorach.

Niniejszy wykaz jest drugim z serii i podaje typy opisowe z rodziny *Lycidae* (*Coleoptera*). Obejmuje on 1236 okazów typowych zgrupowanych w 700 pozycjach wykazu.

## РЕЗЮМЕ

Исполнения решение XIV Международного Зоологического Конгресса состоявшегося в 1953 г. в Копенгагене, и согласно предложению Международного Совета Музеев при ЮНЕСКО, опубликованному в 1955 г., Зоологический Институт Польской Академии Наук начал публиковать списки дескрипционных типов находящихся в его коллекциях.

Настоящий список является вторым из этой серии и приводит дескрипционные типы из семейства *Lycidae* (*Coleoptera*). Он содержит 1236 типичных экземпляров сгруппированных в 700 пунктах списка.

Redaktor pracy — prof. dr St. Feliksiak

Państwowe Wydawnictwo Naukowe — Warszawa 1959  
Nakład 1600+150, egz. Ark. wyd. 3,25. druk. 3,375. Papier druk. sat. kl III, 80 g BI.  
Cena zł 14.— Nr zam. 1108/58

Wrocławska Drukarnia Naukowa