

FRAGMENTA FAUNISTICA

Fragn. faun.

Warszawa, 15.12.1998

41

13

183–192

Wojciech B. JĘDRYCKOWSKI

Pseudoscorpions (*Pseudoscorpionida*) of Vietnam

Abstract: Basing on literature data 48 species of pseudoscorpions have been recorded from Vietnam, 27 of them are known exclusively from this country. It seems, that pseudoscorpions fauna is mainly of Oriental character.

Key words: pseudoscorpions, Vietnam.

Author's address: Museum of Hunting and Horsemanship, Szwoleżerów 9, 00–464 Warszawa,
POLAND, e-mail: wjedrycz@wa.onet.pl

INTRODUCTION

Very little is known about species composition and ecology of *Pseudoscorpionidea* in Vietnam. Most information come from old collections, that have been worked out by a few scientists and published in wide spread papers. It makes a study of Vietnam fauna troublesome and consumes time looking through literature.

Every taxonomic and faunistic project undertaken on pseudoscorpions in Vietnam needs basic information about the state of knowledge of this group as well as literature required for the study. The knowledge of this group in Vietnam is insufficient and there were only few authors working on oriental *Pseudoscorpionida*.

The reason of this paper was to list all species known from Vietnam and to do a provisional zoogeographical analyse. All fundamental references have been gather together with an intention to help with study of this interesting and little known group. The systematic order in this publication as well as names of species have been based on Harvey fundamental work of *Pseudoscorpionida* (1990).

LIST OF SPECIES

Family: Chthoniidae

Lagynochthonius annamensis (BEIER, 1951).

Tyrannochthonius (Lagynochthonius) annamensis: BEIER 1951.

Lagynochthonius annamensis: CHAMBERLIN 1962.

Localities: Pic de Langbian.

Distribution: Vietnam

Lagynochthonius tonkinensis (BEIER, 1951).

Tyrannochthonius (Lagynochthonius) tonkinensis: BEIER 1951.

Lagynochthonius tonkinensis: CHAMBERLIN 1962.

Localities: Fan Si Pan.

Distribution: Vietnam

Lechytiia asiatica REDIKORZEV, 1938.

Lechytiia asiatica: ROEWER 1940, BEIER 1951.

Localities: Da Lat.

Distribution: Vietnam

Tyrannochthonius perpusillus BEIER, 1951.

Localities: Da Lat, Cao Nguyêñ Lêm Viêñ.

Distribution: Vietnam

Tyrannochthonius pusillimus BEIER, 1951.

Localities: Cao Nguyêñ Lêm Viêñ.

Distribution: Vietnam

Tyrannochthonius robustus BEIER, 1951.

Localities: Cao Nguyêñ Lêm Viêñ.

Distribution: Vietnam

Family: Tridenchthoniidae

Compsaditha parva BEIER, 1951.

Localities: Lo-Ku-Ho, Cha Pa.

Distribution: Vietnam

Ditha proxima (BEIER, 1951).

Compsaditha proxima BEIER, 1951.

Ditha proxima: BEIER 1976, ĆURČIĆ 1979, 1980, SCHAWALLER 1983, 1987.

Ditha numburensis MORIKAWA, 1968.

Localities: Da Lat, Cao Nguyên Lêm Viên.

Distribution: Bhutan, Nepal, Vietnam.

Ditha tonkinensis BEIER, 1951.

Localities: Cha Pa.

Distribution: Vietnam.

Family: Olpiidae

Garypinus vachoni REDIKORZEV, 1938.

Garypinus vachoni: BEIER 1951.

Garypus [sic!] *vachoni*: ROEWER 1940.

Localities: Ba Ngoi.

Distribution: Cambodia, Vietnam.

Family: Hyidae

Stenohya vietnamensis BEIER, 1967.

Localities: Da Lat.

Distribution: Vietnam.

Family: Ideoroncidae

Nhatrangia dawydoffi REDIKORZEV, 1938.

Nhatrangia dawydoffi: ROEWER 1940, BEIER 1951, MAHNERT 1984.

Shravana dawydoffi: BEIER 1967a.

Localities: Nha Trang, Pleiku, Phan Rang.

Distribution: Cambodia, Vietnam.

Family: Neobisiidae

Bisetocreagris annamensis (BEIER, 1951).

Microcreagris annamensis: BEIER 1951.

Bisetocreagris annamensis: ĆURČIĆ 1983.

Localities: Cao Nguyên Lêm Viên.

Distribution: Vietnam.

Bisetocreagris parablothroides (BEIER, 1951).

Microcreagris parablothroides: BEIER 1951.

Bisetocreagris parablothroides: ĆURČIĆ 1983.

Localities: Cha Pa.

Distribution: Vietnam.

Microcreagris indochinensis REDIKORZEV, 1938.

Localities: Pleiku.

Distribution: Vietnam.

Family: Cheiridiidae*Apocheiridium pelagicum* REDIKORZEV, 1938.

Apocheiridium pelagicum: DAWYDOFF 1940, ROEWER 1940, VACHON 1940, BEIER 1948, BEIER 1951.

Localities: Cu Lao Cham, Nha Trang, Poulo Condore.

Distribution: Cambodia, Vietnam.

Family: Sternophoridae*Afrosternophorus chamberlini* (REDIKORZEV, 1938).

Sternophorus chamberlini: REDIKORZEV 1938.

Sternophorus chamberlini: ROEWER 1940, BEIER 1951.

Afrosternophorus chamberlini: HARVEY 1985.

Localities: Da Lat.

Distribution: Laos, Vietnam.

Afrosternophorus dawydoffi (BEIER, 1951).

Sternophorus dawydoffi: BEIER 1951.

Sternophorus cylindrimanus BEIER 1951.

Afrosternophorus dawydoffi: HARVEY 1985.

Localities: ?

Distribution: Cambodia, Vietnam.

Afrosternophorus fallax HARVEY, 1985.

Sternophorus chamberlini: REDIKORZEV 1938, BEIER 1951.

Localities: Cao Nguyên Lêm Viên.

Distribution: Vietnam.

Family: Atemniidae*Anatemnus angustus* REDIKORZEV, 1938.

Anatemnus angustus: ROEWER 1940, BEIER 1951, 1955, 1967a, 1976.

Localities: Djiring.

Distribution: Bhutan, Malaysia, Vietnam.

Anatemnus subverniformis REDIKORZEV, 1938.

Anatemnus subverniformis: ROEVER 1940, BEIER 1951.

Localities: Suoi-Tring.

Distribution: Laos, Vietnam.

Metatemnus unistriatus (REDIKORZEV, 1938).

Anatemnus unistriatus: REDIKORZEV 1938.

Anatemnus unistriatus: ROEWER 1940.

Metatemnus unistriatus: BEIER 1951.

Localities: Da Lat.

Distribution: Vietnam.

Oratemnus boettcheri BEIER, 1932.

Oratemnus boettcheri: BEIER 1932a, 1932b, 1966a, ROEWER 1937.

Oratemnus boettcheri: BEIER 1967a.

Localities: Vietnam.

Distribution: Philippines, Vietnam.

Oratemnus saigonensis (BEIER, 1930).

Chelifer saigonensis: BEIER 1930.

Anatemnus saigonensis: BEIER 1932a, 1932b, ROEWER 1937.

Oratemnus timorensis: REDIKORZEV 1938.

Oratemnus saigonensis: BEIER 1951, 1967a, CHAPMAN 1984.

Localities: Ho Chi Minh.

Distribution: Cambodia, Laos, Malaysia, Thailand, Vietnam.

Oratemnus semidivisus REDIKORZEV, 1938.

Oratemnus semidivisus: ROEWER 1940, BEIER 1951.

Localities: Da Lat, Mt Hon-Ba.

Distribution: Cambodia, Vietnam.

Paratemnoides curtulus (REDIKORZEV, 1938).

Atemnus curtulus: REDIKORZEV 1938.

Atemnus curtulus: ROEWER 1940.

Paratemnus curtulus: BEIER 1951, 1967a.

Localities: Arbré-Broyé, Da La, Poulo-Condore, Pleiku.

Distribution: Cambodia, Vietnam.

Paratemnoides redikorzevi (BEIER, 1951)

Anatemnus robustus: REDIKORZEV 1938.

Anatemnus robustus: ROEWER 1940.

Paratemnus redikorzevi: BEIER 1951.

Localities: Kontum.

Distribution: Thailand, Vietnam.

Stenatemnus extensus BEIER, 1951.

Stenatemnus extensus: BEIER 1976.

Localities: Cao Nguyên Lêm Viên.

Distribution: Bhutan, Vietnam.

Family: Cheliferidae*Amaurochelifer annamensis* BEIER, 1951.

Localities: Pic de Langbian.

Distribution: Vietnam.

Ancistrochelifer agniae BEIER, 1951.

Localities: Phsar Ream.

Distribution: Cambodia, Vietnam.

Lissochelifer gibbosounguiculatus (BEIER, 1951).

Lophochelifer gibbosounguiculatus: BEIER 1951.

Localities: Cao Nguyên Lêm Viên.

Distribution: Vietnam.

Lissochelifer tonkiensis (BEIER, 1951).

Lophochelifer tonkiensis: BEIER 1951.

Localities: Fan Si Pan.

Distribution: Vietnam.

Lophochernes alter BEIER, 1951.

Localities: Cao Nguyên Lêm Viên.

Distribution: Vietnam.

Lophochernes bisulcus (THORELL, 1889).

Chelifer bisulcus: THORELL 1889.

Lissochelifer bisulcus: CHAMBERLIN 1932.

Lophochernes bisulcus: BEIER 1932b, 1943, 1967a, 1967b, ROEWER 1937, MURTHY and ANANTHAKRISHNAN 1977.

Localities: ?

Distribution: Bangladesh, Burma, India, Thailand, Vietnam.

Lophochernes brevipes REDIKORZEV, 1938.

Lophochernes brevipes: ROEWER 1940, BEIER 1951.

Localities: Phu Tho.

Distribution: Vietnam.

Lophochernes obtusecarinatus BEIER, 1951.

Localities: Cao Nguyên Lêm Viên.

Distribution: Thailand, Vietnam.

Lophochernes semicarinatus REDIKORZEV, 1938.

Lophochernes semicarinatus: ROEWER 1940, BEIER 1951.

Localities: Pleiku, Kontum, Nha Trang.

Distribution: Vietnam.

Metachelifer duboscqui REDIKORZEV, 1938.

Metachelifer duboscqui: ROEWER 1940, BEIER 1951, 1966a.

Localities: Da Lat.

Distribution: Cambodia, Laos, Philippines, Vietnam.

Tetrachelifer pusillus (REDIKORZEV, 1938).

Lophochernes pusillus: REDIKORZEV 1938.

Lophochernes pusillus: ROEWER 1940, BEIER 1951.

Tetrachelifer pusillus: BEIER 1967a.

Localities: Da Lat.

Distribution: Vietnam.

Tetrachelifer vietnamensis BEIER, 1967.

Tetrachelifer vietnamensis: TENORIO and MUCHMORE 1982.

Localities: Postal de M'drah.

Distribution: Vietnam.

Family: Chernetidae

Megachernes titanius BEIER, 1951.

Megachernes titanius: BEIER 1967c.

Localities: Lang Bian Peaks.

Distribution: Vietnam.

Megachernes vietnamensis BEIER, 1967.

Megachernes vietnamensis: TENORIO and MUCHMORE 1982.

Localities: Thac Da Tan La.

Distribution: Vietnam.

Verrucachernes oca J. C. CHAMBERLIN, 1947.

Microchernes orientalis: BEIER 1951.

Microchernes insularis: BEIER 1953.

Chernes scorpioides: DADAY 1897.

Verrucachernes oca: BEIER 1957, 1966b, 1970, HARVEY 1988.

Microchernes orientalis: BEIER 1973.

Verrucachernes orientalis: BEIER 1975.

Verrucachernes insularis: BEIER 1975.

Micratemnus [sic!] *orientalis*: BEIER 1976.

Localities: Ha Tien.

Distribution: Bhutan, Cambodia, Caroline Islands, Indonesia, Mariana Islands, Marshall Islands, Papua New Guinea, Solomon Islands, Sri Lanka, Vietnam.

Family: Withiidae

Hyperwithius annamensis (REDIKORZEV, 1938).

Sundowithius annamensis: REDIKORZEV 1938.

Sundowithius annamensis: ROEWER 1940.

Hyperwithius annamensis: BEIER 1951.

Localities: Mt Ba Na.

Distribution: Vietnam.

Hyperwithius dawydoffi BEIER, 1951.

Localities: Cao Nguyêñ Lêñ Viêñ.

Distribution: Vietnam.

Hyperwithius tonkinensis BEIER, 1951.

Localities: Lau Chau.

Distribution: Vietnam.

Metawithius spiniventer REDIKORZEV, 1938.

Metawithius spiniventer: ROEWER 1940, BEIER 1951, 1955, 1967a.

Localities: Mt Hon-Ba, Mt Ba Na.

Distribution: Cambodia, Malaya, Thailand, Vietnam.

Metawithius yurii (REDIKORZEV, 1938).

Microwithius yurii: REDIKORZEV 1938.

Microwithius yurii: ROEWER 1940, BEIER 1951.

Metawithius yurii: BEIER 1955, HARVEY 1988.

Localities: Paulo-Condore.

Distribution: Cambodia, Indonesia, Vietnam.

CONCLUSIONS

Among 48 species recorded from Vietnam, 27 (56% of pseudoscorpions fauna) are known exclusively from that country. It makes impression of a great endemism of the pseudoscorpions fauna in Vietnam. It could be partly true, but the current knowledge of the Vietnam fauna is too poor for a final conclusion. 12 species (25%) recorded from Vietnam is known from whole Indochina peninsula especially from Cambodia and Laos. It is interesting that there are only 9 species of wide distribution – 6 of them are frequent in whole Orient and 3 are known even from Pacific Islands. It is too early for final conclusion about faunistic and ecological factors in distribution of pseudoscorpions in Vietnam. Nevertheless it seems, that the pseudoscorpions fauna of Vietnam is of Oriental character.

BIBLIOGRAPHY

- BEIER M. 1930. Alcuni Pseudoscorpioni esotici raccolti dal Prof. F. Silvestri. Bull. Lab. Zool. Gen. Agrar. R. Scuola., 23: 197–209.
- BEIER M. 1932a. Revision der Atemnidae (Pseudoscorpionidea). Zool. Jahr. Syst. Geogr. Biol., 62: 547–610.
- BEIER M. 1932b. *Pseudoscorpionidea*. I. Suborder Cheliferinea. Tierreich., 58: 1–294.
- BEIER M. 1943. Neue Psedoskorpione aus West-, Zentral-, und Ostasien. Ann. Naturhist. Mus. Wien., 53: 74–81.
- BEIER M. 1948. Phoresie und Phagophilie bei *Pseudoscorpionen*. Öster.Zool.Zeit., 1: 441–497.
- BEIER M. 1951. Die Pseudoscorpione Indochinas. Mém. MNHN, Paris, 1: 47–123.
- BEIER M. 1953. *Pseudoscorpionida* von Sumba und Flores. Verh. Natur. Ges. Basel., 64: 81–88.
- BEIER M. 1955. A second collection of *Pseudoscorpionidea* from Malaya. Bull.Raffls Mus., 25: 38–46.
- BEIER M. 1957. *Pseudoscorpionidea*. Insects of Micronesia., 3: 1–64.
- BEIER M. 1966a. Über *Pseudoscorpione* von den Philippinen. Pac. Ins., 8: 340–348.
- BEIER M. 1966b. Die Pseudoscorpioniden der Salomon-Inseln. Ann. Nat. Mus. Wien., 69: 133–159.
- BEIER M. 1967a. Pseudoskorpione vom kontinentalen Süd-Asien. Pacific Insects., 9: 341–369.
- BEIER M. 1967b. Die Pseudoscorpione der Noona Dan Expedition nach den Philippinen und Bismarck Inseln. Ent. Medd., 35: 315–324.
- BEIER M. 1967c. Pseudoscorpione vom kontinentalen Südost-Asien. Pacific Insects., 9: 341–369.
- BEIER M. 1970. Die Pseudoscorpione der Royal Society Expedition 1965 zu den Salomon-Inseln. J. Nat. Hist., 4: 315–328.
- BEIER M. 1973. *Pseudoscorpionidea* von Ceylon. Ent. Scand. Suppl., 4: 39–55.
- BEIER M. 1975. Neue Pseudoskorpione aus Australien und Neu-Guinea. Ann. Natur. Mus. Wien., 78: 203–213.
- BEIER M. 1976. Ergebnisse der Bhutan-Expedition 1972 des Naturhistorischen Museum Basel. *Pseudoscorpionidea*. Verh. Naturfors. Gesell. Basel., 85: 95–100.
- CHAMBERLIN J. C. 1932. A synoptic revision of the generic classification of the chelonethid family Cheliferidae Simon (Arachnida). Can. Ent., 64: 17–21, 35–39.

- CHAMBERLIN J. C. 1947. Three new species of false scorpions from the islands of Guam. Oc.Rap. Bernice P. Bishop Museum, 18: 305–316.
- CHAMBERLIN J. C. 1962. New and little-known false scorpions, principally from caves, belonging to the families *Chtoniidae* and *Neobisiidae* (Arachnida, Chelonethida). Bull.Am.Mus.Nat.Hist., 123: 303–352.
- CHAPMAN P. 1984. The invertebrate fauna of the caves of Gunung Mulu National Park. Sarawak Mus. J., 30: 1–18.
- ĆURČIĆ B. P. M. 1979. On some changes in the late postembryogenesis of the pseudoscorpion *Ditha proxima* (Beier 1951). Glasnik Muzeja Srpske Zemlje. Beograd, 34: 191–200.
- ĆURČIĆ B. P. M. 1980. Pseudoscorpions from Nepal. Glasnik Muzeja Srpske Zemlje. Beograd, 35: 77–101.
- ĆURČIĆ B. P. M. 1983. A revision of some Asian species of *Microcreagris* Balzan, 1892 (*Neobisiidae, Pseudoscorpiones*). Bull. Br. Ar. Soc., 6: 23–36.
- DADAY E. 1897. Pseudoscorpiones e Nova-Guinea. Term. Füz., 20: 476–480.
- DAWYDOFF C. 1940. Quelques observations sur le biologie d'un pseudoscorpion marin d'Indochine (*Apocheiridium pelagicum* Redikorzev). Compt.Rend.Hebd.Séanc., Ac.Sc., 210: 447–449.
- HARVEY M. S. 1985. The systematics of the family *Sternophoridae* (*Pseudoscorpionida*). J. Ar., 13: 141–209.
- HARVEY M. S. 1988. Pseudoscorpions from the Krakatau Islands and adjacent regions, Indonesia (Chelicera: *Pseudoscorpionida*). Mem. Mus. Victoria., 49: 309–353.
- HARVEY M. S. 1990. Catalogue of the *Pseudoscorpionida*. Manchester and New York. 726 pp.
- MAHNERT V. 1984. Beitrag zu einer besseren Knntnis der *Ideoroncidae* (Arachnida: *Pseudoscorpiones*), mit Beschreibung von sechs neuen Arten. Revue Suisse de Zoologie., 91: 651–686.
- MORIKAWA K. 1968. On some pseudoscorpions from Rowwaling Himalayan. J.Coll.Art.Sc., Chiba University, 2: 259–263.
- MURTHY V. A. and ANANTHAKRISHANAN T. N. 1977. Indian *Chelonethi*. Orient. Ins. Monogr., 4: 1–210.
- REDIKORZEV V. 1938. [Pseudoscorpionidea of Central Asia.]. Trav. Inst.Zool.Ac.Sc. U.R.S.S., 8: 638–668. (in Russian).
- ROEWER C. F. 1937, 1940. *Chelonetzi* oder Pseudoskorpione. In: Bronns H.G. Klassen und Ord-nungen des Tierreichs. 5: *Arthropoda*. IV: *Arachnoidea*, Akad. Verl. M.B.H., Leipzig, 6.
- SCHAWALLER W. 1983. Neue Pseudoskorpion-Funde aus Nepal-Himalaya. Senckerbergiana Biol., 63: 105–111.
- SCHAWALLER W. 1987. Neue Pseudoskorpion-Funde aus Nepal-Himalaya, II. Senckerbergiana Biol., 68: 199–221.
- TENORIO J. M. and MUCHMORE W. B. 1982. Catalog of entomological types in the Bishop Museum. *Pseudoscorpionida*. Pacific Insects., 24: 377–385.
- THORELL T. 1889. Aracnidi Artrogastri Birmani raccolti da l. Fea nel 1885–1887. Ann. Mus. Civ. Stor. Nat. Gen., 7: 521–729.
- VACHON M. 1940. Remarques sur la phoresie des Pseudoscorpions. Ann.Soc.Ent.France., 109: 1–18.

STRESZCZENIE

[Tytuł: Zaleszcotki (*Pseudoscorpionida*) Wietnamu]

Na podstawie literatury i materiałów znajdujących się w kolekcjach zestawiono listę gatunków zaleszcotków znanych z Wietnamu. Wykazano 48 gatunków, z których 27 jak dotąd wyłącznie z tego kraju. 12 gatunków występuje na terenie całego Półwyspu Indochińskiego, 6 gatunków ma zasięgi orientalne, a 3 następne swym zasięgiem obejmują wyspy Zachodniego Pacyfiku. Fauna zaleszcotków Wietnamu ma zdecydowanie charakter orientalny.