

SUBJECT INDEX – VOLUME 73 (1999)

Inorganic and Physical Chemistry

- ab initio* calculations, 655, 683
activation parameters, 813, 915, 1937
adsorption, 339, 527, 645, 1535, 1563, 1855, 2035
adsorption isotherm, 1563, 2035
aerogel, 805
aggregation, 2013, 2035
bond length, 753, 1041, 1245, 1253, 1259, 1283, 1293
catalysis: heterogeneous, 399, 509, 561, 645, 805, 1233, 1733
homogeneous, 359, 1513, 1811, 1827
chaos, 519, 2003
chelates, 579, 599, 1029, 1757
chemiluminescence, 1339
complexes, 245, 263, 271, 293, 385, 403, 417, 447, 457, 465, 501, 557, 579, 599, 607, 717, 739, 759, 773, 853, 859, 873, 889, 909, 927, 1051, 1237, 1245, 1259, 1273, 1283, 1391, 1405, 1411, 1415, 1429, 1451, 1665, 1745, 1757, 1763, 1771, 1855, 1925, 1937, 1987, 2053, 2061
conducting polymers, 1379, 1523, 1995
crystal structure, 367, 377, 391, 431, 487, 541, 547, 593, 607, 655, 693, 707, 717, 727, 739, 753, 759, 765, 773, 783, 805, 821, 845, 853, 859, 885, 1245, 1253, 1259, 1283, 1293, 1391, 1465, 1581, 1587, 1595, 1681, 1757, 1771, 1877, 1887, 1895, 1909, 1979
crystallization, 425, 2027
dehydration, 749, 1429
diffusion, 501, 1995
dipole moment, 655, 1863
discussion, 1921, 1924
dissolution, 1423, 2027
electrical conductivity, 245, 417, 599, 1465, 1673, 1925, 1937, 1995
electronic spectra, 271, 457, 759, 915, 1237, 1411, 1415, 1665, 1673
electrooxidation, 1811
electropolymerization, 1995
energy storage, 1995
entropy of transfer, 1987
EPR spectra, 447, 457, 759, 873, 1293, 1411
equilibrium constants, 425, 465, 909
ESR spectra, 263, 579, 1937
extraction, 1273, 2043
films, 2035
hydrogen bond, 403, 607, 773, 1245, 1259, 2013
hydrogen evolution, 493, 1323
impedance, 493, 1323, 1995
inhibition, 359, 1339
IR spectra, 271, 293, 417, 437, 457, 465, 645, 749, 759, 889, 1259, 1293, 1415, 1535, 1751, 1763, 2061
isopiestic method, 1631
isotope effect, 757, 813, 1029

- kinetics, 359, 579, 757, 813, 915, 1029, 1513, 1739, 1827, 1837, 2003
liquid crystals, 1357, 1503
liquids, 1631
magnetic properties, 245, 417, 557, 607, 889, 1051, 1237, 1411, 1451, 1457, 1665, 1745, 1925, 1937, 1979, 2053
mass spectra, 1301, 1345
micells, 1555, 1819
molecular recognition, 1845, 2043
molecular structure, 367, 547, 625, 669, 693, 707, 717, 727, 821, 845, 853, 1293, 1379, 1581, 187^a, 1887, 1895, 1909
molten salts, 493, 1323
Mössbauer spectra, 607
non-linear effects, 347, 519, 573, 2003
oscillation, 347, 519, 2003
oxidation, 1811, 1827, 1837, 1995
phase diagram, 255, 279, 287, 431, 593, 743, 765, 885, 1047, 1227, 1465, 1503, 1595, 1681, 1979
phase transitions, 541, 773, 1357, 1503
polarography, 1837
porous media, 805
potentiometric method, 579, 739, 909, 927, 1323
quantum calculation, 669, 683, 1549
quaternary compounds, 431, 1227
rare earths, 1595
Raman spectra, 1379
reduction, 565, 1523
semiconductor, 1937, 1995
semiempirical methods, 1041, 1863
simulation, 1345
solid state synthesis, 255
solubility, 417, 1429, 1555, 1631
solutions, 255, 287, 431, 739, 765, 1631
solvation, 1863, 1987
spectral data, 263, 437, 447, 915, 1925, 1937
spectroelectrochemistry, 1379
stability constant, 447, 465, 739, 927, 1273, 1405, 1987
superacid, 509, 805, 1733
superconductivity, 1979
surface pressure, 1845, 2035
surface tension, 527
surfactant, 1555, 1819
synthesis: complexes, 245, 263, 271, 385, 417, 599, 749, 753, 759, 889, 1051, 1237, 1253, 1411, 1429, 1451, 1457, 1665, 1745, 1751, 1757, 1771, 1925, 1937
 inorganic compounds, 279, 593, 743, 765, 805, 885, 1047, 1595, 1681
ternary compounds, 255, 279, 431, 885, 1047, 1595, 1681, 1979
thermal analysis, 245, 279, 293, 457, 593, 607, 743, 749, 1227, 1293, 1357, 1415, 1429, 1457, 1503, 1763, 1925, 1937
thermal diffusion, 1987
thermal expansion, 541
thermal spectra, 1333, 1379, 1423, 1855, 2013
thermodesorption, 339, 1345, 1373
thermodynamics, 501, 909, 915, 1041, 1273, 1357, 1503, 1555, 1563, 1631, 1819, 1837, 1863, 1987
thin films, 339, 1373, 1995
voltammetry, 501, 565, 1379, 1523, 1837, 1855, 1995
zeolite, 1535

Organic chemistry

Biologically active compounds

- Benzoxazole, 2,5-disubstituted, antimicrobial activity, 625
Diclofenac, acylglycosyl esters, 367
Flagellin, fragments of, 2057
Hepatitis B virus antigen, 1803
Oxadiazole, 1,3,4-, 2-amino-5-(2-amino-3-pyridyl), 321
Proteinase inhibitors, from *Cucurbita maxima*, 395
Pseudostellarin A, 1903
Pyridine, 2,6-dicarboxylic acid copper(II) complexes, antimicrobial activity, 759
Tat protein, immunodeficient activity, 879
Thiazole, 2-amino derivatives, CNS stimulat activity of, 377
Vitamin K₃-cyclodextrine complex, 501

Catalytic processes

- Alkyl phenyl ketones, catalytic reduction of, 399
Hydrogen transfer over magnesia, 561

Complexes, Organic Ligands of

- Acetylacetone, phenylhydrazo, copper(II) complexes, 1925
Adenosine-5'-monophosphate, cobalt(II), copper(II), and nickel(II) complexes, 465
Aliphatic carboxylates, triphenylphosphine, silver(I) complexes, 1763
Benzoic acid, 5-amino-2-chloro, lanthanide(III), and ytterbium(III) complexes, 1429
Benzoic acids, dichloro, manganese(II) complexes, 1415
Benzothiazole, N-allyl, copper(I) complex, 1245
Benzothiazolum salts, N-allyl, copper(I) complexes, 1245
Biphenyl, pentanedione, tetraaza, cobalt(II), copper(II), and nickel(II) complexes, 1937
Cryptofix 221, silver(I) cryptate, 1987
Cryptofix 222, silver(I) cryptate, 1987
Cytidine 5'-monophosphate, cobalt(II), copper(II), and nickel(II) complexes, 465
Dehydroacetic acid, thiosemicarbazone, copper(II) complexes, 245
Diallylamine, copper(I) complexes, 1283
Furoic acid, hydrazone, uranium(IV) complexes, 385
Imidazole-2-carbaldehyde, 1-propyl, cobalt(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, copper(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, nickel(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, zinc(II) complexes, 447
Imidazole, 2-methyl-1-propyl, cobalt(II) complexes, 447
Imidazole, 2-methyl-1-propyl, copper(II) complexes, 447
Imidazole, 2-methyl-1-propyl, nickel(II) complexes, 447
Imidazole, 2-methyl-1-propyl, zinc(II) complexes, 447
Isonicotinic acid, hydrazone, copper(II) complexes, 1925
Isonicotinic acid, hydrazone, uranium(IV) complexes, 385
Isophthalato, rare metals complexes, 1237
Nucleosides, nucleotides, cadmium(II) complexes, 927
Nucleosides, nucleotides, copper(II) complexes, 909, 927
Phenanthrene, copper(II) molybdate complexes, 1909
Phthalocyanatobismuth(III) complex, 1771
Polyamines, copper(II) and cadmium(II) complexes, 927
Propane, 1,2-diamino, copper(II) complexes, 263
Propane, 1,3-diamino, copper(II) complexes, 263
[2-(Propylimino)pent-2-en-4-onato]nickel(II), bis-, 1757
Pyrazine-2-carboxylic acid, 3-amino, nickel(II) complex, 717

Pyrazine-2,3-dicarboxylic acid, nickel(II) complex, 717
Pyrazine-2,3-dicarboxylic acid, zinc(II) complex, 1887
Pyrazole, 4-halogen (Cl, Br, I), cobalt(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), copper(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), nickel(II) complex, 271
Pyridine, 3-methoxycarbamoyl, copper(II) complexes, 457
Salen, naphthol derivative, copper(II) complex, 915
Spermine, copper(II) complexes, 909
Terephthalic acid, tetrabromo, iron(II) complexes, 417
Tetraacetylene, manganese(II) complex, 1051
Tetraacetylene, nickel(II) complex, 2053
Tetracarboxylato, cobalt(II) complexes, 1665
Tetracarboxylato, iron(II) complexes, 1673
Triazacyclononane, 1,4,7-, copper(II) complex, 391

Compounds (synthesis, reactions, and properties of)

Alkaloids

Alkaloids, synthesis of, using carbohydrate auxiliaries, 15

Alkenes

Cyclobutadienes, 135

Alkynes

Phosphaalkynes, 135

Amines

Aminoanthraquinones, chiral, optically pure, the CD spectra of, 209

2-Amino-2-deoxy-glucopyranoside, protecting groups for NH₂, 1091

Aminosugars, 981

Aminosugars, hydrazinosugars, 1099

Ammonium salts, electrolysis in, 493

Ammonium salts, sigmatropic rearrangement in ylides derived from, 1955

Ammonium ylides, 1955

Aniline, 2,4-dinitro, vicarious nucleophilic substitution of hydrogen in, 1969

Anilines, cyanonitro, vicarious nucleophilic substitution of hydrogen in, 1969

Benzonitriles, 2-, 3-, and 4-amino, 655

Diallylamine, copper(I) complexes, 1283

Hexadecyltrimethylammonium bromide, aqueous NaBr micelles, 1819

Polyamines, copper(II) and cadmium(II) complexes, 927

Propane, 1,2-diamino, copper(II) complexes, 263

Propane, 1,3-diamino, copper(II) complexes, 263

Proton sponges and Schiff bases, ¹⁵N NMR study of, 173

Ribosylamines, 799

Schiff base metal complexes, 599

Aminoacids and peptides

Aminoacids, assignment of the absolute configuration, by CD spectroscopy, 229

α-Aminoacids, by asymmetric Mannich synthesis, 15

Aminoacids, deoxy sugars, 55

Aminoaldehydes, optically pure, use in synthesis, 29

Arg-Lys, Maillard reaction with D-glucose, 117

Flagellin, fragments of, 2057

Glycine ligands, 783

Glycopeptides, 101, 125

Guanidinium, -bis compounds, for enzyme mimetics, 89

Histidine, L-, adsorption on mercury electrode, 527

Mistletoe lectin I, 125

Peptide cobalt(II) chelates, molecular oxygen uptake by, 579

Peptide synthesis, chiral, 1965

Proline rich protein fragments, 1697

Proteinase inhibitors, from *Cucurbita maxima*, 395

Pseudostellatin A, 1903

Serine, α -hydroxymethyl, 313

Aromatics

Anthracene crown ethers, charge transfer complexes, 1489

Antraquinones, amino, chiral, optically pure, the CD spectra of, 209

Azobenzenes, substituted, liquid crystalline properties, 1357, 1503

Nitroarenes, oxidative nucleophilic substitution of hydrogen in, 151

Proton sponges and Schiff bases, ^{15}N NMR study of, 173

Resorcinarenes, aminomethyl derivatives, 1777

Resorcinarenes, calix[4], aminoacid recognition, 1845, 2035

Resorcinarenes, calix[4], pyrimidine and xanthine recognition, 2043

Resorcinarenes, chiral, 2067

Carbonyl derivatives

Acetophenone, 2-amino, trimerization, 1581

Aldehydes, optically pure, reaction with furyllithium, 29

Alkyl phenyl ketones, reduction of, 399

Aminoaldehydes, optically pure, use in synthesis, 29

Antraquinones, amino, chiral, optically pure, the CD spectra of, 209

Benzoinone, 1,4-, 2,3,5,6-tetrabromo, tetramethylguanidine complexes, 1739

Furfural, 307

Paracyclophanes, 707

Carboxylic acids and derivatives

Benzoic acids, dichloro, manganese(II) complexes, 1415

Benzonitriles, 2-, 3-, and 4-amino, 655

Carbonyl cyanide, 1079

Dehydroacetic acid, thiosemicarbazone, copper(II) complexes, 245

α -Hydroxyacids, assignment of the absolute configuration, by CD spectroscopy, 229

Oxalic amides, nickel(II) complexes, 557, 1451

Peresters, by phase transfer catalysis, 1185

Phenylpropionic acid, decarboxylation of, 813

Phenylpropionic acid, kinetics of decarboxylation, 1029

Phthalic acid, cadmium(II) complexes, 749

Terephthalic acid, tetrabromo, iron(II) complexes, 417

Uronic acid from sucrose, 981

Ethers

Epoxyfuranoses, application in stereocontrolled organic synthesis, 55

Ethers, bicyclic, chiral, 3

Ethers, vinyl, [2+2] cycloaddition, to isocyanate, 43

Fullerenes

Perhydrogenated fullerenes, $\text{C}_{60}\text{H}_{59}\text{Me}$, isomerism of, 299

Heterocycles

Acylnucleosides of indazole, rearrangements of, 1019

Adenosine 5'-monophosphate, 465

Azoles, in [3+2] cycloaddition with ω -nitrostyrene, 1711

Benzothiazolium salts, N-allyl, copper(I) complexes, 1245

Benzotriazole, N-allyl, copper(I) complex, 1245

Benzoxazole, 2,5-disubstituted, 625

Carbazole, 9-amino-N-picryl, derivatives of, free radicals from, 1177

Cytidine 5'-monophosphate, 465

- Dewar heteroarenes, 135
Dihydrofurans, optically pure, from sugars, 71
Dioxa-2-azaspiro[4,4]non-2-ene, 727
Diquinolinyl sulfides and disulfides, 1171
Dithiinoquinolines, 1783
Furan derivatives in synthesis of tylonolide, 77
Furans, tetrahydro, optically pure, from sugars, 71
Furoic acid, hydrazone, uranium(IV) complexes, 385
Furyl alcohols, chiral, synthesis of, 29
(2-Furyl)sucrose, synthesis of, 981
Heteroarenes (and nitroarenes), oxidative nucleophilic substitution of hydrogen in, 151
Heterocycles, chiral, synthesis of, 15
Imidazole-2-carbaldehyde, 1-propyl, 447
Imidazole, 2-methyl-1-propyl, 447
Isonicotinic acid, hydrazone, uranium(IV) complexes, 385
Isoxazolidin-5-ones, optically pure from sugars, 1099
Nicotinamide, copper(II) complex, 1411
Nicotinamide, N,N-diethyl, copper(II) complex, 759
Nicotinic hydrazide, electrooxidation, 1811
Oxadiazole, 1,3,4-, 2-amino-5-(2-amino-3-pyridyl), 321
Phosphabenzenes, 135
Phthalocyanine, thallium complexes, 437
Phthalocyanine, tin(IV) complexes, 1587
Picoline, 4-, magnesium(II) complexes, 293
Pyrazine-2-carboxylic acid, 3-amino, nickel(II) complex, 717
Pyrazine-2,3-dicarboxylic acid, nickel(II) complex, 717
Pyrazole, 4-halogen (Cl, Br, I), cobalt(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), copper(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), nickel(II) complex, 271
Pyridine, 2,6-dicarboxylic acid, copper(II) complexes, 759
Pyridine, 2,3-dicarboxylic acid copper(II) complexes, 759
Pyridine, 2-hydroxy, prototropic tautomerism, semiempirical calculations, 1863
Pyridine, 4-hydroxy, prototropic tautomerism, semiempirical calculations, 1863
Pyridine, 3-methoxycarbamoyl, 457
Pyrrolidinone, quantum chemistry studies, 1549
Quinolyl sulfides, 1477
Tetraethyleneglycol-bis-(8-quinolyl)ether, 1405
Tetrazolium-5-amidines, mesoionic, 1719
Thiadiazole derivatives, synthesis and biological activity of, 1203
1,2,3,4-Thatriazolo-5-aminide, mesoionic, interaction with metal cations, by NMR, 199
Thiazole, 2-amino derivatives, CNS stimulat activity of, 377
Thiazolothiazoles, spiro, 475
Triazacyclononane, 1,4,7-, copper(II) complexes, 391, 753
Triazole, 1,2,3-, synthesis and biological activity of, 1203
Triazole, 1,2,4-, amino derivatives, 2061
- Macrocycles**
- Cryptofix 221, 1987
Cryptofix 222, 1987
Resorcarenes, aminomethyl derivatives, 1777
Resorcarenes, chiral, 2067
Resorcinarenes, calix[4], aminoacid recognition, 1845, 2035
Resorcinarenes, calix[4], pyrimidine and xanthine recognition, 2043
- Nitro compounds**
- Nitroanilines, vicarious nucleophilic substitution of hydrogen in, 1969

Nitroarenes, oxidative nucleophilic substitution of hydrogen in, 151
Nitroimidazole glycosides, 799

Nucleosides, nucleotides, nucleic acids

Acylnucleosides of indazole, rearrangements of, 1019
Isonucleosides, synthesis and biological activity, 1613
Nucleosides, nucleotides, copper(II) and cadmium(II) complexes, 927

Organometallics

Furyllithium, addition to chiral aldehydes, 29

Organophosphorus, Organosulfur, Organoselenium, and Organosilicon Compounds

Adamantanethione, 635
Alkanephosphonous acids, 1-amino-, 307
Bromofosfamide, 1877
Dichloroethanol oxobis(triphenylphosphine) rhenium(V) complexes, 1391
1,3-Diphosphates, 135
Glucofuranosyl phosphorodithioates, 619
Hydroxyphosphonates, enol phosphates, 1191
Phenylselenesodium, 1791
Phenyltellurosodium, 1791
Phosphaalkynes, 135
Phosphabenzenes, 135
Phosphonic acids, α -hydroxy-, assignment of the absolute configuration, by CD spectroscopy, 229
Phosphonothioates, triaryl, 1473
Selenorhodanines, 1315
Sugars, 2-bromo-2-deoxy, dithiophosphates, 793
Sulfamides, N,N'-bis(diethylphosphoryl), 1947
Sulfones, 821, 1969
Sulfoximines, S-chiral, 735
Thiocarbonyl S-imides, 669, 683
Thiocarbonyl ylide, adduct with thiouracil, 1219

Steroids

Cardenolides, structure elucidation of, by NMR, 163
Steroids, as templates for synthesis of RNase active site model system, 89
Vitamin D₄, synthesis of by Julia alkenylation, 1209

Sugars

D-Altropyranoside, 2,6-anhydro-1,2-dithio-4-substituted, synthesis and antithrombotic activity, 989
Aminosugars, hydrazinosugars, 1099
Carbohydrate auxiliaries, for synthesis of alkaloids and chiral heterocycles, 15
Carbohydrates, stereoselective reduction of, with magnesium derived hydrides, 1003
Cyclodextrin, β -, azobenzene inclusion compounds, 1855
Cyclodextrin isocyanite, from phosphoimines, 1037
Cyclodextrins, regioselective halogenation of primary hydroxyl groups, 967
Daunosamine and ristosamine, total synthesis of, 1133
Glucofuranosyl phosphorodithioates, 619
Glucopyranoside, 2-deoxy-2-amino-, protecting groups influence on NMR data, 1091
Glucopyranosylamines, 1513
D-Glucose, Maillard reaction with Arg-Lys, 117
Glycopeptides, 101, 125
S-Glycosides, synthesis and application of, 1153
Glycosphingolipid Lewis Y, 941
Heptose, D-glycero-D-manno-, occurrence in lipopolysaccharides, 1055
Hexoses, peroxides, 1917
Hyaluronic acid related oligosaccharides, synthesis of, 1123
Iminosugars, 1153

- Isonucleosides, synthesis and biological activity, 1613
Kedarosamine, synthesis of, 1143
Lewis antigens, NMR conformational study of, 181
Mannobiosides, mannotrioses in synthesis of oligomannosides, highly branched, 955
D-Mannopyranoside, 2,6-anhydro-1,2-dithio-4-substituted, synthesis and antithrombotic activity, 989
Nitroimidazole glycosides, 799
Octoses, 1797
Oligosaccharides, modified by Ferrier rearrangement, 1111
Oligosaccharides, synthesis of, 101
Polysaccharides, O-Antigenic of *Proteus* Bacteria, 895
Pyranoses, epoxy, application in stereocontrolled organic synthesis, 55
Ribosylamines, 799
Rutin, copper(II) complexes, 873
Sucrose esters, ethers, acetals, preparation from free disaccharide, 1069
Sucrose, modification at terminal carbon atoms, 981
Sucrose, solvation of, in water/DMSO, by NMR, 193
Sugar δ-lactones, α,β-unsaturated, 1099
Sugar dithiacarbamates, 2-deoxy, application in synthesis, 1163
Sugar ketene dithioacetal, reaction of, 973
Sugar phosphoimines, application of, 1037
Sugar transformations to optically pure isoxazolidin-5-ones, 1099
Sugars, anhydro, as enantiomerically pure building blocks, 71
Sugars, as chiral auxiliaries for synthesis of β-lactam antibiotics, 43
Sugars, branched, synthesis of, 71
Sugars, 2-bromo-2-deoxy, dithiophosphates, 793
Sugars, cyclopropanated, 55
Sugars, β-hydroxyketo, 55
Ulosonic acids, α-glycosides, stereospecific synthesis of, 973
Ureido and nitrosoureidosugars, synthesis of, 1011
Xylose, phosphorothioselenoates, 487

Terpenes

- Borneol, 1965
Isomyrtanol, 1965
Isopinocampheol, 1965
Nopol, 1965
Oleanane, quinoline derivatives of, 333
Pinene, chloro derivatives, 1791
Sesquiterpenoids from *Crepis foetida*, 569
Terpenic alcohols, 1965
Triterpenoids, structure elucidation of, by NMR, 163

Mechanisms

- Benzoquinone, 1,4-, 2,3,5,6-tetrabromo reaction with tetramethylguanidine, 1739
Cycloaddition of adamantanethione to diazomethane, 635
Decarboxylation of phenylpropionic acid, kinetics of, 1029
Hydrogen transfer over magnesia, 561
Hydroxyphosphonates - enol phosphate rearrangement, 1191
Kabachnik-Fields reaction, 307
Oxidative nucleophilic substitution of hydrogen in nitroarenes, 151
Phenylpropionic acid, decarboxylation of, kinetic isotope effect, 813
Pyrazole, 4-halogen (Cl, Br, I), cobalt(II) complex, nucleophilic addition, 271
Pyrazole, 4-halogen (Cl, Br, I), copper(II) complex, nucleophilic addition, 271
Pyrazole, 4-halogen (Cl, Br, I), nickel(II) complex, nucleophilic addition, 271
Ring closure, in thiocarbonyl ylides, 475

Sigmatropic rearrangement of ylides, 1955

Natural products

Acetogenins, absolute configuration of, by CD spectroscopy, 241
Agelorines, 3
Azadirachtin, 3
Canadensolide, 5
Cardenolides, structure elucidation of, by NMR, 163
Kedarosamine, synthesis of, 1143
 β -Lactam antibiotics, from sugars, 43
Limonoids, structure elucidation of, by NMR, 163
Nephritogenoside glycopeptide, synthesis of, 101
Saponins, structure elucidation of, by NMR, 163
Sucrose, solvation of, in water/DMSO, by NMR, 193
Tylonolide, approach from furan, 77
Viscum album, 125

Organic Spectroscopy

CD spectroscopy

Acetogenins, absolute configuration of, 241
Aminoanthraquinones, chiral, optically pure, 209
Hydroxy- and aminocarboxylic acids, absolute configuration of, 229

EPR studies of

Dehydroacetic acid, thiosemicarbazone, copper(II) complexes, 245
Imidazole-2-carbaldehyde, 1-propyl, cobalt(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, copper(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, nickel(II) complexes, 447
Imidazole-2-carbaldehyde, 1-propyl, zinc(II) complexes, 447
Imidazole, 2-methyl-1-propyl, cobalt(II) complexes, 447
Imidazole, 2-methyl-1-propyl, copper(II) complexes, 447
Imidazole, 2-methyl-1-propyl, nickel(II) complexes, 447
Imidazole, 2-methyl-1-propyl, zinc(II) complexes, 447
Nucleoside copper(II) complexes, 909
Propane, 1,2-diamino, copper(II) complexes, 263
Propane, 1,3-diamino, copper(II) complexes, 263

IR studies of

Adenosine 5'-monophosphate, cobalt(II), copper(II), nickel(II) complexes, 465
Aliphatic carboxylates, triphenylphosphine, silver(I) complexes, 1763
Cytidine 5'-monophosphate, cobalt(II), copper(II), nickel(II) complexes, 465
Dehydroacetic acid, thiosemicarbazone, copper(II) complexes, 245
Furoic acid, hydrazone, uranium(IV) complexes, 385
Isonicotinic acid, hydrazone, uranium(IV) complexes, 385
Nucleosides and nucleotides, copper(II), 909
Phthalocyanine, thallium complexes, 437
Picoline, 4-, magnesium(II) complexes, 293
Pyridine, 3-methoxycarbamoyl, copper(II) complexes, 457
Terephthalic acid, tetrabromo, iron(II) complexes, 417
Triazole, 1,2,4-, amino derivatives, 2061

NMR studies

Aliphatic carboxylates, triphenylphosphine, silver(I) complexes, 1763
Glucopyranoside, 2-deoxy-2-amino, protected, 1091
Hydroxyphosphonates - enol phosphate rearrangement, ^{31}P NMR, 1191
Imidazole-2-carbaldehyde, 1-propyl, cobalt(II) complexes, 447

- Lewis antigens, conformational studies by 1D and 2D NMR (^1H and ^{13}C), 181
Nucleosides and nucleotides, copper(II) complexes, ^{13}C and ^{31}P NMR, 909
Oligomannosides, ^1H and ^{13}C NMR, 955
Proton sponges and Schiff bases, ^{15}N NMR of, 173
Saponins and related natural products, 1D and 2D NMR (^1H and ^{13}C), 163
Sucrose, solvation in water/DMSO, 193
Tetrazolium-5-amidines, mesoionic, 1719
1,2,3,4-Thiatriazolo-5-aminide, mesoionic, cadmium(II) complexes, ^{113}Cd NMR, 199
Ureido and nitrosoureidosugars, 1011

Mass spectrometry of

Aryliminopentenoates, 1301

UV-VIS studies of

Cyclodextrin, β -, azobenzene inclusion compounds, 1855
Phthalocyanine, octacarboxy, 2013
Phthalocyanine, thallium complexes, 437
Pyrazole, 4-halogen (Cl, Br, I), cobalt(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), copper(II) complex, 271
Pyrazole, 4-halogen (Cl, Br, I), nickel(II) complex, 271
Pyridines, 2,4- and 2,6-disubstituted, 1333
Vitamin K₃-cyclodextrine complex, 501

Polymers

Oligomannosides, highly branched, 955
Oligosaccharides, modified by Ferrier rearrangement, 1111
Polyaniline, 1995
Polypyrrole, 1995
Polythiophene, 1995

Reactions and Processes

Adamantanethione, cycloaddition of, 635
Addition, asymmetric of furyllithium to chiral aldehydes, 29
Addition of alcohols to sugar ketene dithioacetal, 973
Aza-Diels-Alder reaction, 15
Conjugate addition of hydroxylamine and hydrazine to α,β -unsaturated sugar δ -lactones, 1099
Cycloaddition, [2+2] of isocyanate to chiral vinyl ethers, 43
Decarboxylation of phenylpropionic acid, kinetics of, 1029
Enzyme mimetics by bis(guanidinium) steroid derivatives, 89
Ferrier rearrangement in the synthesis of modified oligosaccharides, 1111
Formation of σ -adducts in oxidative nucleophilic substitution of hydrogen in nitroarenes, 151
Formation of a complex, salen with Cu(II), enthalpy, entrophy of, 915
Halogenation of primary hydroxyl groups in cyclodextrins, regioselective, 967
Julia alkenylation in Vitamin D₄ synthesis, 1209
Maillard reaction of Arg-Lys with D-glucose, 117
Mannich-Michael reaction, 15
Phase transfer catalysis in the preparation of organic peresters, 1185
Preparation of free radicals from 9-amino-N-picrylcarbazole, 1177
Rearrangement hydroxyphosphonates - enol phosphates, 1191
Rearrangements of sugar unsaturated trichloroimidates to aminosugars, 1033
Reduction of 1-phenyl-x-butanones with 2-propanol, 1233
Synthesis of 2-deoxyglycosides from 2-deoxy-sugar dithiacarbamates, 163
Synthesis of glycosphingolipid Lewis Y, by trichloroacetimidate method, 941
Synthesis of oligomannosides, highly branched, by trityl methodology, 955
Vicarious nucleophilic substitution of hydrogen, 1969

Reagents

- Magnesium derived hydrides in stereoselective reduction of carbohydrates, 1003
 Vilsmeier-Haack reagents, regioselective halogenation of primary OH in cyclodextrins, 967

Reviews

- O*-Antigenic polysaccharides of *Proteus* Bacteria, 895
 From carbonyl cyanide to *N*-glyoxyoyl-(2*R*)-bornane-10,2-sultam, 1079
 Heptose, *D-glycero-D-manno-*, occurrence in lipopolysaccharides, 1055
 Isonucleosides, synthesis and biological activity, 1613
 Oxidative nucleophilic substitution of hydrogen in nitroarenes, 151
 Sucrose esters, ethers, acetals, from free disaccharide, 1069
 Zirconium compounds in phosphorous chemistry, 1437

Stereochemistry

- Acyclic stereocontrol in the synthesis of tylonalide, 77
 Alkanephosphonous acids, 1-amino-, 307
 Asymmetric induction in total synthesis of sugars, 1079
 Differentiation of enantiotopic groups, 3
 Enzymatic resolution of racemic furfuryl alcohols, 1033
 Kinetic resolution of cyclopentenone, derivatives, 3
 Models of asymmetric addition of furyllithium to chiral aldehydes, 29
 Reduction, stereoselective of furyl ketones by microorganisms, 29
 Resolution of racemic mixture by chemical methods, 29
 Serine, α -hydroxymethyl, derivatives, CD-studies, 313
 Stereoselective reduction of carbohydrates with magnesium derived hydrides, 1003
 Stereoselective transformation of optically pure furfuryl alcohols into sugars, 1033
 Stereospecific synthesis of α -glycosides of ulosonic acids, 973
 Stereospecific synthesis of glycosphingolipid Lewis Y, 941

Structure Activity Realationship

- Activity of lipopolysaccharides containing *D-glycero-D-manno-heptose* 1055
 Anti-AGE antibody, 101
 Antithrombotic activity of D-altropyranoside, 2,6-anhydro-1,2-dithio-4-substituted, 989
 Antithrombotic activity of D-mannopyranoside, 2,6-anhydro-1,2-dithio-4-substituted, 989
 Benzoxazole, 2,5-disubstituted, antimicrobial activity, 625
 Biological activity of triazole and thiadiazole derivatives, 1203
 Epitope specificity of *O*-antigenic polysaccharides of *Proteus* Bacteria, 895
 Immunomodulation, 125
 Theophyllylglycines, 783

X-ray Crystal Structures

- Benzene, 1,3,5-trimethoxy-2,4,6-trinitro, 1895
 Benzonitriles, 2-, 3-, and 4-amino, 655
 Benzothiazolium salts, N-allyl, copper(I) complexes, 1245
 Benzotriazole, N-allyl, copper(I) complex, 1253
 Benzoxazole, 5-chloro-2(p-tbutylphenyl), 625
 Bromofosfamide, 1877
 Cholesterol analogues, 547
 Cyclohexene-1-carboxylic acid, brucine complex, 1687
 Diallylamine, copper(I) complexes, 1283
 Dichloroethanol oxobis(triphenylphosphine) rhenium(V) complexes, 1391
 Diclofenac, acylglycosyl esters, 367
 Dioxa-2-azaspido[4,4]non-2-ene, 727
 Oxadiazole, 1,3,4-, 2-amino-5-(2-amino-3-pyridyl), 321

- Paracyclophanes, 707
Phenanthrene, copper(II) molybdate complexes, 1909
Phosphane, cobalt(II) complexes, 859
Phosphane, rhodium(II) complexes, 859
[2-(Propylimino)pent-2-en-4-onato]nickel(II), bis-, 1757
Pyrazine-2-carboxylic acid, 3-amino, nickel(II) complex, 717
Pyrazine-2,3-dicarboxylic acid, nickel(II) complex, 717
Pyrazine-2,3-dicarboxylic acid, zinc(II) complex, 1887
Pyrazolopyridines, 693
Pyridine-2,3-dicarboxylic acid copper(II) complexes, 759
Pyridyl carbamate, copper(II) complexes, 1293
Resorcarenes, aminomethyl derivatives, 1777
Sulfones, multisubstituted, 821
Theophyllylglycines, 783
Thiazole, 2-amino derivatives, 377
Thiocarbonyl ylide with thiouracil, 2:1 adduct, 1219
Triazacyclononane, 1,4,7-, copper(II) complex, 391
2,3,5-Triaza-1,3-pentadiene derivatives, 845
Xylose, phosphorothioselenoates, 487