

Burg Stoult.
September 1943

Burgstall September 1943

Tag	Lufttemperatur t = 0° φ = 45°				Temperaturertrum t max/min/Schwamm t max/min/Erde				Trocken- Thermometer				Feuchtes Thermometer			Sonnepolux				Relative Feuchtigkeit				Korrekturen				Wind				Bewölkung				Zustand des Erdbodens			
	I	II	III	Mitt.	Max.	Min.	Schwamm	Erde	I	II	III	Mitt.	I	II	III	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III					
1	54.5	55.1	56.6	55.3	19.9	11.6	8.3	9.2	13.1	16.3	14.6	14.6	10.8	15.0	12.1	8.3	11.9	9.0	74	86	73	99	86	96	NW1	N3	C0	1.3	10'	10'	10'	10.0	1	1	1				
2	54.2	56.8	57.1	57.0	21.2	9.5	11.7	7.8	11.6	20.0	12.4	14.1	10.0	14.8	11.0	8.2	9.4	8.9	80	54	85	100	50	86	W1	W2	W1	1.3	10°	4°	0	4.7	1	0	0				
3	56.4	56.4	56.0	56.4	21.7	9.6	12.1	7.2	13.0	19.7	15.3	15.8	11.2	15.0	13.2	8.8	9.8	10.0	80	57	78	97	54	80	N1	W2	W2	1.7	10'	5°	0	5.0	0	0	0				
4	56.4	57.0	58.5	57.4	18.5	8.7	9.8	6.5	11.8	17.7	15.2	15.0	10.0	15.4	10.9	8.1	11.6	7.1	78	77	55	100	71	95	W2	W2	NW2	2.0	10'	10'	10'	10.0	0	0	1				
5	60.0	60.1	60.1	60.1	21.6	12.6	9.0	11.6	14.8	19.4	14.9	16.0	12.2	16.0	—	9.0	11.5	—	72	68	—	98	62	96	C0	C0	C0	0.0	10'	10'	0	6.7	1	0	0				
6	59.9	59.0	58.9	59.3	24.2	9.6	14.6	7.4	12.5	22.0	16.1	16.7	10.6	17.6	14.0	8.4	12.3	10.6	78	63	78	99	55	90	W1	W1	C0	0.7	00	5°	0	1.7	0	0	0				
7	59.8	60.5	60.5	60.3	23.4	11.1	12.3	8.4	13.1	22.3	16.6	17.2	10.8	20.8	23.8	8.3	17.3	10.1	74	87	71	99	60	96	E1	NW1	C0	0.7	10°	9°	10'	9.7	0	0	0				
8	58.7	56.2	55.6	56.8	26.5	12.1	14.4	10.0	15.0	26.0	15.9	18.2	13.2	23.0	—	10.2	10.5	—	81	42	—	100	36	92	E1	E1	W5	2.3	10°	8°	10'	9.3	0	0	0				
9	58.8	59.3	60.0	59.4	18.9	10.6	8.3	9.2	11.8	17.7	12.6	13.7	9.2	14.8	9.6	7.1	10.8	7.1	69	71	66	89	63	98	NW2	NW2	C0	1.3	10°	5°	5'	6.7	1	0	1				
10	58.4	57.9	57.5	57.9	19.6	7.9	11.7	5.9	9.8	18.3	14.8	14.4	8.6	14.6	12.9	7.6	10.1	9.4	84	64	80	100	57	84	C0	W1	W1	0.7	00	7°	5°	4.0	0	0	0				
	58.5	57.3	57.8	57.9	21.5	10.3	11.2	8.2	12.6	19.4	14.84	15.57																											
11	58.9	59.3	60.1	59.4	20.7	10.8	9.9	10.1	13.5	19.9	11.9	14.3	10.0	15.1	10.0	7.0	9.9	8.0	61	57	77	94	51	95	N2	E1	E1	1.7	10°	8°	0	6.0	0	0	0				
12	60.0	59.3	59.4	59.6	19.7	8.2	10.9	6.5	9.9	18.0	11.9	12.9	7.9	14.9	9.2	6.8	10.7	7.1	74	70	68	100	61	93	E2	E2	C0	1.3	10°	10°	0	6.7	0	0	0				
13	59.4	58.4	57.8	58.5	23.2	7.1	16.1	4.8	9.9	22.5	15.4	15.9	8.0	15.0	11.8	6.9	8.1	8.1	75	41	62	90	35	60	E1	E2	E2	1.7	2°	7°	0	3.0	0	0	0				
14	56.5	55.4	54.3	55.4	26.7	10.6	16.1	8.4	13.3	25.0	20.5	19.8	11.6	20.6	16.8	9.2	15.3	12.0	81	65	67	81	56	83	E1	C0	SE1	0.7	10'	7°	5°	7.3	0	0	0				
15	56.7	57.6	59.1	57.8	25.0	15.2	9.8	12.7	17.3	24.7	18.4	17.7	14.8	20.2	16.0	11.0	14.8	12.1	75	64	77	95	66	90	C0	SW1	W1	0.7	10°	4°	0	4.7	0	1	0				
16	63.3	62.7	63.9	63.3	21.3	11.9	9.4	10.2	13.4	20.4	13.0	15.0	11.0	14.8	11.2	8.3	9.1	8.8	73	57	80	90	42	93	C0	W3	C0	1.0	00	7°	9°	5.3	0	0	0				
17	63.4	62.3	60.9	62.2	21.4	8.1	13.3	6.1	11.5	20.6	13.2	14.6	10.0	15.2	11.2	8.3	9.6	8.7	82	53	77	100	46	81	W1	W1	W2	1.3	10'	4°	0	4.7	0	0	0				
18	55.9	55.7	56.1	55.9	25.4	7.3	18.1	6.0	11.5	25.3	14.6	16.5	9.6	17.0	12.3	7.8	9.3	9.3	77	39	75	94	37	87	E2	E2	C0	1.3	00	2°	0	0.7	0	0	0				
19	57.9	58.4	59.5	58.6	26.0	8.6	17.4	6.7	11.2	25.5	18.9	18.6	9.8	19.8	16.7	8.2	13.7	12.8	83	57	79	100	45	80	C0	W1	C0	0.3	00	3°	10'	4.3	0	0	0				
20	54.8	48.5	50.7	51.3	24.2	12.6	8.6	10.9	15.2	27.2	13.7	16.0	12.9	15.0	12.0	9.7	11.4	9.4	75	78	81	97	99	—	E1	W1	W2	1.3	10'	10°	10'	10.0	0	1	1				
	58.6	57.6	57.8	58.2	23.0	10.4	12.9	8.4	12.6	21.1	15.1	16.3																											
21	52.3	52.7	52.3	52.4	16.6	9.7	6.9	7.2	10.5	16.4	12.8	13.1	8.6	14.2	10.2	7.2	10.7	7.7	75	77	70	86	46	80	W1	SW1	W2	1.3	00	5°	10'	5.0	0	0	0				
22	54.1	53.5	54.9	54.2	14.0	7.3	6.7	6.2	8.7	12.2	9.6	10.0	5.0	10.6	8.2	4.3	8.6	7.2	51	82	82	100	76	98	C0	S1	SW1	0.7	10°	10'	10'	10.0	0	0	1				
23	59.4	60.7	60.0	60.0	15.5	4.7	10.8	3.2	6.3	14.2	10.0	11.1	5.1	10.8	10.2	5.9	7.6	8.2	83	63	79	96	41	65	W1	W1	W1	1.0	00	10°	10°	6.7	0	0	0				
24	59.6	58.7	57.3	58.5	20.6	7.1	13.5	5.6	8.9	20.0	10.1	12.3	6.0	17.2	10.8	5.3	12.9	7.7	62	74	64	80	36	95	S1	W1	W1	1.0	00	00	0	0.0	0	0	0				
25	54.8	52.5	49.6	52.3	23.8	9.6	14.2	5.4	12.0	23.7	18.0	17.9	10.0	19.1	15.6	8.0	15.8	11.7	76	65	76	95	50	76	C0	S3	S3	2.0	00	3°	0	1.0	0	0	0				
26	43.3	44.5	50.2	48.9	17.7	7.8	9.9	9.6	12.8	15.9	9.0	11.7	12.0	15.2	8.0	10.0	12.4	7.4	91	92	87	100	94	86	C0	W2	W2	1.3	10'	10'	0	6.7	0	1	1				
27	55.3	57.5	59.3	57.4	14.4	5.5	8.9	3.8	7.1	13.4	7.9	9.1	6.6	9.8	7.0	7.0	6.9	6.9	93	60	88	96	54	94	W1	W2	W1	1.3	00	9°	10°	6.3	0	0	0				
28	59.9	59.9	58.4	59.4	16.2	4.6	11.6	2.5	6.1	15.7	8.0	9.4	5.7	10.5	7.1	6.6	6.3	7.0	94	48	88	100	41	60	C0	SE1	SE2	1.0	10°	3°	0	4.3	0	0	0				
29	59.1	57.6	57.4	58.0	11.0	6.1	4.9	3.3	8.0	10.1	10.0	9.5	7.5	9.7	9.2	7.5	8.4	8.2	93	85	89	96	100	94	E1	E2	C0	1.0	10'	10'	10'	10.0	0	0	0				
30	57.3	59.3	60.0	58.9	11.4	7.6	3.8	7.7	9.3	10.9	9.9	10.0	9.0	9.6	9.5	8.4	8.1	8.6	96	84	95	100	80	99	C0	W1	C0	0.3	10'	10'	5°	8.3	0	0	0				
	55.1	55.9	55.9	55.7	16.2	7.0	9.2	5.5	8.9	15.5	10.7	11.4																											
S	172.2	172.8	172.0	171.8	60.6	27.3	33.3	22.0	34.2	57.5	40.7	43.1																											
Mitt.	57.4	57.1	57.4	57.3	20.2	9.1	11.1	7.3	11.4	19.2	13.6	14.9																											

Zahl d. Tage mit Niederschlag: 20.1 mm 9
 ≥ 1.0 " 8
 ≥ 10.0 " 1

• 9
 ☰ 1
 ⚡ 26
 ☀ (R₁) 1
 t ≥ 25° 4
 heiße Tage 4
 trübe Tage 8

Burgstall

September 1943

Tag	Niederschlag				Bemerkungen	Erdbodentemperatur									
	I	II	III	S		0.1 m.				0.2 m.				1.0 m.	
						I	II	III	Mitt.	I	II	III	Mitt.	II	
1	.	.	1.9	5.9	$\rho^2 I; \circ^{\circ} II; \circ^{\circ} p$	15.1	18.4	16.8	16.8	16.8	16.5	17.0	16.8	16.5	
2	.	.	.	1.9	$\rho^2 I; III$	13.5	19.1	17.0	16.5	15.1	16.5	17.3	16.3	15.3	
3	$\rho^2 I$	14.1	18.4	17.4	16.6	15.2	16.3	17.3	16.3	15.2	
4	.	.	5.8	.	$\rho^2 I; \circ^{\circ} p$	13.6	16.6	16.5	15.6	15.0	15.6	16.4	15.7	15.2	
5	1.6	.	.	7.4	$\rho^2 I; \circ^{\circ} p$	15.0	18.1	17.3	16.8	15.6	16.4	17.2	16.4	15.1	
6	$\rho^2 I$	13.6	18.6	18.0	16.7	15.2	16.5	17.8	16.5	15.0	
7	$\rho^2 I; \rho^1 III$	14.4	19.8	18.4	17.5	15.7	17.0	18.2	17.0	15.1	
8	$\rho^2 I$	15.6	22.0	19.5	19.0	16.5	18.1	19.0	17.9	15.1	
9	3.0	.	6.1	3.0	$\rho^1 u p$	15.2	19.5	18.6	17.8	16.7	17.5	17.7	17.3	15.2	
10	.	.	.	6.1	$\rho^2 I$	12.1	19.6	18.5	16.7	14.7	16.4	16.6	15.9	15.2	
	4.6	.	13.2	24.3		14.2	19.0	17.8	17.0	15.5	16.8	17.5	16.1	15.1	
11		14.5	19.1	15.7	16.4	15.6	16.7	16.8	16.4	15.1	
12	$III; \rho^2 I$	11.7	18.3	15.6	15.2	14.0	15.2	16.6	15.3	15.1	
13	$\rho^2 I; III$	10.8	19.7	16.5	15.7	13.4	15.8	17.0	15.4	15.0	
14	$\rho^1 I$	13.1	19.3	18.9	17.1	14.5	17.8	17.8	16.7	14.8	
15	.	5.0	.	.	$\rho^1 I; \circ^{\circ} a$	15.9	21.4	19.0	18.8	16.4	17.5	18.7	17.5	14.8	
16	.	.	.	5.0	$\rho^2 I; \circ^{\circ} a$	14.7	19.8	16.5	17.0	16.3	17.3	17.6	17.1	15.0	
17	$\rho^2 I; \circ^{\circ} a$	12.9	19.8	16.5	16.4	15.0	16.5	17.4	16.3	15.1	
18	$\rho^2 I; III$	11.9	20.5	17.5	16.6	14.3	16.4	17.8	16.2	15.1	
19	$\rho^2 I; \circ^{\circ} a; \rho^1 III$	12.8	20.7	19.4	17.6	15.0	16.8	18.6	16.8	14.9	
20	.	8.0	0.8	.	$\rho^2 I; \circ^{\circ} a; \rho^1 (III) II$	15.8	19.0	16.0	16.9	16.7	17.0	16.8	16.8	15.0	
		13.0	0.8	3.0		13.4	19.7	17.1	16.7	15.2	16.0	17.4	16.5	14.9	
21	.	.	.	8.8	$\rho^2 I; \rho^1 III$	12.0	16.3	14.1	14.1	14.3	15.1	15.2	14.9	15.1	
22	.	.	0.5	.	$\rho^2 I; \circ^{\circ} p$	10.7	14.0	12.1	12.3	13.0	13.7	13.3	13.3	14.9	
23	.	.	.	0.5	$\rho^2 I$	8.4	14.7	12.1	11.7	11.3	12.5	13.2	12.3	14.7	
24		9.3	15.6	12.6	12.5	11.4	12.9	13.9	12.7	14.0	
25	$\rho^2 I$	11.4	17.6	15.9	15.0	12.5	14.4	15.7	14.2	14.0	
26	.	0.9	1.2	.	$\rho^2 I; \circ^{\circ} a; \circ^{\circ} p$	13.1	14.8	12.3	13.4	14.1	14.3	13.6	14.0	13.9	
27	.	.	.	2.1	$\rho^2 I$	8.7	13.3	10.8	10.9	11.2	12.3	12.5	12.0	14.0	
28	$\rho^2 I$	8.4	13.5	10.6	10.8	10.7	11.5	12.3	11.5	13.6	
29	.	0.0	.	.	$\rho^1 I; III; \circ^{\circ} a$	8.3	10.7	9.2	9.4	10.3	10.9	11.0	10.7	13.5	
30	.	.	.	0.0	$\rho^2 I$	10.0	11.6	10.5	10.7	10.7	11.5	11.4	11.2	13.2	
		0.9	1.7	11.4		10.0	14.2	12.0	12.0	11.9	12.9	13.2	12.8	14.0	
S	4.6	13.9	16.3	40.7		376.6	529.8	469.8	458.5	427.2	462.9	481.5	457.4	442.7	
Mitt.						12.6	17.7	15.7	15.3	14.2	15.4	16.0	15.2	14.8	