

Burgstall

November 1943

Burgstall 1943

November 1943

Tag	Lufttemper.				Temperaturerstreue				Trockenes Thermometer				Feuchtes Thermometer			Dampfdruck				Relative Feuchtigk.				Hygrothermometer				Wind				Bewölkung				Zustand des Bodens		
	t = 0° φ = 45°				Max.	Min.	Schw.	t _{max} t _{min} Grd.	I	II	III	Mitt.	I	II	III	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III	Mitt.	I	II	III
	I	II	III	Mitt.																																		
1	64.5	63.1	63.3	63.6	14.3	-3.1	17.4	-5.6	-0.8	14.3	4.3	5.5	-1.0w	9.0	1.8	4.2	5.4	3.7	96	45	60		100	56	70		E 3	E 2	E 2	2.3	10'	0	0	0	3.3	0	0	0
2	63.5	63.2	63.8	63.5	13.6	-3.3	16.9	-5.6	-2.8	12.9	-0.7	2.2	-3.0w	9.8	-0.8w	3.6	7.2	4.3	96	65	98		95	54	98		G 1	S 1	SE 1	1.0	0	0	0	0.0	0	0	0	
3	64.3	64.0	67.3	65.2	9.1	-3.9	13.0	-7.3	-2.8	8.4	6.6	4.7	0.0	6.9	4.3	-	6.5	4.8	-	79	67		100	75	65		S 1	N 1	NE 5	2.3	10'	10'	10'	10.0	0	0	0	
4	70.0	71.0	72.6	71.1	7.8	-4.4	12.2	2.4	4.0	6.9	-3.3	1.1	2.0	3.6	-3.7e	4.1	4.0	3.2	67	53	88		66	50	-		E 3	NE 3	E 0	2.0	10'	30'	0	4.3	0	0	0	
5	71.0	68.8	66.8	68.9	2.6	-5.5	8.8	-9.9	0.4	2.3	1.9	1.6	0.4	0.8	1.2	4.7	4.0	4.6	100	74	88		85	73	90		NE 3	E 3	E 4	3.3	10'	10'	10'	10.0	0	0	0	
6	61.6	57.6	53.8	57.7	5.0	0.1	4.9	0.1	2.0	4.2	1.0	2.0	1.6	2.5	0.8	4.9	4.5	4.7	93	73	96		96	66	100		E 3	E 1	E 0	1.3	10'	10'	10'	10.0	0	0	0	
7	49.7	51.4	55.1	52.1	6.0	-2.3	8.3	-6.1	-0.6	3.5	5.8	3.6	-0.6e	1.8	4.3	4.4	4.2	5.3	100	72	78		100	67	80		E 2	E 2	E 2	2.0	10'	10'	10'	10.0	0	0	0	
8	56.9	59.6	62.2	59.6	3.7	0.4	5.3	-2.0	1.8	3.6	2.9	2.8	1.0	2.6	2.5	4.5	4.9	5.2	85	83	93		86	76	96		SW 2	NW 2	N 1	1.7	10'	10'	10'	10.0	0	0	0	
9	63.9	66.1	69.9	66.6	7.0	-1.7	8.7	-2.6	2.8	4.4	-0.6	1.5	2.3	3.8	-0.6w	5.1	5.6	4.4	91	90	100		94	59	100		N 1	N 1	N 1	1.0	10'	10'	0	6.7	0	0	0	
10	71.6	71.2	68.6	70.5	0.9	-5.7	6.6	-8.6	-4.6	-0.2	0.4	-1.0	-4.6e	-0.2e	0.3	3.1	4.5	4.6	96	100	98		100	100	100		N 1	E 0	S 1	0.7	10'	10'	10'	10.0	0	0	0	
	637.0	636.0	643.2	638.8	70.0	-29.4	34.4	-45.9	-0.6	60.3	12.3	29.0															20	16	17	17.6	40	73	60	74.3				
11	62.1	56.9	54.0	57.7	4.1	-1.4	5.5	-2.0	-0.5	3.8	2.2	1.9	-0.5e	2.8	2.0	4.4	5.0	5.2	100	83	96		100	83	100		SE 1	SE 1	SE 1	1.0	10'	10'	10'	10.0	0	0	1	
12	51.4	48.0	43.1	47.5	7.0	1.2	5.8	0.7	3.8	6.5	3.6	4.9	3.2	4.5	3.0	5.4	5.1	5.3	90	71	90		96	66	95		W 1	SW 3	SW 5	3.0	10'	80'	10'	9.3	0	0	0	
13	40.6	38.2	36.2	38.3	7.2	2.0	5.2	0.5	4.3	5.5	3.7	4.3	3.5	5.0	3.4	5.5	6.2	5.7	89	93	95		88	70	85		SW 5	SW 3	SW 2	3.3	10'	10'	10'	10.0	1	0	0	
14	32.5	36.2	39.3	36.0	7.3	0.7	6.6	-1.5	3.1	4.8	3.0	3.5	2.8	2.0	2.5	5.4	3.6	5.2	95	56	91		100	81	90		SW 3	SW 5	SW 3	3.7	10'	10'	10'	10.0	1	1	1	
15	45.6	48.7	49.8	48.0	6.2	-1.4	7.6	-4.6	0.1	5.5	1.9	2.4	-0.1w	3.8	0.9	4.4	5.0	4.3	96	74	82		98	64	85		E 0	S 1	E 0	0.3	0	5'	10'	5.0	3	0	0	
16	47.7	51.4	55.2	51.4	4.5	-0.8	5.3	-1.6	0.1	3.3	1.9	1.8	0.0	2.6	1.3	4.5	5.1	4.7	98	88	90		100	84	90		S 3	W 1	E 0	1.3	10'	9'	10'	9.7	1	1	1	
17	55.6	56.1	57.9	56.5	3.0	-1.9	4.9	-4.6	-0.2	2.8	-0.9	0.2	-0.2w	1.9	-0.8w	4.5	4.7	-	100	84	-		100	95	-		E 1	E 1	E 0	0.7	10'	10'	0	6.7	3	1	3	
18	61.6	64.4	65.7	63.9	1.3	-2.5	3.8	-5.6	-1.4	0.9	0.8	0.3	-1.4e	0.3	0.0	4.1	4.4	4.1	100	89	85		100	90	84		E 1	E 1	E 1	1.0	10'	10'	10'	10.0	3	1	1	
19	68.2	68.8	69.3	68.8	1.1	-2.1	3.2	-1.4	-0.4	-1.0	-0.6	-0.6	-0.4e	-1.0e	-1.0e	4.4	4.2	4.0	100	99	92		96	96	94		E 3	E 3	E 3	3.0	10'	10'	10'	10.0	0	0	0	
20	68.4	67.8	66.8	67.8	1.7	-1.8	3.5	-2.1	-0.4	1.5	1.1	0.8	-0.4e	1.1	0.8	4.4	4.7	4.7	100	93	94		100	92	96		E 0	E 0	E 0	0.0	10'	10'	10'	10.0	0	0	0	
	637.0	636.5	637.3	636.9	43.4	-8.0	51.4	-22.2	8.5	33.8	16.7	14.5															18	19	15	17.3	40	92	90	90.7				
21	64.9	63.3	61.0	63.1	2.0	-1.3	3.3	-1.6	-0.2	1.5	0.7	0.7	-0.2w	0.9	0.3	4.5	4.5	4.5	100	89	92		100	80	96		E 0	E 1	E 2	1.0	10'	10'	10'	10.0	0	0	0	
22	56.1	54.0	52.3	54.1	5.3	-0.3	5.6	0.9	1.8	4.7	5.0	3.1	1.5	4.6	2.8	5.0	6.3	6.5	95	98	96		100	100	93		E 3	E 1	E 1	1.7	10'	10'	10'	10.0	1	0	0	
23	51.0	52.1	53.2	52.1	4.5	1.2	3.3	0.6	2.4	3.8	3.9	3.5	2.1	3.1	3.5	5.2	5.3	5.7	94	88	93		99	85	88		W 3	SW 1	SW 1	1.7	10'	10'	10'	10.0	1	1	1	
24	50.7	35.8	40.6	42.4	6.0	1.3	4.7	0.2	2.7	5.4	2.8	3.4	2.0	5.5	2.0	4.9	4.7	4.8	84	71	86		90	62	71		S 1	S 2	S 3	2.0	10'	80'	10'	9.3	0	0	0	
25	55.7	38.8	43.2	39.2	8.7	1.8	6.9	0.5	6.2	8.1	5.6	6.4	3.8	5.0	4.8	4.6	4.7	6.0	65	58	88		63	52	90		SS 5	SS 5	S 3	4.3	10'	10'	10'	10.0	0	0	0	
26	45.6	45.1	44.8	45.2	6.3	1.5	5.0	1.5	3.5	3.6	3.8	3.7	2.2	2.0	2.7	4.6	4.3	4.9	78	73	82		75	70	80		W 3	W 3	W 3	3.0	10'	10'	10'	10.0	0	0	0	
27	46.7	48.6	51.8	49.0	4.2	0.0	4.2	-2.1	1.9	2.6	2.2	2.2	1.0	2.0	1.8	4.4	4.9	5.0	84	89	93		85	92	95		W 3	W 3	W 3	3.0	10'	10'	0	6.7	0	0	0	
28	53.8	52.0	46.5	50.8	4.6	-0.1	4.7	-2.4	2.1	4.0	4.2	3.6	1.6	2.2	2.2	4.9	4.3	4.2	91	70	68		95	65	66		SW 2	S 1	SW 2	1.4	10'	10'	10'	10.0	1	0	0	
29	41.7	47.7	48.5	46.0	8.5	2.1	6.4	1.1	7.9	6.9	4.0	5.7	6.0	5.1	2.5	5.9	5.5	4.6	73	74	75		100	69	76		SW 1	W 1	W 2	1.3	10'	10'	0	6.7	1	1	0	
30	46.0	47.8	49.2	47.7	4.5	0.7	3.8	-1.7	3.3	3.6	2.3	2.9	2.6	3.0	1.3	5.1	5.3	4.5	88	90	82		86	90	85		W 5	W 3	W 1	3.0	10'	10'	10'	10.0	1	1	1	
	492.2	485.2	491.1	489.6	54.8	6.4	42.9	-3.0	31.6	44.2	32.5	39.2															26	21	21	22.7	100	98	80	92.5				
S	1663.2	1657.7	1671.6	1664.3	168.2	-30.5	198.7	-70.4	39.5	138.1	63.5	78.7															6.4	5.6	5.3	57.6	28.0	26.3	23.0	257.7				
Mitt.	55.4	55.3	55.7	55.5	5.6	-1.0	6.6	-2.4	1.3	4.6	2.2	2.6															2.1	1.9	1.8	1.9	9.3	8.8	7.7	8.6				

Zahl d. Tage mit Niederschlag: ≥ 0.1 mm 13
 ≥ 1.0 mm 10
 ≥ 10.0 mm 0

• 11 keine Tage 1
 * 2 keine Tage 22
 = 5
 $t_{max} < 0^\circ$ 0
 $t_{min} < 0^\circ$ 18

Burgstowt

November 1943

Tag	Niederschlag				☼	Bemerkungen	Bodentemperatur									
	I	II	III	Σ			0.1m.				0.2m.				1.0m.	
							I	II	III	Mitt.	I	II	III	Mitt.	Σ	
1	≡ 'I	1.5	4.4	3.3	3.1	3.8	4.6	5.0	4.5	9.9	
2		1.2	2.7	1.6	1.8	2.5	3.4	2.7	2.9	9.6	
3		0.4	3.4	4.4	2.9	2.8	3.0	4.5	3.4	9.3	
4		4.4	5.0	2.0	3.8	5.0	5.2	4.6	4.9	8.7	
5		1.3	2.9	2.8	2.3	3.3	3.4	3.8	3.5	8.9	
6		2.8	4.6	3.6	3.7	3.9	4.6	4.5	4.3	8.9	
7		2.2	4.2	3.8	3.4	3.5	4.3	4.4	4.1	8.6	
8		3.4	4.5	4.2	4.0	4.5	4.6	4.9	4.7	8.5	
9		3.3	3.5	3.3	3.4	4.3	4.9	5.0	4.7	8.5	
10	≡ 'n a p	1.3	2.5	2.6	2.1	3.3	3.2	3.5	3.3	8.4	
11	.	0.0	2.0	.	.	° a ; ° abd.	22.1	37.7	31.7	30.5	36.9	41.2	42.9	40.3	89.3	
12	1.3	.	.	3.3	.	° n	2.1	3.8	3.5	3.1	3.4	3.9	4.3	3.9	8.3	
13	1.6	.	.	1.6	.	° n	3.9	5.5	4.2	4.5	4.4	5.1	4.9	4.8	8.3	
14	1.2	1.9	0.7	1.2	.	° n a p	3.6	5.6	3.9	4.4	4.7	5.2	3.5	4.5	8.3	
15	.	.	.	2.6	.		3.1	5.4	3.9	4.2	4.1	5.6	4.7	4.8	8.1	
16	1.8	6.0	.	1.8*	.	* n I - 11 ³⁰	1.8	1.0	1.8	1.9	2.5	3.1	3.0	2.9	8.0	
17	.	0.9	.	6.0*	.	° a	1.5	1.8	1.4	1.6	2.4	2.8	2.5	2.7	8.0	
18	.	.	.	0.9	.	≡ 'I	1.4	1.9	1.4	1.6	2.4	2.3	2.5	2.4	7.8	
19		1.0	1.3	1.4	1.2	2.1	2.0	2.2	2.1	7.5	
20	≡ 'I	1.3	1.3	1.1	1.2	2.1	2.8	2.0	2.1	7.3	
21	5.9	8.8	1.3	7.1	.		1.1	2.3	2.2	1.9	2.1	2.4	2.8	2.4	7.2	
22		20.8	31.2	24.9	25.6	30.5	34.6	32.4	32.6	78.8	
23		1.8	2.8	2.2	2.3	2.6	2.9	3.0	2.8	7.1	
24	0.4	.	.	0.4	.	° n ; ≡ 'I	2.2	3.7	3.6	3.2	2.9	3.5	4.0	3.5	7.1	
25	0.6	1.3	0.2	0.6	.	° n a p	3.1	3.7	3.5	3.4	3.7	3.8	4.0	3.8	7.0	
26	.	.	.	1.5	.		3.4	4.0	3.8	3.9	4.0	4.2	4.3	4.2	7.1	
27		2.5	4.6	4.5	3.9	3.8	4.4	4.6	4.3	7.1	
28		3.8	4.0	3.5	3.8	4.5	4.3	4.3	4.4	7.1	
29		1.9	2.8	2.2	2.3	3.4	3.5	3.3	3.4	7.2	
30	3.2	.	.	3.2	.	° n I	2.5	2.5	2.7	2.6	3.0	2.9	3.3	3.1	7.1	
31	8.6	1.3	.	8.6	.	° n a	3.9	5.0	3.3	4.1	3.7	4.6	4.4	4.2	7.0	
Σ	1.9	4.5	.	3.2	.		2.9	3.3	2.5	2.9	3.5	3.6	2.5	3.2	7.0	
M.H.	14.7	7.1	0.2	17.5	.		28.0	36.4	31.8	32.2	35.1	37.7	37.7	36.9	70.8	
Σ	20.6	15.9	2.9	34.9	.		70.9	105.3	88.5	88.3	102.5	113.5	113.0	109.8	238.9	
M.H.					.		2.4	3.5	3.0	2.9	3.4	3.8	3.8	3.7	8.0	