

Bodentemperaturen
Burgstorf. Februar 1942

Tag	0.1 m.				0.2 m.				1.0 m.
	I	II	III	Mitt.	I	II	III	Mitt.	I
1	-2.3	-1.7	-1.6	-1.9	-1.4	-1.2	-1.2	-1.3	<u>2.2</u>
2	-1.7	-1.6	-1.7	-1.7	-1.2	-1.2	-1.2	-1.2	2.2
3	-1.5	-1.4	-1.4	-1.4	-1.1	-1.0	-1.0	-1.0	2.2
4	-1.4	-1.3	-1.4	-1.4	-1.0	-1.0	-1.0	-1.0	2.2
5	-1.9	-1.9	-2.0	-1.9	-1.3	-1.3	-1.4	-1.3	2.2
6	-2.5	-2.3	-2.5	-2.4	-1.6	-1.5	-1.6	-1.6	2.2
7	<u>-2.6</u>	-2.5	-2.2	-2.4	<u>-1.8</u>	-1.7	-1.6	-1.7	2.2
8	-2.0	-1.9	-1.8	-1.9	-1.4	-1.4	-1.4	-1.4	2.2
9	-1.8	-1.6	-1.5	-1.6	-1.2	-1.2	-1.1	-1.2	2.1
10	-1.7	-1.4	-1.5	-1.5	-1.1	-1.0	-1.0	-1.0	2.1
	-19.7	-17.6	-17.6	-18.1	-13.1	-12.5	-12.5	-12.7	21.8
11	-1.2	-1.2	-1.2	-1.3	-1.0	-0.8	-0.8	-0.9	2.1
12	-1.2	-1.1	-1.1	-1.1	-0.8	-0.8	-0.8	-0.8	2.0
13	-1.2	-1.0	-1.0	-1.1	-0.8	-0.8	-0.8	-0.8	2.0
14	-0.9	<u>-0.8</u>	-0.9	-0.9	-0.6	-0.6	-0.6	-0.6	2.0
15	-0.9	-0.9	-0.9	-0.9	-0.6	-0.6	-0.6	-0.6	2.0
16	-1.0	-1.0	-1.0	-1.0	-0.7	-0.7	-0.7	-0.7	2.0
17	-1.0	-0.9	-1.0	-1.0	-0.6	-0.6	-0.6	-0.6	2.0
18	-1.4	-1.4	-1.4	-1.4	-0.8	-0.7	-0.7	-0.7	2.0
19	-1.7	-1.5	-1.7	-1.6	-1.0	-1.0	-1.0	-1.0	2.0
20	-1.8	-1.5	-1.5	-1.6	-1.0	-0.9	-0.8	-0.9	2.0
	-12.5	-11.3	-11.7	-11.9	-7.9	-7.5	-7.4	-7.6	20.1
21	-1.4	-1.3	-1.4	-1.4	-0.8	-0.8	-0.8	-0.8	2.0
22	-1.6	-1.4	-1.5	-1.5	-1.2	-0.9	-0.8	-1.0	2.0
23	-1.8	-1.6	-1.6	-1.7	-1.0	-1.0	-1.0	-1.0	2.0
24	-1.2	-1.1	-1.0	-1.1	-0.8	-0.7	-0.6	-0.7	2.0
25	<u>-0.8</u>	<u>-0.8</u>	<u>-0.8</u>	-0.8	-0.5	-0.4	-0.5	-0.5	2.0
26	-1.0	-1.0	-1.1	-1.0	-0.5	-0.4	-0.5	-0.5	2.0
27	-1.4	-1.2	-1.2	-1.3	-0.8	-0.8	-0.8	-0.8	2.0
28	-1.0	-0.8	-1.0	-0.9	-0.4	<u>-0.3</u>	-0.5	-0.4	2.0
	-10.2	<u>-9.2</u>	-9.6	-9.7	-6.0	-5.3	-5.5	-5.7	<u>16.0</u>
S	-42.1	-38.1	-38.9	-39.7	-27.0	-25.3	-25.4	-26.0	57.9
Mitt.	-1.5	-1.4	-1.4	-1.4	-1.0	-0.9	-0.9	-0.9	2.1