

Thermometer konstytucyjny
niekwalifik. (0.0)

April 1941.

Kurnik

http://rcin.org.pl

Barometrum. +0.3
 Szwarc - +0.5

	Term. suchu	Term. mokry	Max.	Minimum.		Term. na bar.	Barom. jałm	Kier. wiatr	wshar.	Wygromt.	Tem. na ziemi a	Opad	Term. na 1 mł.
				Stąg.	Pozyc.								
1. w.	-0.1	-0.2	1.8	-1.2	-1.4	13.3	52.5 -0.8	10	E	2-3	76%	-1.5	
	1.2	0.8	1.8	1.2	-1.4	14.0	50.4 -0.9	10	E	2-3	80%		
	0.8	0.4	1.8	0.8	-1.4	13.8	49.8 -0.9	10	E	2-3	80%		
2.	0.1	0.0	1.0	-1.0	-1.8	13.0	49.8 -0.8	10	SE	1-2	81%	-2.5	0.6
	2.1	1.2	2.4	1.0	-1.8	13.0	52.9 -0.8	10	E	1-2	70%		
	0.0	-0.2	3.0	0.0	-1.8	13.0	53.9 -0.8	0	E	1-2	76%		
3.	0.1	0.0	1.2	-1.0	-1.8	13.0	52.4 -0.8	10	E	1-2	82%	-3.7	
	1.2	0.8	2.0	1.2	-1.8	13.5	53.8 -0.8	10	E	1-2	80%		
	1.0	0.5	2.0	1.0	-1.8	14.0	55.6 -0.9	10	E	1-2	80%		
4.	-0.8	-1.0	1.3	-2.0	-2.1	14.1	57.6 -1.0	10	SEE	1-2	85%	-1.6	4.0
	16.8	10.0	16.9	16.8	-2.1	14.8	56.9 -1.3	00	SE	1-2	40%		
	7.2	6.3	16.9	7.1	-2.1	14.8	57.4 -1.3	0	SE	1-2	60%		
5.	3.8	2.9	9.4	2.6	0.0	14.9	54.1 -1.0	00	SE	1-2	81%	-1.3	
	17.6	10.2	17.6	17.0	0.0	15.0	54.1 -1.0	00	SEE	1-2	49%		
	13.3	9.8	18.0	13.0	0.0	15.2	51.4 -1.1	0	SEE	1-2	76%		
6.	6.4	5.1	13.3	5.6	5.2	18.0	56.6 -1.4	10	N	2-3	79%	5.2	
	7.2	6.3	13.3	7.2	5.2	17.2	56.6 -1.5	10	NE	1-2	6.8%		
	5.2	3.1	13.3	5.1	5.0	17.0	56.7 -1.5	10	NE	2-3	80%		
7.	2.8	1.2	5.8	1.5	1.3	16.0	56.4 -1.2	10	NE	3-4	80%	1.2	7.0
	4.0	1.3	5.8	4.0	1.3	15.0	57.8 -1.1	10	NE	3-4	50%		
	1.6	1.0	5.8	1.6	1.3	14.3	60.4 -1.0	10	NEE	4-5	78%		
8.	0.0	0.0	1.7	-1.1	-1.3	13.0	62.6 -0.8	10	NE	4-5	52%	-1.5	
	3.7	2.3	4.5	3.7	-1.3	13.0	63.7 -0.8	10	NEE	4-5	41%		
	1.7	1.3	4.5	1.5	-1.3	13.0	64.4 -0.7	0	NEE	4-5	48%		

April. 1941.

http://rcin.org.pl

			Max.	Minimum precip.							Flygs.			
9.	0.1	00	1.8	-1.0	-2.2	12.2	64.6 -0.7	10	E	3-4	67%	-3.3		
	4.8	3.2	5.4	4.8	-2.2	13.3	64.6 -0.8	10	E	4-5	40%			
	0.2	00	5.4	0.2	-2.2	13.0	64.7 -0.8	10	E	2-3	70%			
10.	0.1	-1.0	0.5	-1.0	-4.1	12.0	65.1 -0.7	00	NE	2-3	59%	-5.6		
	4.1	3.1	4.6	4.0	-4.1	12.2	64.4 -0.7	50	NE	2-3	53%			
	1.0	0.3	4.6	1.0	-4.1	12.2	63.6 -0.7	6	NE	1-2	60%			
11.	-0.9	-1.0	1.1	-2.0	-5.5	12.0	63.4 -0.7	00	E	1-2	80%	-7.6		
	8.0	4.2	7.9	8.0	-5.5	12.2	63.2 -0.7	00	NW	1-2	39%			
	1.6	0.8	8.0	00	-5.5	12.2	63.1 -0.7	0	NW	1-2	53%			
12.	0.9	0.5	1.4	-0.2	-3.8	14.8	61.1 -1.0	60	S	1-2	71%	-7.1		
	9.0	6.2	9.5	9.0	-3.8	15.0	58.9 -1.1	70	S	1-2	58%			
	6.8	3.9	9.5	6.8	-3.8	15.2	57.9 -1.1	10	S	1-2	80%			
13.	6.9	4.8	7.0	6.9	3.5	15.0	54.9 -1.0	10	SH	1-2	83%	3.5		
	11.0	9.0	11.5	11.0	3.5	15.0	55.1 -1.1	70	SH	1-2	50%			
	8.6	5.7	11.5	8.6	3.5	15.0	55.1 -1.1	10	N	1-2	56%			
14.	9.2	7.1	9.4	8.0	6.5	15.0	54.2 -1.0	10	N	1-2	80%	4.6	4.8	
	13.1	9.8	13.3	13.0	6.5	16.8	53.8 -1.2	10	N	1-2	57%			
	10.2	9.0	13.3	10.2	6.5	17.2	52.2 -1.3	10	N	1-2	79%			
15.	8.5	5.5	10.4	7.4	7.2	17.0	49.2 -1.3	10	SHW	1-2	70%	4.9		
	11.6	7.8	13.2	10.4	7.2	17.0	50.6 -1.3	50	NW	3-4	46%			
	9.0	5.3	13.2	9.0	7.2	17.1	52.8 -1.3	10	N	1-2	57%			
16.	4.3	3.8	9.2	3.4	00	17.0	54.1 -1.3	6	NW	1-2	81%	-3.0		
	8.4	5.6	9.2	7.8	00	17.0	55.3 -1.3	10	NW	1-2	57%			
	5.8	3.3	9.2	5.8	00	16.8	56.6 -1.3	8	NW	1-2	58%			

April 1941.

http://rcin.org.pl

											Hyg.				
17.	2.7	00	6.0	2.0	-3.0	16.0	59.1 -1.2	00	E	1-2	80%	-4.5			
	10.6	8.6	11.7	9.6	-3.0	16.0	59.1 -1.2	00	E	1-2	39%				
	6.2	5.4	13.2	6.2	-3.0	16.0	59.9 -1.2	8	E	1-2	58%				
18.	5.2	4.1	6.7	5.0	00	15.0	59.6 -1.1	10	E	2-3	55%	-1.6			
	10.6	5.8	10.9	10.6	00	15.0	58.8 -1.1	10	E	3-4	50%				
	7.0	3.8	11.2	7.0	00	15.0	58.3 -1.1	10	E	2-3	78%				
19.	7.3	6.2	7.7	6.0	5.4	15.0	56.9 -1.1	10	SEE	2-3	80%	5.0			
	12.8	9.0	13.0	12.8	5.4	15.0	56.3 -1.1	5	SEE	1-2	58%				
	9.0	4.9	13.0	9.0	5.4	15.0	56.1 -1.1	10	E	1-2	70%				
20.	7.4	5.2	9.4	6.3	3.3	15.2	56.4 -1.1	00	N	1-2	80%	-0.1			
	16.3	10.2	16.5	16.3	3.3	16.3	55.7 -1.2	00	N	2-3	33%				
	10.0	7.2	16.5	10.0	3.3	16.7	55.1 -1.3	10	SMN	1-2	75%				
21.	8.8	6.7	10.4	7.6	6.6	16.5	54.1 -1.2	90	N	1-2	77%	4.9	2.7		
	9.3	7.0	10.4	9.3	6.6	17.0	55.5 -1.3	10	N	1-2	76%				
	7.6	4.2	11.3	7.6	6.6	16.8	55.5 -1.3	10	N	1-2	80%				
22.	4.3	3.2	8.0	3.3	3.2	16.5	57.6 -1.2	10	N	1-2	79%	3.0	5.4		
	5.2	3.0	8.0	5.2	3.2	16.0	59.4 -1.2	10	N	1-2	76%				
	3.0	1.9	8.0	3.0	2.9	16.0	61.2 -1.2	10	N	1-2	80%				
23.	2.2	1.8	3.5	1.8	1.0	15.0	60.6 -1.1	10	NE	1-2	71%	1.0			
	4.5	2.8	5.0	4.5	1.0	15.0	60.3 -1.1	10	NE	1-2	50%				
	2.8	1.3	5.0	2.0	1.0	15.0	59.3 -1.1	10	NE	1-2	71%				
24.	1.0	0.2	3.2	-0.1	-1.6	15.0	58.6 -1.1	10	NE	1-2	76%	-3.3			
	5.0	3.0	5.3	5.0	-1.6	15.0	58.6 -1.1	10	N	1-2	50%				
	3.3	2.0	5.3	2.8	-1.6	14.9	58.5 -1.0	10	N	1-2	67%				

April 1944.

http://rcin.org.pl

	Sern.	Sern.	Max.	Minimum	Term.	Bar.					Hygg.			
25.	2.7	2.0	3.6	2.5	-0.7	14.0	58.2 -0.9	10	NE	1-2	76%	-2.6		
	8.2	5.0	8.5	8.2	-0.7	14.0	57.4 -0.9	10	NE	1-2	49%			
	3.5	1.0	8.5	3.5	-0.7	14.0	56.2 -0.9	0	SE	1-2	54%			
26.	2.8	1.8	4.3	1.8	-1.4	13.0	52.5 -0.8	10	E	2-3	71%	-3.2		
	6.0	3.9	7.0	5.8	-1.4	13.3	51.5 -0.8	10	E	1-2	50%			
	5.0	3.0	7.0	5.0	-1.4	14.0	50.2 -0.9	10	E	1-2	60%			
27.	2.9	1.0	5.3	2.9	2.0	15.0	49.3 1.0	10	E	2-3	80%	1.6	1.8	
	4.9	2.8	5.3	4.9	2.0	15.0	48.2 1.0	10	E	2-3	76%			
	3.2	2.0	5.3	3.2	2.0	15.0	48.6 1.0	10	E	2-3	80%			
28.	3.0	1.6	3.4	2.8	1.5	15.0	50.6 1.0	10	E	1-2	82%	2.0	6.5	
	7.0	5.2	7.6	7.0	1.5	13.8	52.2 0.9	10	N	1-2	64%			
	6.8	3.0	7.6	6.6	1.5	13.8	53.6 0.9	10	N	1-2	80%			
29.	4.6	3.6	7.0	3.8	3.4	14.8	56.1 1.0	10	N	1-2	79%	3.2	3.0	
	6.8	3.7	7.0	6.8	3.4	14.8	57.1 1.0	10	N	1-2	68%			
	6.0	3.5	7.0	6.0	3.4	14.8	57.4 1.0	10	N	1-2	80%			
30.	7.1	6.2	7.2	6.8	4.8	14.0	58.2 0.9	10	N	1-2	80%	4.2	3.4	
	9.0	7.8	9.6	9.0	4.8	14.1	58.4 1.0	10	N	1-2	61%			
	9.0	7.9	10.0	9.0	4.8	14.0	52.9 0.9	10	N	1-2	78%			