

## GENERAL INDEX

### TO THE PAGES OF THE FOUR VOLUMES

- Actions mutuelles des formes invariantives dérivées, sur les, III 218  
 D'Alembert-Carnot, geometrical paradox, IV 238  
 Algebra, universal, IV 146, 208  
 Alliance, or Ueberschiebung, III 132, 217  
 Allineation, theory of, III 390  
 Allotrious factor, I 438, 580  
 Alternants, IV 416  
 Amphigenous surface, II 436, 478  
 Anakolouthic sum, II 40  
 Annihilator, IV 288, 451  
 Apocopated, I 580  
 Approximation, Poncelet's, to a square root, II 181, 200  
     to a linear function of two irrationalities, III 635, 644  
 Arboresecent functions, II 49  
 Arithmetic, *see* Numbers  
     addition to the vocabulary of, IV 588  
     theorems in, II 40, 484, 485  
 Arithmetical progression containing an infinite number of primes, II 712; IV 620  
 Arithmetical series, On, IV 687  
 Arrangement, compound, II 325  
 Arrangements, a theorem of Cauchy for, II 245, 290  
 Associated algebraical forms, I 198  
 Astronomical prolusions, II 519, 546  
 Asymptotic limits for number of primes, III 530; IV 704  
 Aszygetic invariants, extension of theorem, IV 515  
 Atomic theory and theory of concomitants, III 148  
 Axis of rotation of a rigid body, I 157  
  
 Barycentric perspective, II 342, 358  
 Bernoulli's numbers, II 254  
 Bezoutians, I 430, 444, 548, 557, 580  
 Bezoutic square, I 430, 444  
 Bezoutoid, I 555  
 Bicorn, II 469, 478; III 214  
  
 Binariants, III 571; IV 294  
 Binary system of cubics compared with ternary system of quadratics, II 15  
 Binomial extractor, III 14  
 Biorthogonal reduction of lineo-linear form, IV 638, 650, 654  
 Bipartition, IV 34  
 Bipotential, III 38  
 Biquadratic, *see* Quartic  
 Bismarck, III 32  
 Bisyntheme, I 92  
 Boole-Mongian, IV 283, 380  
 Bring, Jerrard and Hamilton on quintic equation, IV 531, 553  
 Brioschi's equation for symmetric functions, IV 166  
 Buffon's problem of the needle, IV 663  
 Burman's law for inversion of independent variable, II 44, 50, 65  
  
 Caesura, II 146  
 Calculus of forms, On the, I 284, 328, 402, 411; II 11  
 Canonic roots, II 331  
 Canonical forms, I 184, 190, 202, 208  
     a memoir on elimination, transformation, and canonical forms, I 184  
     for binary forms, I 190, 202  
     of cubic surface, I 195  
     of ternary cubic, I 201  
     Essay on, I 203  
     for odd degrees, I 208, 265  
     for even degrees, I 216, 271, 279, 293  
     a discovery in, I 265  
     of binary sextic, II 18  
     of quartic and octavic, II 18  
     for several variables, IV 527  
 Cartesian ovals, II 527, 550  
 Catalectic, I 211  
 Catalecticant, I 293  
 Cayley's theorem for number of invariants, III 55; IV 458, 519  
 Central force, II 547



- Centre of gravity of figures in homography, II 323  
of a quadrilateral, II 338  
of a truncated pyramid, II 342
- Characteristic, I 580
- Chemistry and algebra, III 103, 150
- Circle of convergence, II 301
- Circle, successive involutes to, II 629, 630, 641, 663
- Cisoid, III 16
- Clausen and von Staudt's law for factors of denominators of Bernoulli's numbers, II 254
- Clebsch, a theorem for curves of the fourth order, IV 527
- Coexistence, rational derivation from equations of, I 40, 47, 54
- Cogredience and contragredience, I 285  
compound, I 287
- Cogredient and Contragredient, I 581  
systems, I 290
- Colligation, III 23
- Combinant, I 402, 411, 554, 580
- Combinatorial aggregation, I 91
- Commemoration-day address at Baltimore, III 72
- Commutants, I 201, 255, 305
- Compound cogredience, I 287
- Compound partitions, II 113
- Computing products without logarithms, II 34
- Concomitance, complex, I 291
- Concomitant, I 200, 286, 581  
plexus, I 291  
of given order and degree for any system of forms, III 67, 113, 241
- Concomitants, derivation of one from another, I 287, 290
- Cone projecting intersection of two surfaces, I 169
- Congruences, the resultant of two, III 475
- Conics  
intersections and contacts, I 119  
having contact of third order, I 155  
porismatic property of, I 155  
intersections of two, I 162  
meeting cubic curve in six consecutive points, II 59  
differential equation of, IV 282, 380
- Conjugate equations, II 399
- Conjugate system of regular substitutions, II 623
- Conjunctive, I 581
- Connuerant, II 133
- Conoid, I 228
- Consecutive points, four upon a tangent line of a surface, I 177
- Constructive Theory of Partitions, IV 1
- Contacts of conics, I 119, 223  
of lines and surfaces of the second order, I 219, 227; II 30
- Contents of polygons, von Staudt's theorems for, I 382
- Continuants, III 249
- Continued fractions, I 641  
for the quadrature of the circle, II 691  
improper, I 583  
arithmetic theorem, IV 659  
expressing the roots of a quadratic, IV 641, 645, 647
- Contrary, reciprocal or complementary substitutions, I 200
- Contravariant, I 200, 581  
changing to a covariant, I 200
- Contravector, II 19
- Convergence  
circle of, II 301  
corona of, II 301
- Coreciprostants, IV 419
- Corpus of matrices, IV 222
- Correlations, of two conics, I 119
- Correspondence between arrangements of complex numbers, IV 59
- Correspondence of partitions, IV 24, 38
- Covariant, I 200, 581
- Crocchi's theorem, III 653
- Cross-gratings used to prove formulae in elliptic functions, III 667
- Crystals, Fresnel's theory of, I 1
- Cube root extracting machine, III 18
- Cubes, sum and difference, numbers so resolvable, III 347
- Cubic and linear form, concomitants of, III 97, 393
- Cubic and quadratic, concomitants of, III 97, 394  
syzygies, III 505
- Cubic and quartic, concomitants of, III 127, 398  
reconciliation of two enumerations of concomitants, III 132, 136
- Cubic, binary, concomitants of, III 283, 579  
generating function for covariants, III 113
- Cubic curve  
and conic of sextactic contact, II 59  
polygons inscribed and circumscribed, III 341  
rational derivation of points, II 107; III 351  
law of squares, III 359  
triangles inscribed and circumscribed, III 474
- Cubic Form, in integers, I 107, 110, 114; II 63, 107; III 312
- Cubic, quadratic and quartic, III 625



- Cubic residues, 2 and 3 as, III 345
- Cubic surface, expressed by five cubes, I 195  
 polar reciprocal, I 302  
 twenty-seven lines of, II 242, 451
- Cubic, ternary, degeneracies of, I 335  
 concomitants of, I 192, 308, 327, 331, 599;  
 II 13, 387
- Cubics, two binary, concomitants of, III 97, 395  
 reconciliation of two enumerations of concomitants, III 258
- Cumulant, I 504, 580
- Cursality or genus of a plane curve, III 14
- Curve of any order, differential equation of, IV 495, 524, 529
- Curves in space analogous to Cartesian ovals, II 555, 559
- Cyclodes, II 629, 641, 663
- Cyclotheme, I 93
- Cyclotomy, III 317, 326, 381, 428, 437, 446, 477, 479; IV 607, 626
- Decimic, binary, concomitants of, III 256, 302
- Definite integrals, two new, II 208, 298
- Degree of a symmetrical function in the coefficients, I 595
- Denumerant, II 120; III 609, 614  
 of a diptych, II 668  
 for invariants of octavic, III 52
- Derivation, rational, from equations of co-existence, I 40, 47, 54
- Derivative, of two equations, of specified degree, I 41  
 points of curves of third order, II 107; III 351
- Determinants  
 diminished, I 126, 136  
 compound, I 126  
 and quadratic forms, I 129, 147  
 minor, condition of all vanishing, I 147, 221  
 relative, I 183, 188  
 of two quadratic forms, summary of possibilities, I 236  
 relation of minor determinants of equivalent quadratics, I 241, 647  
 a fundamental theorem, I 252  
 combination of, I 399  
 definition, I 581  
 Sylvester's theorems in the First Volume, I 647  
 double, II 326, 331, 336  
 and polar umbrae, II 327  
 of parallel motion, III 35  
 and duadic disyntheses, III 264  
 comprising the secular determinant, III 453  
 déterminants composés, sur les, III 456
- Dialytic elimination, I 133, 256, 581  
 for ternary forms, I 62, 76  
 restatement, I 86  
 extensions of, I 256  
 origin of, III 77
- Difference and differential equations, II 689;  
 III 546, 551; IV 630
- Differential equation of conics, IV 282, 380
- Differential equation of a curve of any order, IV 495, 524, 529
- Differential equations of a concomitant, I 352
- Differential invariants, IV 245, 520
- Differential transformation, II 50, 65
- Differentiants, III 113, 118, 124, 151, 232;  
 IV 165
- Diploidal contact, I 225
- Diplotheme, I 92
- Diptych, II 665
- Discriminant, I 581  
 of the canonizant, II 418
- Discriminatrix, II 395, 478
- Disjunctive, I 582
- Ditheme, I 175
- Divisors of cyclotomic functions, III 428, 437, 446, 479
- Divisors of the sum of a geometrical series, IV 607, 625
- Double integration, I 36
- Double six of lines, II 243, 451
- Duadic disyntheses and determinants, III 264
- Duadic syntheme, III 170
- Duodecimic, binary, concomitants of, III 489
- Dyadism, III 23
- $E(x)$ , the function, II 177, 178, 179
- Educational Times*, index to occurrence of  
 Author's name in mathematical questions  
 from, IV 743
- Education, II 147
- Elimination  
 a new theory of, I 40  
 by inspection, I 54  
 note on, I 58  
 Dialytic method, I 61, 86  
 extensions of, I 256  
 linear method of, I 75  
 between quadratic functions, I 139, 145  
 Sketch of a Memoir on, I 184  
 from ternary forms, I 62, 76, 298
- Elliptic integral of the first kind, II 203, 211
- Elliptic motion, II 496
- Emanant, I 288, 431, 582
- Endoscopic and exoscopic, I 431, 582
- l'Entrelacement d'une fonction par rapport à une autre, III 449
- Equal roots and multiple points, I 367



- l'Equation qui sert à déterminer les inégalités  
séculaires des planètes, I 366
- Equation, roots of, difference functions in cor-  
respondence with power sums, IV 163
- Equations of which all the roots are real,  
II 411
- Equatrix, II 395, 478
- Euler's numbers, II 254
- Euler's theorem of reciprocity in partitions,  
I 597; II 120
- Euler's theorem for parabolic motion, II 522
- Euler's theorem for the partition of pentagonal  
numbers, III 664, 685; IV 93, 95  
Franklin's proof, IV 11
- Euler's theorem for perfect numbers, IV 589
- Evectants, I 329, 367
- Even number, partition into two primes,  
II 709
- Expansion of first negative power of a power  
series, II 103
- Extent and content of a partition, IV 2
- Eyes, ears, nose, lips and chin as singularities,  
IV 293
- Ezekiel's valley of dry bones, IV 282
- Facultative point, in theory of quintic, I  
436
- Farey series, III 672, 687; IV 55, 78, 101,  
603
- Fermat's theorem, II 229, 232, 234, 241, 263;  
IV 591
- Fermatian, IV 607, 625
- Finite differences, II 307, 308, 313, 318;  
III 262, 633
- Fluids, on the motion and rest of, I 28
- Form, definition of, I 582
- Forms, Calculus of, I 284, 328, 402, 411;  
II 11
- Formes-adjointes, I 200
- Formes-associées, III 108, 199
- Fractions  
with limited numbers, III 672, 689; IV 84,  
738; see Farey series  
vulgar, a point in the theory of, III 440
- Functional relations among the roots of a  
quartic, I 192
- Fundamental theorem of the theory of in-  
variants, III 117, 232; IV 458
- Funicular solution of Buffon's problem, IV  
663
- Generating function  
for invariants of octavic, III 52  
for invariants of binary forms, III 58  
for covariants, III 113  
in partitions, IV 21  
for reciprocants, IV 402
- Geometrical notions and determinations,  
IV 259
- Geometrical problem, on a simple, I 392
- Geometry, descriptive and metrical, II 8  
Lecture before the Gresham Committee, II 2
- Germany, the classical land of learning,  
III 79
- Goldbach-Euler theorem for primes, IV 734
- Graphical conversion of a continued product  
into a series, IV 26, 91
- Graphical dissection, H. J. S. Smith on,  
IV 49
- Groups, II 269  
intransitive, II 275  
continuous, IV 422
- Halphen, on reciprocants, IV 290
- Hamilton's numbers, IV 553, 585  
Hammond's theorem on, IV 550, 557, 586
- Hammond, benefit of intercourse with, IV 300
- Hessian, or Hessean, I 583  
of a cubic surface, I 195
- Homaloid, I 175  
Homaloidal Law, I 129, 150; II 717
- Homogeneous functions, general properties,  
I 165
- Homonomial resolubility, II 289
- Homonymous, II 122
- Huxley, on Mathematics, II 653, 654
- Hyperdeterminants, I 185, 583  
a discovery in, I 265
- Imaginaries, the eight square, III 642
- Imaginary roots, Newton's rule for, II 376
- Inaugural lecture at Oxford, IV 278
- Independent variable, change of, II 44, 50, 65;  
IV 445
- Indicatrix, II 398
- Induction and verification in Mathematics,  
II 714
- Inertia, law of, for quadratic forms, I 381,  
511, 583; IV 532
- Infinitesimal variation, I 33, 326; II 385
- Integers, successions that cannot be indefi-  
nitely continued, III 656
- Integration, double, I 36
- Interaction of covariants and invariants,  
III 207
- Intercalations, theory of, I 511, 545, 583  
effective scale of, I 582
- Intermutants, I 201, 317
- Interpolation, Lagrange's rule, I 645
- Interpositions, theory of, I 614
- Intuitional exegesis of generalised Farey series,  
IV 78
- Invariant factors of a determinant [unnamed],  
I 221



- Invariants, i 583  
 of a function of even degree, i 273  
 number of, theorem of reciprocity, i 606  
 general theorem for number of, iii 93, 117, 232; iv 458, 515  
 limits to the order and degree of, iii 101
- Involutants, iv 133, 134
- Involutes to a circle, ii 629, 630, 641, 663
- Involution of lines, ii 236, 240, 304; iii 557, 651; iv 136
- Irrationality, value of linear function of, ii 250, 305; iii 635, 644
- Irrationality of  $\pi$ , iv 680, 682
- Ivory's theorem for potential, iii 45
- Jacobi, at Trinity College, Cambridge, iii 77  
 theorem of, proved by partitions, iv 60, 97
- Jacobian, i 583
- Jerrard's form for a quintic is singular, i 211
- Kant's Doctrine of Space and Time, ii 719
- Kenotheme, i 175, 583
- Lady's fan, iii 35
- Lagrange's theorem for linear function of an irrationality, ii 250, 305  
 theorem of interpolation, i 645
- Lambert's theorem for elliptic motion, ii 496, 519
- Latent integer, ii 100
- Latent roots of a matrix, iv 110
- Law of succession, i 287
- Law of synthesis, i 292, 348
- Laws of verse, iii 123
- Lemniscate, iii 14
- Limits for the real roots of an equation, i 423, 424, 620, 627, 630  
 for number of concomitants of binary forms, iii 110  
 to the order and degree of concomitants, iii 113  
 for prime numbers, iii 530; iv 704
- Linear complex, construction from five lines, ii 237
- Linear and cubic forms, concomitants of, iii 97  
 and quadratic forms, concomitants of, iii 392  
 functions, two, concomitants of, iii 392  
 substitutions, powers and roots of, iii 562
- Lineo-linear form reduced to canonical shape, iv 638, 650, 654
- Lines in space, involution of, ii 236, 240, 304; iii 557, 651; iv 136
- Lines on a cubic surface, ii 242, 451
- Linkwork and linkage, iii 9
- Logarithmic waves, rectifiable compound, ii 694
- MacMahon's transformation of subinvariants, iv 164, 236
- Malfatti's problem of inscribed circles, i 153
- Mathematical questions in the *Educational Times*, iv 743
- Mathematics and Observation, ii 655, 714
- Mathematics, philosophy not calculation, iv 329
- Matrices, i 247, 583  
 orthogonal, ii 615  
 inversely orthogonal, ii 615  
 powers and roots of, iii 562, 565  
 properties of split, iii 645  
 latent roots of, iv 110  
 involution of, iv 115, 219  
 systems, iv 133  
 vacuity, nullity and latency, iv 133  
 equations in, iv 152, 176, 181, 199, 206, 231, 272  
 and the law of Harriot, iv 169  
 multiplicity of, iv 210  
 zero, nullity and content of, iv 211  
 latent roots and vacuity of, iv 215  
 biorthogonally reduced to canonical form, iv 638, 650, 654
- Mean value of coefficients in an infinite determinant, iii 253, 257, 277
- Mechanical conversion of motion, iii 7
- Meicatalecticizant, i 293
- Minor determinants, i 147, 584  
 and linearly equivalent quadratic functions, i 241, 647  
 conditions for all to vanish, i 147, 221
- Mixed reciprocants, iv 289, 312
- Monadelpic, iii 153
- Mongian, iv 283, 380
- Monotheme, i 175, 584
- Monothetic equations, iv 169, 173
- Motion, mechanical conversion of, iii 7
- Multipartite system of equations, resultant of, ii 329
- Multiple quantity, iv 133
- Multiple roots, i 66, 69, 370  
 and evectant of discriminant, i 367, 370
- Mutual action of concomitants, iii 218
- Napier and Briggs, anecdote of, iv 279
- Newton's rule for imaginary roots, ii 376, 489, 491, 493, 495, 498, 514, 615, 623, 704; iii 414; iv 160
- Nomes, ii 272, 288
- Nonic, binary, table of concomitants, iii 281, 293



- Nonions, III 647; IV 118, 122, 154  
 Notation for loci in space, I 175  
 Null system [unnamed], II 237  
 Nullity of a matrix, IV 133  
 Number, Space and Order, cardinal notions of Mathematics, II 5  
 Numbers  
   theory of, I 107, 110, 114; II 177, 178, 225; III 252, 438, 440, 446; IV 88  
   Wilson's theorem, I 39; II 10, 249, 293  
   expressed as four squares, II 101  
   of primes, II 225; III 530; IV 592, 696  
   of Bernoulli and Euler, II 254  
   cubic ternary form, I 107, 110, 114; II 63, 107; III 312  
   as sums of cubes, III 347  
   law of reciprocity, III 433  
   resultant of two congruences, III 475  
   successions of integers not indefinitely continuable, III 580, 656  
   geometrical proof of a theorem in, III 635, 644  
   fractions with limited, III 672, 687; IV 738; *see* Farey series  
   Ely's proof of a theorem for residues, IV 50  
   Hamilton's, IV 550, 553, 585  
   vocabulary for, IV 588  
   dividing the sum of a geometrical series, IV 607, 625; *see* Cyclotomy  
   perfect, IV 611, 615, 626  
   arithmetical series, IV 687  
   irrationality of  $\pi$ , IV 680, 682  
 Numbers, Partition of, *see* Partitions  
 Octavic  
   canonical form, II 18  
   invariants of, III 52  
   table of concomitants, III 115, 290  
   irreducible covariants, III 480  
   reconciliation of two enumerations of concomitants, III 509  
 Octopus, III 34  
 Operations, calculus of, II 567, 608  
 Optical theory of crystals, I 2  
 Orbit, under attraction of a circular plate, II 539, 550  
 Orders  
   theory of, I 145, 170, 221, 549, 584, 587  
   loss of, deduced from discriminant, I 139  
 Orthogonal invariants, I 351  
 Orthogonal reciprocants, IV 249, 338  
 Osculants, II 364, 368  
 Oyster, twin-soul to the mathematician, III 73  
 Pantigraph, III 12, 26  
 Paradox, III 20, 36  
 Partial differential operators, II 567, 608  
 Partitions  
   Euler's theorem of reciprocity for, I 597; IV 2  
   of numbers, II 86, 90, 176, 701; III 634, 680, 683; IV 92  
   symmetrical functions of, II 110  
   compound, II 113  
   Seven Lectures on, II 119  
   a theorem of Cauchy for, II 245, 290  
   of an even number into two primes, II 709  
   and rational fractions, III 605  
   fundamental theorem of the new method, III 658  
   Durfee's theorem, III 659  
   Franklin's proof of Euler's theorem, III 664  
   expression of a certain product as a series, III 677  
   Euler's theorem for pentagonal numbers, III 685; IV 93, 95  
   a Constructive Theory of, IV 1  
   proof of a formula of elliptic functions, IV 34  
   table of, IV 391  
 Pascal's theorem, I 138, 145, 151  
 Peaucellier's bar motion, III 7  
 Perfect numbers, IV 589, 604, 611, 615, 626  
 Permutants, I 201, 210, 214, 318  
 Perpetuant, III 592; IV 237  
 Perpetuitant, IV 138  
 Perspective, barycentric, II 342, 358  
 Persymmetrical, I 584  
 Pertactile point on a cubic curve, III 367  
 Plagiogonal invariants, I 351  
 Plagiograph, III 26  
 Plexus of forms, I 291, 346  
 Poinot's representation of the motion of a rigid body, II 517, 577, 602  
 Polar reciprocal, I 303, 363, 377  
   of a cubic surface, I 302  
 Polar umbrae, II 327  
 Poles, in the theory of potential, III 49  
 Polhods, III 4  
 Polynomial functions, expressed by fewer linear functions of variables, I 587  
 Poncelet's approximation for radicals, II 181  
 Post-Schwarzian, IV 321  
 Potential, theory of, III 49  
 Presidential Address to British Association, II 650  
 Pressure of earth on revetment walls, II 215  
 Prime numbers between given limits, III 530; IV 704, 711  
   inequalities for, IV 592  
   Goldbach-Euler theorem, IV 734  
 Prime radical circulator, II 97



- Principiant, iv 382  
 expressed as an invariant, iv 465
- Probabilities, a class of questions, ii 480
- Probability, Buffon's problem, iv 663
- Probationary Lecture on Geometry, ii 2
- Problem of least circle enclosing given points, ii 190
- Product, a continued, expressed as a series, iii 677
- Projectiles, a trifle on, ii 55  
 construction for, ii 61
- Projective Reciprocants, iv 382
- Protomorphs, iv 250, 289
- Pure Reciprocants, iv 257, 289, 312, 341, 391, 403, 514
- Quadratic (and quadric)  
 loci, contacts, i 119, 236; ii 30  
 elimination, i 139  
 functions, solution of a system of, i 152  
 functions, relation between the minor determinants of, i 241, 647  
 polynomial, reducible to squares, i 378  
 forms, law of inertia, i 381, 511, 512; iv 532  
 functions, resultant of three, i 402, 415  
 form indicating number of real roots of an equation, i 402  
 radicals, linear representation of, ii 118  
 residues, fundamental theorem, ii 180  
 and cubic, concomitants of, iii 97  
 syzygies, iii 505  
 generating function for covariants, iii 113  
 concomitants of, iii 283  
 two quadratics, concomitants of, iii 394  
 two quadratics and one quartic, concomitants of, iii 622  
 cubic and quartic, concomitants of, iii 625  
 and two quartics, iii 627
- Quadrinvariant, i 584
- Quadruplane, iii 28
- Quantics  
 to order eight, generating functions for covariants, iii 113  
 of unlimited order, seminvariants of, iii 568
- Quartic (and Quartics)  
 invariants of, i 329, 599; iii 283, 579  
 generating function, iii 113  
 canonical form, i 269  
 ternary, i 334  
 two binary, reconciliation of two enumerations of concomitants, iii 61, 63, 95  
 two binary, concomitants of, iii 402  
 and cubic, concomitants of, iii 127, 132, 136  
 and linear form, iii 393  
 and quadratic, iii 395  
 and two quadratics, iii 622
- Quartic *continued*—  
 cubic and quadratic, iii 625  
 two and quadratic, iii 627  
 three binary, iii 630
- Quasi-catalecticant, iv 400
- Quasi-covariant, iv 411
- Quaternions, iv 112, 122, 162, 183, 188, 225
- Quintic, binary  
 concomitants, i 196, 204, 207; iii 210, 284, 580  
 canonical form, i 193  
 condition for three equal roots, i 348  
 a syzygy, i 362  
 reality of roots in terms of invariants ii 371, 376, 418, 482  
 generating function for concomitants, iii 59  
 113  
 sextic and nonic, skew invariants of, iii 195  
 germ table for, iii 577  
 table of deduction, iii 591  
 Tschirnhausen transformation, iv 531, 553
- Quot-additant, ii 87, 92
- Quot-undulant, ii 87
- Quotients, Sturmian, i 396, 495
- Quotity, ii 86, 90
- Radicals, approximate linear evaluation, ii 118, 181, 202
- Ramification, iii 23
- Rational derivation of points of a cubic curve, ii 107; iii 351
- Reciprocants, iv 242, 249, 255, 281, 301  
 Lectures on the Theory of, iv 301
- Reciprocity  
 method of, i 339  
 law of, for forms, i 403, 606; iii 105, 174, 189  
 law of, in the Theory of Numbers, iii 433  
 theorem of, in partitions, ii 703
- Reduced-resultant, i 188
- Reducible cyclodes, ii 663
- Reduction in number of variables, i 587; *see* Orders
- Relative determinants, i 188
- Residuation, geometrical theory of, iii 317, 352
- Residues, Sturmian, i 438
- Respondent, inverse of concomitant of, i 340
- Resultant  
 of a system of equations, i 259, 584; ii 329, 363, 369, 694; iii 426  
 of three forces, approximate linear representation, ii 188  
 of a matrix, ii 334
- Revenants, iii 593
- Reversion of series, ii 50, 65
- Reversor, iv 451



- Revetment walls, pressure of earth on, II 215
- Rhizoristic series, I 516, 584
- Riemann surface, IV 241
- Rigid bodies, on the motion and rest of, I 33
- Rigid body, rotation of, I 157, 217; II 517, 577, 588, 602; III 1
- Roots  
 of an equation, I 66, 69  
 of numerical equations, rational or not, I 103  
 equality of, I 367, 370  
 Sturmian functions, I 45  
 multiple, I 69  
 limits to real, I 623, 627, 630  
 of a particular form of equation, II 360, 374, 378, 401  
 and Newton's rule, II 361  
 rule for separating, II 542  
 of the secular equation, III 451  
 of two polynomials, intercalation, I 517  
 of matrices, III 565  
 of unity, *see* Cyclotomy
- Schläfli, double six of lines, II 243, 451
- School girls  
 problem for fifteen, II 266, 276  
 for nine, IV 732
- Schwarzian derivative, IV 252, 284, 304
- Secular inequality equation, I 634; III 451; IV 110
- Seminvariants to quantics of unlimited order, III 568
- Septimic, binary  
 generating function for covariants, III 113, 140, 144  
 covariants of, III 146, 286
- Series  
 reversion of, II 50, 65  
 for a certain product, III 677
- Sextic, binary  
 geometrical form of reduction, I 176  
 canonical form, I 280, 283; II 18  
 generating function for covariants, III 60, 113  
 equation connecting three absolute invariants, III 214  
 concomitants, III 285  
 germ table for, III 578
- Sign successions, II 615
- Signaletic, I 584
- Sines and cosines of multiple arcs, expansion of, II 294
- Six-valued function of six letters, I 92; II 264
- Sorites, III 440
- Sources of covariants, IV 164
- Space of four dimensions, II 716
- Spherical Harmonics, Note on, III 37
- Square root extractor, III 18
- Squares, four, expression of any number by, II 101
- von Staudt's theorems for polygons and polyhedra, I 382
- Stigmatic multiplier, IV 707
- Straight lines  
 on the Hessian of a cubic surface, I 195  
 on a cubic surface, II 243, 451
- Sturm's theorem, I 45, 57, 59, 396, 429, 513, 609, 620, 637; *see* Syzygetic
- Subinvariants, III 568  
 as functions of power sums, IV 164
- Subresultant, I 188
- Substitution, I 585  
 representable by a given number of cycles, II 247, 292  
 regular conjugate system, II 623
- Superlinear equations, II 378, 401, 482
- Surd forms, approximate linear evaluation, II 181
- Surfaces of second order, contacts and intersections, I 227, 237
- Symmetrical functions  
 degree in terms of the coefficients, I 595  
 Brioschi's equation for, IV 166
- Syntax, II 269
- Syntheses, I 91; II 265, 277, 286, 288
- Syrrhizoristic, I 585
- Syzygetic  
 on a Theory of the Syzygetic relations of two rational integral functions, etc., I 429  
 functions and multipliers, I 132, 585  
 equations in terms of the roots, I 458
- Szygies, III 489, 603
- Tactic, II 269, 277, 286
- Tactinvariant, II 363
- Tamisage, Tamisement, III 59, 99
- Tangential on a cubic curve, III 352
- Taylor's theorem, generalisation of, III 88
- Tchebycheff, on primes, III 530; IV 711
- Ternary cubic (*see also* Cubic curve)  
 concomitants of, I 192, 308, 327, 331, 599; II 13, 387  
 breaking into linear and quadric factors, I 333  
 sextactic points, II 59  
 solution by integers, I 107, 109, 114; II 63, 107; III 312
- Ternary denominational system of coinage, III 476
- Ternary quadric functions, resultant of three, I 415; *see* Quadratic
- Ternary system of quadratics compared with binary system of cubics, II 15
- Ternary systems of equations, dialytic elimination from, I 61, 83



- Tessellated, II 615  
 Tetrahedra, metrical relations, I 390, 404  
 Theorem of invariants, proof of the fundamental, III 117, 232  
 Three binary forms, concomitants of, III 622  
 Totitives and Totient, II 225; III 337; IV 89, 102, 589  
 Transformation, Memoir on Elimination, Transformation and Canonical forms, I 184  
 Transformation  
   of partitions by the cord rule, IV 48  
   Tschirnhausen, IV 531  
 Trees, the geometrical forms called, III 640  
 Triangles inscribed and circumscribed to a cubic curve, III 474  
 Trigonometry, spherical, Delambre's theorems, II 564  
 Trisection and quartisection of the roots of unity, III 381  
 Tritheme, I 175  
   of third degree, has six right lines at every point, I 176  
 Tschirnhausen transformation, IV 531  
 Types, I 585; II 276, 283  
 Ueberschabung, or Alliance, III 132, 217  
 Umbral, I 585  
 Unilateral equations, IV 152, 169, 225  
 Unity, roots of, III 433; *see* Cyclotomy  
 Unravelment, I 322, 360  
 Vacuity of a matrix, IV 133  
 Valency, III 28, 103, 151  
 Vermicular, IV 294  
 Versors, III 30  
 Virgins, problem of, II 113  
 Wave surface, I 1  
 Waves, in calculation of quosity, II 91  
 Weight, I 585  
 Wilson's theorem in the Theory of Numbers, I 39; II 10, 249, 293  
 Zeta, for squared product of differences, I 59, 586; II 29  
 Zeta-ic multiplication, I 47, 49

