

COLLECTED
MATHEMATICAL
PAPERS

CAYLEY

VOLUME XII



CAMBRIDGE
UNIVERSITY
PRESS

MATHEMATICAL PAPERS.

London: C. J. CLAY AND SONS,
CAMBRIDGE UNIVERSITY PRESS WAREHOUSE,
AVE MARIA LANE.
Glasgow: 263, ARGYLE STREET.



Leipzig: F. A. BROCKHAUS.
New York: THE MACMILLAN COMPANY.

THE COLLECTED
MATHEMATICAL PAPERS

OF

ARTHUR CAYLEY, Sc.D., F.R.S.,

LATE SADLERIAN PROFESSOR OF PURE MATHEMATICS IN THE UNIVERSITY OF CAMBRIDGE.

VOL. XII.

CAMBRIDGE:
AT THE UNIVERSITY PRESS.

1897.

[*All Rights reserved.*]

CAMBRIDGE;

PRINTED BY J. AND C. F. CLAY,
AT THE UNIVERSITY PRESS,



12807/12. d.

K141157
www.rcin.org.pl

ADVERTISEMENT.

THE present volume contains 89 papers, numbered 799 to 887, published for the most part in the years 1883 to 1889.

The Table for the twelve volumes is

Vol.	I.	Numbers	1 to 100,
„	II.	„	101 „ 158,
„	III.	„	159 „ 222,
„	IV.	„	223 „ 299,
„	V.	„	300 „ 383,
„	VI.	„	384 „ 416,
„	VII.	„	417 „ 485,
„	VIII.	„	486 „ 555,
„	IX.	„	556 „ 629,
„	X.	„	630 „ 705,
„	XI.	„	706 „ 798,
„	XII.	„	799 „ 887.

A. R. FORSYTH.

19 May, 1897.

CONTENTS.

[An Asterisk means that the paper is not printed in full.]

	PAGE
799. <i>On curvilinear coordinates</i>	1
Quart. Math. Journ., t. xix. (1883), pp. 1—22	
800. <i>Note on the standard solutions of a system of linear equations</i>	19
Quart. Math. Journ., t. xix. (1883), pp. 38—40	
801. <i>On seminvariants</i>	22
Quart. Math. Journ., t. xix. (1883), pp. 131—138	
802. <i>Note on Captain MacMahon's paper “On the differential equation $X^{-\frac{2}{3}}dx + Y^{-\frac{2}{3}}dy + Z^{-\frac{2}{3}}dz = 0$”</i>	30
Quart. Math. Journ., t. xix. (1883), pp. 182—184	
803. <i>On Mr Anglin's formula for the successive powers of the root of an algebraical equation</i>	33
Quart. Math. Journ., t. xix. (1883), pp. 223, 224	
804. <i>On the elliptic-function solution of the equation $x^3 + y^3 - 1 = 0$</i>	35
Camb. Phil. Soc. Proc., t. iv. (1883), pp. 106—109	
805. <i>Note on Abel's theorem</i>	38
Camb. Phil. Soc. Proc., t. iv. (1883), pp. 119—122	
806. <i>Determination of the order of a surface</i>	42
Messenger of Mathematics, t. xii. (1883), pp. 29—32	
807. <i>A proof of Wilson's theorem</i>	45
Messenger of Mathematics, t. xii. (1883), p. 41	

	PAGE
808. <i>Note on a form of the modular equation in the transformation of the third order</i>	46
Messenger of Mathematics, t. XII. (1883), pp. 173, 174	
809. <i>Schröter's construction of the regular pentagon</i>	47
Messenger of Mathematics, t. XII. (1883), p. 177	
810. <i>Note on a system of equations</i>	48
Messenger of Mathematics, t. XII. (1883), pp. 191, 192	
811. <i>On the linear transformation of the theta-functions</i>	50
Messenger of Mathematics, t. XIII. (1884), pp. 54—60	
812. <i>On Archimedes' theorem for the surface of a cylinder</i>	56
Messenger of Mathematics, t. XIII. (1884), pp. 107, 108	
813. [Note on Mr Griffiths' paper “ <i>On a deduction from the elliptic-integral formula $y = \sin(A + B + C + \dots)$</i> ”]	58
Proc. Lond. Math. Soc., t. XV. (1884), p. 81	
814. <i>On double algebra</i>	60
Proc. Lond. Math. Soc., t. XV. (1884), pp. 185—197	
815. <i>The binomial equation $x^p - 1 = 0$; quinqueisection. Second part</i>	72
Proc. Lond. Math. Soc., t. XVI. (1885), pp. 61—63	
816. <i>On the bitangents of a plane quartic</i>	74
Crelle's Journal der Mathem., t. XCIV. (1883), pp. 93—115; Camb. Phil. Soc. Proc., t. IV. (1883), p. 321	
817. <i>On the sixteen-nodal quartic surface</i>	95
Crelle's Journal der Mathem., t. XCIV. (1883), pp. 270—272	
818. <i>Note on hyperelliptic integrals of the first order</i>	98
Crelle's Journal der Mathem., t. XCVIII. (1885), pp. 95, 96	
819. <i>On two cases of the quadric transformation between two planes</i>	100
Johns Hopkins University Circulars, No. 13 (1882), pp. 178, 179	
820. <i>On a problem of analytical geometry</i>	102
Johns Hopkins University Circulars, No. 15 (1882), p. 209	

	PAGE
821. <i>On the geometrical representation of an equation between two variables</i>	104
Johns Hopkins University Circulars, No. 15 (1882), p. 210	
822. <i>On associative imaginaries</i>	105
Johns Hopkins University Circulars, No. 15 (1882), pp. 211, 212	
823. <i>On the geometrical interpretation of certain formulae in elliptic functions</i>	107
Johns Hopkins University Circulars, No. 17 (1882), p. 238	
824. <i>Note on the formulae of trigonometry</i>	108
Johns Hopkins University Circulars, No. 17 (1882), p. 241	
825. <i>A memoir on the Abelian and Theta Functions</i>	109
Chapters I to III, American Journal of Mathematics, t. v. (1882), pp. 137—179 ; Chapters IV to VII, <i>ib.</i> , t. vii. (1885), pp. 101—167	
826. <i>Note on a partition series</i>	217
American Journal of Mathematics, t. vi. (1884), pp. 63, 64	
827. <i>On the non-Euclidian plane geometry</i>	220
Proc. Roy. Soc., t. xxxvii. (1884), pp. 82—102	
828. <i>A memoir on seminvariants</i>	239
American Journal of Mathematics, t. vii. (1885), pp. 1—25	
829. <i>Tables of the symmetric functions of the roots, to the degree 10, for the form $1 + bx + \frac{cx^2}{1 \cdot 2} + \dots = (1 - ax)(1 - \beta x)(1 - \gamma x) \dots$</i>	263
American Journal of Mathematics, t. vii. (1885), pp. 47—56	
830. <i>Non-unitary partition tables</i>	273
American Journal of Mathematics, t. vii. (1885), pp. 57, 58	
831. <i>Seminvariant tables</i>	275
American Journal of Mathematics, t. vii. (1885), pp. 59—73	
832. <i>Note on an apparent difficulty in the theory of curves, when the coordinates of a point are given as functions of a variable parameter</i>	290
Messenger of Mathematics, t. xiv. (1885), pp. 12—14	

	PAGE
833. <i>On a formula in elliptic functions</i>	292
Messenger of Mathematics, t. XIV. (1885), pp. 21, 22	
834. <i>On the addition of the elliptic functions</i>	294
Messenger of Mathematics, t. XIV. (1885), pp. 56—61	
835. <i>On Cardan's solution of a cubic equation</i>	299
Messenger of Mathematics, t. XIV. (1885), pp. 96, 97	
836. <i>On the quaternion equation $qQ - Qq' = 0$</i>	300
Messenger of Mathematics, t. XIV. (1885), pp. 108—112	
837. <i>On the so-called D'Alembert Carnot geometrical paradox</i>	305
Messenger of Mathematics, t. XIV. (1885), pp. 113, 114	
838. <i>On the twisted cubics upon a quadric surface</i>	307
Messenger of Mathematics, t. XIV. (1885), pp. 129—132	
839. <i>On the matrical equation $qQ - Qq' = 0$</i>	311
Messenger of Mathematics, t. XIV. (1885), pp. 176—178	
840. <i>On Mascheroni's geometry of the compass</i>	314
Messenger of Mathematics, t. XIV. (1885), pp. 179—181	
841. <i>On a differential operator</i>	318
Messenger of Mathematics, t. XIV. (1885), pp. 190, 191	
842. <i>On the value of $\tan(\sin \theta) - \sin(\tan \theta)$</i>	319
Messenger of Mathematics, t. XIV. (1885), pp. 191, 192	
843. <i>On the quadri-quadratic curve i.e. connexion with the theory of elliptic functions</i>	321
Mathematische Annalen, t. XXV. (1885), pp. 152—156	
844. <i>On a theorem relating to seminvariants</i>	326
Quart. Math. Journ., t. XX. (1885), pp. 212, 213	
845. <i>On the orthomorphosis of the circle into the parabola</i>	328
Quart. Math. Journ., t. XX. (1885), pp. 213—220	
846. <i>A verification in regard to the linear transformation of the theta-functions</i>	337
Quart. Math. Journ., t. XXI. (1886), pp. 77—84	

	PAGE
847. <i>On the theory of seminvariants</i>	344
Quart. Math. Journ., t. xxi. (1886), pp. 92—107	
848. <i>On the transformation of the double theta-functions</i>	358
Quart. Math. Journ., t. xxi. (1886), pp. 142—178	
849. <i>On the invariants of a linear differential equation</i>	390
Quart. Math. Journ., t. xxi. (1886), pp. 257—261	
850. <i>On linear differential equations</i>	394
Quart. Math. Journ., t. xxi. (1886), pp. 321—331	
851. <i>On linear differential equations: the theory of decomposition</i>	403
Quart. Math. Journ., t. xxi. (1886), pp. 331—335	
852. <i>Note sur le mémoire de M. Picard “Sur les intégrales de différentielles totales algébriques de première espèce”</i>	408
Bull. des Sciences Math., 2 ^{me} Sér., t. x. (1886), pp. 75—78	
853. <i>Note on a formula for $\Delta^n 0^i/n^i$ when n, i are very large numbers</i>	412
Proc. Roy. Soc. Edin., t. xiv. (1887), pp. 149—153	
854. <i>An algebraical transformation</i>	416
Messenger of Mathematics, t. xv. (1886), pp. 58, 59	
855. <i>Solution of $(a, b, c, d) = (a^2, b^2, c^2, d^2)$</i>	418
Messenger of Mathematics, t. xv. (1886), pp. 59—61	
856. <i>Note on a cubic equation</i>	421
Messenger of Mathematics, t. xv. (1886), pp. 62—64	
857. <i>Analytical geometrical note on the conic</i>	424
Messenger of Mathematics, t. xv. (1886), p. 192	
858. <i>Comparison of the Weierstrassian and Jacobian elliptic functions</i>	425
Messenger of Mathematics, t. xvi. (1887), pp. 129—132	
859. <i>On the complex of lines which meet a unicursal quartic curve</i>	428
Proc. Lond. Math. Soc., t. xvii. (1886), pp. 232—238	

b 2

	PAGE
860. <i>On Briot and Bouquet's theory of the differential equation</i> $F\left(u, \frac{du}{dz}\right) = 0$	432
Proc. Lond. Math. Soc., t. xviii. (1887), pp. 314—324	
861. <i>Note on a formula relating to the zero-value of a theta-function</i>	442
Crelle's Journal der Mathem., t. c. (1887), pp. 87, 88	
862. <i>Note on the theory of linear differential equations</i>	444
Crelle's Journal der Mathem., t. c. (1887), pp. 286—295	
863. <i>Note on the theory of linear differential equations</i>	453
Crelle's Journal der Mathem., t. ci. (1887), pp. 209—213	
864. <i>On Rudio's inverse centro-surface</i>	457
Quart. Math. Journ., t. xxii. (1887), pp. 156—158	
865. <i>On multiple algebra</i>	459
Quart. Math. Journ., t. xxii. (1887), pp. 270—308	
866. <i>Note on Kiepert's L-equations, in the transformation of elliptic functions</i>	490
Mathematische Annalen, t. xxx. (1887), pp. 75—77	
867. <i>Note on the Jacobian sextic equation</i>	493
Mathematische Annalen, t. xxx. (1887), pp. 78—84	
868. <i>On the intersection of curves</i>	500
Mathematische Annalen, t. xxx. (1887), pp. 85—90	
869. <i>On the transformation of elliptic functions</i>	505
American Journal of Mathematics, t. ix. (1887), pp. 193—224	
870. <i>On the transformation of elliptic functions (sequel)</i>	535
American Journal of Mathematics, t. x. (1888), pp. 71—93	
871. <i>A case of complex multiplication with imaginary modulus arising out of the cubic transformation in elliptic functions</i>	556
Proc. Lond. Math. Soc., t. xix. (1888), pp. 300, 301	
*872. <i>On the finite number of the covariants of a binary quantic</i>	558
Mathematische Annalen, t. xxxiv. (1889), pp. 319, 320	

	PAGE
873. <i>System of equations for three circles which cut each other at given angles</i>	559
Messenger of Mathematics, t. xvii. (1888), pp. 18—21	
874. <i>Note on the Legendrian coefficients of the second kind</i>	562
Messenger of Mathematics, t. xvii. (1888), pp. 21—23	
875. <i>On the system of three circles which cut each other at given angles and have their centres in a line</i>	564
Messenger of Mathematics, t. xvii. (1888), pp. 60—69	
876. <i>On systems of rays</i>	571
Messenger of Mathematics, t. xvii. (1888), pp. 73—78	
877. <i>Note on the two relations connecting the distances of four points on a circle</i>	576
Messenger of Mathematics, t. xvii. (1888), pp. 94, 95	
878. <i>Note on the anharmonic ratio equation</i>	578
Messenger of Mathematics, t. xvii. (1888), pp. 95, 96	
879. <i>Note on the differential equation</i> $\frac{dx}{\sqrt{1-x^2}} + \frac{dy}{\sqrt{1-y^2}} = 0$	580
Messenger of Mathematics, t. xviii. (1889), p. 90	
880. <i>Note on the relation between the distance of five points in space</i>	581
Messenger of Mathematics, t. xviii. (1889), pp. 100—102	
881. <i>On Hermite's H-product theorem</i>	584
Messenger of Mathematics, t. xviii. (1889), pp. 104—107	
882. <i>A correspondence of confocal Cartesians with the right lines of a hyperboloid</i>	587
Messenger of Mathematics, t. xviii. (1889), pp. 128—130	
883. <i>Analytical formulae in regard to an octad of points</i>	590
Messenger of Mathematics, t. xviii. (1889), pp. 149—152	
884. <i>Note sur les surfaces minima et le théorème de Joachimsthal</i>	594
Comptes Rendus, t. cvi. (1888), pp. 995, 996	

	PAGE
885. <i>On the Diophantine relation, $y^2 + y'^2 = \text{Square}$</i>	596
Proc. Lond. Math. Soc., t. xx. (1889), pp. 122—127	
886. <i>On the surfaces with plane or spherical curves of curvature</i>	601
American Journal of Mathematics, t. xi. (1889), pp. 71—98; pp. 293—306	
887. <i>On the theory of groups</i>	639
American Journal of Mathematics, t. xi. (1889), pp. 139—157	

CLASSIFICATION.

ANALYSIS.

- Equations, 801, 803, 835, 855, 856, 867, 878.
- Theory of numbers, 807, 815.
- Groups, 887.
- Quaternions, 836.
- Matrices, 839.
- Trigonometry, 824, 842.
- Symmetric functions, 829, 841.
- Partitions, 826, 830.
- Invariants and covariants, 800, 801, 828, 831, 844, 847, *872.
- Multiple Algebra, 814, 822, 865.
- Integral calculus, 852.
- Legendre's coefficients, 874.
- Finite differences, 853.
- Differential equations (general), 802, 860, 879, 885.
- Differential equations (linear), 849, 850, 851, 862, 863.
- Elliptic functions, 804, 813, 823, 833, 834, 843, 858, 881.
- Transformation of elliptic functions, 808, 854, 866, 869, 870, 871.
- Abel's theorem, 805.
- Abelian functions, 818, 825.
- Theta functions, 811, 825, 846, 848, 861.

GEOMETRY.

- Properties of circles, 873, 875, 877.
Non-Euclidian geometry, 827.
General theory of curves, 820, 832, 868.
Correspondence, 819, 821.
Orthomorphosis, 821, 845.
Plane Quartics, 816.
Groups of points, 880, 883.
General theory of surfaces, 799, 806.
Quadrics, 882.
Quartic surfaces, 817.
Centro-surfaces, 864.
Minimal surfaces, 884.
Rays, 876.
Curves of curvature, 886.
Twisted cubic curves, 838.
Twisted quartic curves, 843, 859.

MISCELLANEOUS, 809, 810, 812, 837, 840, 857.

